



**REP020 Quarterly Statistics on Availability and
Performance of Dedicated Interfaces**

Q1 2026

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	yes

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		304	0	304	0.00
2	100.00	0.00		296	0	296	0.00
3	100.00	0.00		289	0	289	0.00
4	100.00	0.00		295	0	295	0.00
5	100.00	0.00		287	0	287	0.00
6	100.00	0.00		299	0	299	0.00
7	100.00	0.00		290	0	290	0.00
8	100.00	0.00		284	0	284	0.00
9	100.00	0.00		315	0	315	0.00
10	100.00	0.00		287	0	287	0.00
11	100.00	0.00		286	0	286	0.00
12	100.00	0.00		299	0	299	0.00
13	100.00	0.00		310	0	310	0.00
14	100.00	0.00		395	0	395	0.00
15	100.00	0.00		300	0	300	0.00
16	100.00	0.00		303	0	303	0.00
17	100.00	0.00		351	0	351	0.00
18	100.00	0.00		367	0	367	0.00
19	100.00	0.00		370	0	370	0.00
20	100.00	0.00		374	0	374	0.00
21	100.00	0.00		360	0	360	0.00
22	100.00	0.00		387	0	387	0.00
23	100.00	0.00		361	0	361	0.00
24	100.00	0.00		364	0	364	0.00
25	100.00	0.00		338	0	338	0.00
26	100.00	0.00		370	0	370	0.00
27	100.00	0.00		369	0	369	0.00
28	99.93	0.07		385	0	385	0.00
29	100.00	0.00		363	0	363	0.00
30	100.00	0.00		394	0	394	0.00
31	100.00	0.00		335	0	335	0.00
32	100.00	0.00		320	0	320	0.00
33	100.00	0.00		327	0	327	0.00
34	100.00	0.00		319	0	319	0.00
35	100.00	0.00		316	0	316	0.00
36	100.00	0.00		328	0	328	0.00
37	100.00	0.00		309	0	309	0.00
38	100.00	0.00		314	0	314	0.00
39	100.00	0.00		301	0	301	0.00
40	100.00	0.00		310	0	310	0.00
41	100.00	0.00		302	0	302	0.00
42	100.00	0.00		310	0	310	0.00
43	100.00	0.00		297	0	297	0.00
44	100.00	0.00		282	0	282	0.00
45	100.00	0.00		466	0	466	0.00
46	100.00	0.00		303	0	303	0.00
47	100.00	0.00		265	0	265	0.00
48	100.00	0.00		200	0	200	0.00
49	100.00	0.00		253	0	253	0.00
50	100.00	0.00		303	0	303	0.00
51	100.00	0.00		302	0	302	0.00
52	100.00	0.00		310	0	310	0.00
53	100.00	0.00		301	0	301	0.00
54	100.00	0.00		301	0	301	0.00
55	100.00	0.00		369	0	369	0.00
56	100.00	0.00		376	0	376	0.00
57	100.00	0.00		395	0	395	0.00
58	100.00	0.00		373	0	373	0.00
59	100.00	0.00		476	0	476	0.00
60	100.00	0.00		333	0	333	0.00
61	100.00	0.00		358	0	358	0.00
62	100.00	0.00		316	0	316	0.00
63	100.00	0.00		297	0	297	0.00
64	100.00	0.00		306	0	306	0.00
65	100.00	0.00		296	0	296	0.00
66	100.00	0.00		294	0	294	0.00
67	100.00	0.00		283	0	283	0.00
68	100.00	0.00		284	0	284	0.00
69	100.00	0.00		285	0	285	0.00
70	100.00	0.00		288	0	288	0.00
71	100.00	0.00		293	0	293	0.00
72	100.00	0.00		298	0	298	0.00
73	100.00	0.00		308	0	308	0.00
74	100.00	0.00		314	0	314	0.00
75	100.00	0.00		299	0	299	0.00
76	100.00	0.00		287	0	287	0.00
77	100.00	0.00		289	0	289	0.00
78	100.00	0.00		298	0	298	0.00
79	100.00	0.00		364	0	364	0.00
80	100.00	0.00		298	0	298	0.00
81	100.00	0.00		296	0	296	0.00
82	100.00	0.00		313	0	313	0.00
83	100.00	0.00		292	0	292	0.00
84	100.00	0.00		297	0	297	0.00
85	100.00	0.00		277	0	277	0.00
86	100.00	0.00		283	0	283	0.00
87	100.00	0.00		286	0	286	0.00
88	100.00	0.00		284	0	284	0.00
89	100.00	0.00		282	0	282	0.00
90	100.00	0.00		285	0	285	0.00
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	205				
2	100.00	0.00	268				
3	100.00	0.00	196				
4	100.00	0.00	203				
5	100.00	0.00	204				
6	100.00	0.00	232				
7	100.00	0.00	203				
8	100.00	0.00	206				
9	100.00	0.00	264				
10	100.00	0.00	195				
11	100.00	0.00	195				
12	100.00	0.00	201				
13	99.79	0.21	210				
14	99.38	0.62	199				
15	100.00	0.00	201				
16	100.00	0.00	195				
17	100.00	0.00	196				
18	100.00	0.00	205				
19	100.00	0.00	208				
20	100.00	0.00	211				
21	100.00	0.00	202				
22	100.00	0.00	206				
23	100.00	0.00	207				
24	100.00	0.00	206				
25	100.00	0.00	212				
26	100.00	0.00	219				
27	100.00	0.00	224				
28	99.79	0.21	234				
29	100.00	0.00	230				
30	100.00	0.00	227				
31	100.00	0.00	337				
32	100.00	0.00	683				
33	100.00	0.00	254				
34	100.00	0.00	231				
35	100.00	0.00	217				
36	100.00	0.00	205				
37	100.00	0.00	208				
38	100.00	0.00	202				
39	100.00	0.00	203				
40	100.00	0.00	215				
41	100.00	0.00	215				
42	100.00	0.00	195				
43	100.00	0.00	200				
44	100.00	0.00	190				
45	100.00	0.00	196				
46	100.00	0.00	191				
47	100.00	0.00	196				
48	100.00	0.00	196				
49	100.00	0.00	187				
50	100.00	0.00	168				
51	100.00	0.00	170				
52	100.00	0.00	178				
53	100.00	0.00	174				
54	100.00	0.00	171				
55	100.00	0.00	180				
56	99.38	0.62	243				
57	100.00	0.00	178				
58	100.00	0.00	176				
59	100.00	0.00	175				
60	100.00	0.00	169				
61	100.00	0.00	176				
62	100.00	0.00	166				
63	100.00	0.00	167				
64	100.00	0.00	170				
65	100.00	0.00	169				
66	100.00	0.00	170				
67	100.00	0.00	170				
68	100.00	0.00	170				
69	100.00	0.00	168				
70	100.00	0.00	169				
71	100.00	0.00	171				
72	100.00	0.00	181				
73	100.00	0.00	172				
74	100.00	0.00	170				
75	100.00	0.00	172				
76	100.00	0.00	171				
77	100.00	0.00	172				
78	100.00	0.00	165				
79	99.93	0.07	184				
80	100.00	0.00	161				
81	100.00	0.00	171				
82	100.00	0.00	168				
83	100.00	0.00	168				
84	100.00	0.00	175				
85	98.96	1.04	161				
86	100.00	0.00	167				
87	100.00	0.00	161				
88	100.00	0.00	169				
89	100.00	0.00	186				
90	100.00	0.00	182				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	205				
2	100.00	0.00	268				
3	100.00	0.00	196				
4	100.00	0.00	203				
5	100.00	0.00	204				
6	100.00	0.00	232				
7	100.00	0.00	203				
8	100.00	0.00	206				
9	100.00	0.00	264				
10	100.00	0.00	195				
11	100.00	0.00	195				
12	100.00	0.00	201				
13	99.79	0.21	210				
14	99.38	0.62	199				
15	100.00	0.00	201				
16	100.00	0.00	195				
17	100.00	0.00	196				
18	100.00	0.00	205				
19	100.00	0.00	208				
20	100.00	0.00	211				
21	100.00	0.00	202				
22	100.00	0.00	206				
23	100.00	0.00	207				
24	100.00	0.00	206				
25	100.00	0.00	212				
26	100.00	0.00	219				
27	100.00	0.00	224				
28	99.79	0.21	234				
29	100.00	0.00	230				
30	100.00	0.00	227				
31	100.00	0.00	337				
32	100.00	0.00	683				
33	100.00	0.00	254				
34	100.00	0.00	231				
35	100.00	0.00	217				
36	100.00	0.00	205				
37	100.00	0.00	208				
38	100.00	0.00	202				
39	100.00	0.00	203				
40	100.00	0.00	215				
41	100.00	0.00	215				
42	100.00	0.00	195				
43	100.00	0.00	200				
44	100.00	0.00	190				
45	100.00	0.00	196				
46	100.00	0.00	191				
47	100.00	0.00	196				
48	100.00	0.00	196				
49	100.00	0.00	187				
50	100.00	0.00	168				
51	100.00	0.00	170				
52	100.00	0.00	178				
53	100.00	0.00	174				
54	100.00	0.00	171				
55	100.00	0.00	180				
56	99.38	0.62	243				
57	100.00	0.00	178				
58	100.00	0.00	176				
59	100.00	0.00	175				
60	100.00	0.00	169				
61	100.00	0.00	176				
62	100.00	0.00	166				
63	100.00	0.00	167				
64	100.00	0.00	170				
65	100.00	0.00	169				
66	100.00	0.00	170				
67	100.00	0.00	170				
68	100.00	0.00	170				
69	100.00	0.00	168				
70	100.00	0.00	169				
71	100.00	0.00	171				
72	100.00	0.00	181				
73	100.00	0.00	172				
74	100.00	0.00	170				
75	100.00	0.00	172				
76	100.00	0.00	171				
77	100.00	0.00	172				
78	100.00	0.00	165				
79	99.93	0.07	184				
80	100.00	0.00	161				
81	100.00	0.00	171				
82	100.00	0.00	168				
83	100.00	0.00	168				
84	100.00	0.00	175				
85	98.96	1.04	161				
86	100.00	0.00	167				
87	100.00	0.00	161				
88	100.00	0.00	169				
89	100.00	0.00	186				
90	100.00	0.00	182				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	Dedicated interface	yes

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		182	0	182	0.00
2	99.93	0.07		201	0	201	0.00
3	100.00	0.00		178	0	178	0.00
4	100.00	0.00		178	0	178	0.00
5	100.00	0.00		178	0	178	0.00
6	100.00	0.00		180	0	180	0.00
7	100.00	0.00		180	0	180	0.00
8	100.00	0.00		179	0	179	0.00
9	100.00	0.00		180	0	180	0.00
10	100.00	0.00		171	0	171	0.00
11	100.00	0.00		173	0	173	0.00
12	100.00	0.00		176	0	176	0.00
13	99.86	0.14		179	0	179	0.00
14	99.44	0.56		187	0	187	0.00
15	100.00	0.00		176	0	176	0.00
16	100.00	0.00		172	0	172	0.00
17	100.00	0.00		172	0	172	0.00
18	100.00	0.00		172	0	172	0.00
19	100.00	0.00		173	0	173	0.00
20	100.00	0.00		175	0	175	0.00
21	100.00	0.00		176	0	176	0.00
22	100.00	0.00		179	0	179	0.00
23	100.00	0.00		180	0	180	0.00
24	100.00	0.00		179	0	179	0.00
25	100.00	0.00		180	0	180	0.00
26	100.00	0.00		188	0	188	0.00
27	100.00	0.00		205	0	205	0.00
28	99.44	0.56		196	0	196	0.00
29	100.00	0.00		197	0	197	0.00
30	100.00	0.00		193	0	193	0.00
31	100.00	0.00		308	0	308	0.00
32	100.00	0.00		566	0	566	0.00
33	100.00	0.00		216	0	216	0.00
34	100.00	0.00		204	0	204	0.00
35	100.00	0.00		222	0	222	0.00
36	100.00	0.00		218	0	218	0.00
37	100.00	0.00		202	0	202	0.00
38	100.00	0.00		197	0	197	0.00
39	100.00	0.00		206	0	206	0.00
40	100.00	0.00		206	0	206	0.00
41	100.00	0.00		192	0	192	0.00
42	99.93	0.07		10380	0	10380	0.00
43	99.86	0.14		27704	0	27704	0.00
44	100.00	0.00		0	0	0	0.00
45	99.86	0.14		11340	0	11340	0.00
46	99.93	0.07		10452	0	10452	0.00
47	66.88	33.12		19714	0	19714	0.00
48	24.86	75.14		19691	0	19691	0.00
49	65.49	34.51		19552	0	19552	0.00
50	100.00	0.00		0	0	0	0.00
51	100.00	0.00		0	0	0	0.00
52	100.00	0.00		0	0	0	0.00
53	100.00	0.00		0	0	0	0.00
54	100.00	0.00		0	0	0	0.00
55	100.00	0.00		0	0	0	0.00
56	100.00	0.00		0	0	0	0.00
57	100.00	0.00		0	0	0	0.00
58	100.00	0.00		0	0	0	0.00
59	100.00	0.00		0	0	0	0.00
60	100.00	0.00		0	0	0	0.00
61	100.00	0.00		0	0	0	0.00
62	100.00	0.00		0	0	0	0.00
63	100.00	0.00		0	0	0	0.00
64	100.00	0.00		0	0	0	0.00
65	100.00	0.00		0	0	0	0.00
66	100.00	0.00		0	0	0	0.00
67	100.00	0.00		0	0	0	0.00
68	100.00	0.00		0	0	0	0.00
69	100.00	0.00		0	0	0	0.00
70	100.00	0.00		0	0	0	0.00
71	100.00	0.00		0	0	0	0.00
72	100.00	0.00		0	0	0	0.00
73	100.00	0.00		0	0	0	0.00
74	100.00	0.00		0	0	0	0.00
75	100.00	0.00		0	0	0	0.00
76	100.00	0.00		0	0	0	0.00
77	100.00	0.00		0	0	0	0.00
78	100.00	0.00		0	0	0	0.00
79	100.00	0.00		0	0	0	0.00
80	100.00	0.00		0	0	0	0.00
81	100.00	0.00		0	0	0	0.00
82	100.00	0.00		0	0	0	0.00
83	100.00	0.00		0	0	0	0.00
84	100.00	0.00		0	0	0	0.00
85	100.00	0.00		0	0	0	0.00
86	100.00	0.00		0	0	0	0.00
87	100.00	0.00		0	0	0	0.00
88	100.00	0.00		0	0	0	0.00
89	100.00	0.00		0	0	0	0.00
90	100.00	0.00		0	0	0	0.00
91							
92							