



**REP020 Quarterly Statistics on Availability and  
Performance of Dedicated Interfaces**

Q4 2025

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
A		B	C				
Open banking API		Dedicated interface	yes				
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		302	0	302	0.00
2	100.00	0.00		292	0	292	0.00
3	100.00	0.00		300	0	300	0.00
4	100.00	0.00		313	0	313	0.00
5	100.00	0.00		301	0	301	0.00
6	100.00	0.00		305	0	305	0.00
7	100.00	0.00		322	0	322	0.00
8	100.00	0.00		291	0	291	0.00
9	100.00	0.00		304	0	304	0.00
10	100.00	0.00		292	0	292	0.00
11	100.00	0.00		312	0	312	0.00
12	100.00	0.00		311	0	311	0.00
13	100.00	0.00		297	0	297	0.00
14	100.00	0.00		300	0	300	0.00
15	100.00	0.00		314	0	314	0.00
16	100.00	0.00		300	0	300	0.00
17	100.00	0.00		257	0	257	0.00
18	100.00	0.00		186	0	186	0.00
19	100.00	0.00		205	0	205	0.00
20	100.00	0.00		213	0	213	0.00
21	100.00	0.00		209	0	209	0.00
22	100.00	0.00		214	0	214	0.00
23	100.00	0.00		235	0	235	0.00
24	100.00	0.00		206	0	206	0.00
25	100.00	0.00		218	0	218	0.00
26	100.00	0.00		214	0	214	0.00
27	100.00	0.00		225	0	225	0.00
28	100.00	0.00		218	0	218	0.00
29	100.00	0.00		215	0	215	0.00
30	100.00	0.00		221	0	221	0.00
31	100.00	0.00		243	0	243	0.00
32	100.00	0.00		225	0	225	0.00
33	100.00	0.00		206	0	206	0.00
34	100.00	0.00		220	0	220	0.00
35	100.00	0.00		226	0	226	0.00
36	100.00	0.00		199	0	199	0.00
37	100.00	0.00		194	0	194	0.00
38	100.00	0.00		227	0	227	0.00
39	100.00	0.00		206	0	206	0.00
40	100.00	0.00		224	0	224	0.00
41	100.00	0.00		242	0	242	0.00
42	100.00	0.00		235	0	235	0.00
43	100.00	0.00		239	0	239	0.00
44	100.00	0.00		231	0	231	0.00
45	100.00	0.00		218	0	218	0.00
46	100.00	0.00		218	0	218	0.00
47	100.00	0.00		216	0	216	0.00
48	100.00	0.00		210	0	210	0.00
49	100.00	0.00		228	0	228	0.00
50	100.00	0.00		363	0	363	0.00
51	100.00	0.00		297	0	297	0.00
52	100.00	0.00		287	0	287	0.00
53	100.00	0.00		299	0	299	0.00
54	100.00	0.00		296	0	296	0.00
55	100.00	0.00		282	0	282	0.00
56	100.00	0.00		268	0	268	0.00
57	100.00	0.00		274	0	274	0.00
58	100.00	0.00		289	0	289	0.00
59	100.00	0.00		276	0	276	0.00
60	100.00	0.00		298	0	298	0.00
61	100.00	0.00		283	0	283	0.00
62	100.00	0.00		291	0	291	0.00
63	100.00	0.00		274	0	274	0.00
64	100.00	0.00		308	0	308	0.00
65	100.00	0.00		237	0	237	0.00
66	100.00	0.00		112	0	112	0.00
67	100.00	0.00		110	0	110	0.00
68	100.00	0.00		114	0	114	0.00
69	100.00	0.00		183	0	183	0.00
70	100.00	0.00		304	0	304	0.00
71	100.00	0.00		335	0	335	0.00
72	100.00	0.00		322	0	322	0.00
73	100.00	0.00		313	0	313	0.00
74	100.00	0.00		313	0	313	0.00
75	100.00	0.00		324	0	324	0.00
76	100.00	0.00		299	0	299	0.00
77	100.00	0.00		279	0	279	0.00
78	100.00	0.00		309	0	309	0.00
79	100.00	0.00		313	0	313	0.00
80	100.00	0.00		297	0	297	0.00
81	100.00	0.00		291	0	291	0.00
82	100.00	0.00		299	0	299	0.00
83	100.00	0.00		310	0	310	0.00
84	100.00	0.00		274	0	274	0.00
85	100.00	0.00		281	0	281	0.00
86	100.00	0.00		295	0	295	0.00
87	100.00	0.00		303	0	303	0.00
88	100.00	0.00		302	0	302	0.00
89	100.00	0.00		290	0	290	0.00
90	100.00	0.00		312	0	312	0.00
91	100.00	0.00		296	0	296	0.00
92	100.00	0.00		298	0	298	0.00

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Web interface		PSU interface				
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	208				
2	100.00	0.00	205				
3	100.00	0.00	213				
4	100.00	0.00	209				
5	100.00	0.00	210				
6	100.00	0.00	215				
7	100.00	0.00	215				
8	99.93	0.07	222				
9	100.00	0.00	204				
10	100.00	0.00	206				
11	100.00	0.00	206				
12	100.00	0.00	209				
13	100.00	0.00	205				
14	100.00	0.00	212				
15	100.00	0.00	207				
16	100.00	0.00	209				
17	100.00	0.00	209				
18	100.00	0.00	201				
19	100.00	0.00	204				
20	100.00	0.00	196				
21	100.00	0.00	191				
22	100.00	0.00	191				
23	100.00	0.00	194				
24	100.00	0.00	208				
25	100.00	0.00	195				
26	100.00	0.00	193				
27	100.00	0.00	196				
28	100.00	0.00	195				
29	99.86	0.14	234				
30	100.00	0.00	195				
31	100.00	0.00	194				
32	100.00	0.00	190				
33	100.00	0.00	192				
34	100.00	0.00	221				
35	100.00	0.00	215				
36	99.86	0.14	209				
37	100.00	0.00	205				
38	100.00	0.00	194				
39	100.00	0.00	212				
40	100.00	0.00	195				
41	100.00	0.00	207				
42	100.00	0.00	194				
43	100.00	0.00	212				
44	100.00	0.00	194				
45	100.00	0.00	194				
46	100.00	0.00	198				
47	100.00	0.00	199				
48	100.00	0.00	199				
49	100.00	0.00	199				
50	100.00	0.00	1397				
51	99.93	0.07	210				
52	100.00	0.00	210				
53	100.00	0.00	203				
54	100.00	0.00	207				
55	100.00	0.00	211				
56	100.00	0.00	211				
57	100.00	0.00	239				
58	100.00	0.00	206				
59	100.00	0.00	205				
60	100.00	0.00	202				
61	100.00	0.00	199				
62	100.00	0.00	205				
63	100.00	0.00	213				
64	100.00	0.00	198				
65	100.00	0.00	217				
66	98.33	1.67	189				
67	100.00	0.00	188				
68	100.00	0.00	187				
69	100.00	0.00	216				
70	100.00	0.00	202				
71	100.00	0.00	207				
72	100.00	0.00	208				
73	100.00	0.00	203				
74	100.00	0.00	198				
75	100.00	0.00	204				
76	100.00	0.00	255				
77	99.58	0.42	225				
78	100.00	0.00	204				
79	99.93	0.07	220				
80	100.00	0.00	291				
81	100.00	0.00	196				
82	100.00	0.00	203				
83	100.00	0.00	208				
84	100.00	0.00	294				
85	100.00	0.00	258				
86	100.00	0.00	196				
87	100.00	0.00	203				
88	100.00	0.00	198				
89	100.00	0.00	197				
90	100.00	0.00	208				
91	100.00	0.00	196				
92	100.00	0.00	203				

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
A		B	C				
Financial App		PSU interface					
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	208				
2	100.00	0.00	205				
3	100.00	0.00	213				
4	100.00	0.00	209				
5	100.00	0.00	210				
6	100.00	0.00	215				
7	100.00	0.00	215				
8	99.93	0.07	222				
9	100.00	0.00	204				
10	100.00	0.00	206				
11	100.00	0.00	206				
12	100.00	0.00	209				
13	100.00	0.00	205				
14	100.00	0.00	212				
15	100.00	0.00	207				
16	100.00	0.00	209				
17	100.00	0.00	209				
18	100.00	0.00	201				
19	100.00	0.00	204				
20	100.00	0.00	196				
21	100.00	0.00	191				
22	100.00	0.00	191				
23	100.00	0.00	194				
24	100.00	0.00	208				
25	100.00	0.00	195				
26	100.00	0.00	193				
27	100.00	0.00	196				
28	100.00	0.00	195				
29	99.86	0.14	234				
30	100.00	0.00	195				
31	100.00	0.00	194				
32	100.00	0.00	190				
33	100.00	0.00	192				
34	100.00	0.00	221				
35	100.00	0.00	215				
36	99.86	0.14	209				
37	100.00	0.00	205				
38	100.00	0.00	194				
39	100.00	0.00	212				
40	100.00	0.00	195				
41	100.00	0.00	207				
42	100.00	0.00	194				
43	100.00	0.00	212				
44	100.00	0.00	194				
45	100.00	0.00	194				
46	100.00	0.00	198				
47	100.00	0.00	199				
48	100.00	0.00	199				
49	100.00	0.00	199				
50	100.00	0.00	1397				
51	99.93	0.07	210				
52	100.00	0.00	210				
53	100.00	0.00	203				
54	100.00	0.00	207				
55	100.00	0.00	211				
56	100.00	0.00	211				
57	100.00	0.00	239				
58	100.00	0.00	206				
59	100.00	0.00	205				
60	100.00	0.00	202				
61	100.00	0.00	199				
62	100.00	0.00	205				
63	100.00	0.00	213				
64	100.00	0.00	198				
65	100.00	0.00	217				
66	98.33	1.67	189				
67	100.00	0.00	188				
68	100.00	0.00	187				
69	100.00	0.00	216				
70	100.00	0.00	202				
71	100.00	0.00	207				
72	100.00	0.00	208				
73	100.00	0.00	203				
74	100.00	0.00	198				
75	100.00	0.00	204				
76	100.00	0.00	255				
77	99.58	0.42	225				
78	100.00	0.00	204				
79	99.93	0.07	220				
80	100.00	0.00	291				
81	100.00	0.00	196				
82	100.00	0.00	203				
83	100.00	0.00	208				
84	100.00	0.00	294				
85	100.00	0.00	258				
86	100.00	0.00	196				
87	100.00	0.00	203				
88	100.00	0.00	198				
89	100.00	0.00	197				
90	100.00	0.00	208				
91	100.00	0.00	196				
92	100.00	0.00	203				

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
A		B	C			
APIs		Dedicated interface	yes			
Day	Availability statistics		Performance statistics			
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface		
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPPI / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J
1	100.00	0.00	177	0	177	0.00
2	100.00	0.00	173	0	173	0.00
3	100.00	0.00	177	0	177	0.00
4	100.00	0.00	176	0	176	0.00
5	100.00	0.00	177	0	177	0.00
6	100.00	0.00	178	0	178	0.00
7	100.00	0.00	175	0	175	0.00
8	99.93	0.07	189	0	189	0.00
9	100.00	0.00	178	0	178	0.00
10	100.00	0.00	175	0	175	0.00
11	100.00	0.00	176	0	176	0.00
12	100.00	0.00	173	0	173	0.00
13	100.00	0.00	176	0	176	0.00
14	100.00	0.00	175	0	175	0.00
15	100.00	0.00	177	0	177	0.00
16	100.00	0.00	177	0	177	0.00
17	100.00	0.00	176	0	176	0.00
18	100.00	0.00	176	0	176	0.00
19	100.00	0.00	184	0	184	0.00
20	100.00	0.00	173	0	173	0.00
21	100.00	0.00	176	0	176	0.00
22	100.00	0.00	177	0	177	0.00
23	100.00	0.00	176	0	176	0.00
24	100.00	0.00	175	0	175	0.00
25	100.00	0.00	176	0	176	0.00
26	100.00	0.00	175	0	175	0.00
27	100.00	0.00	177	0	177	0.00
28	100.00	0.00	183	0	183	0.00
29	99.93	0.07	181	0	181	0.00
30	100.00	0.00	176	0	176	0.00
31	100.00	0.00	182	0	182	0.00
32	100.00	0.00	175	0	175	0.00
33	100.00	0.00	175	0	175	0.00
34	100.00	0.00	204	0	204	0.00
35	100.00	0.00	199	0	199	0.00
36	99.93	0.07	175	0	175	0.00
37	100.00	0.00	177	0	177	0.00
38	100.00	0.00	176	0	176	0.00
39	100.00	0.00	193	0	193	0.00
40	100.00	0.00	177	0	177	0.00
41	100.00	0.00	178	0	178	0.00
42	100.00	0.00	179	0	179	0.00
43	99.93	0.07	180	0	180	0.00
44	100.00	0.00	178	0	178	0.00
45	100.00	0.00	177	0	177	0.00
46	100.00	0.00	177	0	177	0.00
47	100.00	0.00	178	0	178	0.00
48	100.00	0.00	177	0	177	0.00
49	100.00	0.00	178	0	178	0.00
50	100.00	0.00	1365	0	1365	0.00
51	100.00	0.00	181	0	181	0.00
52	100.00	0.00	180	0	180	0.00
53	100.00	0.00	179	0	179	0.00
54	100.00	0.00	179	0	179	0.00
55	100.00	0.00	181	0	181	0.00
56	100.00	0.00	180	0	180	0.00
57	100.00	0.00	181	0	181	0.00
58	100.00	0.00	179	0	179	0.00
59	100.00	0.00	183	0	183	0.00
60	100.00	0.00	179	0	179	0.00
61	100.00	0.00	178	0	178	0.00
62	100.00	0.00	183	0	183	0.00
63	100.00	0.00	178	0	178	0.00
64	100.00	0.00	177	0	177	0.00
65	100.00	0.00	186	0	186	0.00
66	98.33	1.67	173	0	173	0.00
67	100.00	0.00	175	0	175	0.00
68	100.00	0.00	174	0	174	0.00
69	99.79	0.21	207	0	207	0.00
70	100.00	0.00	179	0	179	0.00
71	100.00	0.00	179	0	179	0.00
72	100.00	0.00	180	0	180	0.00
73	100.00	0.00	176	0	176	0.00
74	100.00	0.00	176	0	176	0.00
75	100.00	0.00	174	0	174	0.00
76	100.00	0.00	202	0	202	0.00
77	99.58	0.42	179	0	179	0.00
78	100.00	0.00	180	0	180	0.00
79	99.93	0.07	179	0	179	0.00
80	100.00	0.00	226	0	226	0.00
81	100.00	0.00	176	0	176	0.00
82	100.00	0.00	178	0	178	0.00
83	100.00	0.00	178	0	178	0.00
84	100.00	0.00	202	0	202	0.00
85	100.00	0.00	182	0	182	0.00
86	100.00	0.00	177	0	177	0.00
87	100.00	0.00	175	0	175	0.00
88	100.00	0.00	175	0	175	0.00
89	100.00	0.00	177	0	177	0.00
90	100.00	0.00	177	0	177	0.00
91	100.00	0.00	181	0	181	0.00
92	100.00	0.00	176	0	176	0.00