



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q3 2023

			Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?		
			A	B	C		
			Open banking API	Dedicated interface	No		
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
#	D	E	F	G	H	I	J
1	99.72	0.28		188	0	188	0.00
2	99.65	0.35		191	0	191	0.00
3	99.65	0.35		193	0	193	0.00
4	99.65	0.35		207	0	207	0.00
5	99.65	0.35		200	0	200	0.00
6	99.72	0.28		199	0	199	0.00
7	99.65	0.35		196	0	196	0.00
8	99.65	0.35		195	0	195	0.00
9	99.72	0.28		187	0	187	0.00
10	99.65	0.35		187	0	187	0.00
11	99.51	0.49		195	0	195	0.00
12	98.82	1.18		191	0	191	0.00
13	98.89	1.11		190	0	190	0.00
14	99.65	0.35		193	0	193	0.00
15	99.65	0.35		187	0	187	0.00
16	99.72	0.28		188	0	188	0.00
17	99.51	0.49		188	0	188	0.00
18	99.72	0.28		170	0	170	0.00
19	100.00	0.00		126	0	126	0.00
20	100.00	0.00		120	0	120	0.00
21	100.00	0.00		122	0	122	0.00
22	100.00	0.00		121	0	121	0.00
23	100.00	0.00		120	0	120	0.00
24	100.00	0.00		133	0	133	0.00
25	100.00	0.00		128	0	128	0.00
26	100.00	0.00		126	0	126	0.00
27	100.00	0.00		125	0	125	0.00
28	100.00	0.00		130	0	130	0.00
29	100.00	0.00		136	0	136	0.00
30	100.00	0.00		121	0	121	0.00
31	100.00	0.00		122	0	122	0.00
32	100.00	0.00		131	0	131	0.00
33	100.00	0.00		126	0	126	0.00
34	100.00	0.00		125	0	125	0.00
35	100.00	0.00		121	0	121	0.00
36	100.00	0.00		121	0	121	0.00
37	100.00	0.00		123	0	123	0.00
38	100.00	0.00		146	0	146	0.00
39	100.00	0.00		125	0	125	0.00
40	100.00	0.00		122	0	122	0.00
41	100.00	0.00		121	0	121	0.00
42	100.00	0.00		122	0	122	0.00
43	100.00	0.00		120	0	120	0.00
44	100.00	0.00		123	0	123	0.00
45	100.00	0.00		122	0	122	0.00
46	100.00	0.00		121	0	121	0.00
47	100.00	0.00		126	0	126	0.00
48	100.00	0.00		140	0	140	0.00
49	100.00	0.00		120	0	120	0.00
50	100.00	0.00		119	0	119	0.00
51	100.00	0.00		123	0	123	0.00
52	100.00	0.00		126	0	126	0.00
53	100.00	0.00		127	0	127	0.00
54	100.00	0.00		125	0	125	0.00
55	100.00	0.00		125	0	125	0.00
56	100.00	0.00		124	0	124	0.00
57	100.00	0.00		122	0	122	0.00
58	100.00	0.00		123	0	123	0.00
59	100.00	0.00		129	0	129	0.00
60	100.00	0.00		124	0	124	0.00
61	100.00	0.00		123	0	123	0.00
62	100.00	0.00		123	0	123	0.00
63	100.00	0.00		122	0	122	0.00
64	100.00	0.00		120	0	120	0.00
65	100.00	0.00		119	0	119	0.00
66	100.00	0.00		118	0	118	0.00
67	100.00	0.00		118	0	118	0.00
68	100.00	0.00		121	0	121	0.00
69	100.00	0.00		119	0	119	0.00
70	100.00	0.00		118	0	118	0.00
71	100.00	0.00		123	0	123	0.00
72	100.00	0.00		121	0	121	0.00
73	100.00	0.00		122	0	122	0.00
74	100.00	0.00		118	0	118	0.00
75	100.00	0.00		118	0	118	0.00
76	100.00	0.00		119	0	119	0.00
77	100.00	0.00		120	0	120	0.00
78	100.00	0.00		118	0	118	0.00
79	100.00	0.00		119	0	119	0.00
80	100.00	0.00		126	0	126	0.00
81	100.00	0.00		119	0	119	0.00
82	100.00	0.00		120	0	120	0.00
83	100.00	0.00		118	0	118	0.00
84	100.00	0.00		118	0	118	0.00
85	100.00	0.00		118	0	118	0.00
86	100.00	0.00		118	0	118	0.00
87	100.00	0.00		118	0	118	0.00
88	100.00	0.00		120	0	120	0.00
89	100.00	0.00		120	0	120	0.00
90	100.00	0.00		118	0	118	0.00
91	100.00	0.00		117	0	117	0.00
92	100.00	0.00		116	0	116	0.00

Interface 2

			Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
			A	B	C
			Web interface	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
#	D	E	F	G	H	I	J
1	100.00	0.00	259				
2	100.00	0.00	257				
3	100.00	0.00	267				
4	100.00	0.00	260				
5	99.93	0.07	270				
6	100.00	0.00	261				
7	100.00	0.00	261				
8	100.00	0.00	254				
9	100.00	0.00	255				
10	100.00	0.00	264				
11	100.00	0.00	260				
12	100.00	0.00	257				
13	100.00	0.00	254				
14	99.86	0.14	258				
15	100.00	0.00	248				
16	100.00	0.00	242				
17	100.00	0.00	268				
18	100.00	0.00	242				
19	100.00	0.00	242				
20	100.00	0.00	246				
21	100.00	0.00	245				
22	100.00	0.00	237				
23	100.00	0.00	240				
24	100.00	0.00	260				
25	99.65	0.35	282				
26	100.00	0.00	204				
27	100.00	0.00	183				
28	100.00	0.00	192				
29	100.00	0.00	207				
30	100.00	0.00	182				
31	100.00	0.00	189				
32	100.00	0.00	193				
33	100.00	0.00	180				
34	100.00	0.00	184				
35	99.86	0.14	187				
36	100.00	0.00	182				
37	100.00	0.00	179				
38	100.00	0.00	209				
39	100.00	0.00	183				
40	100.00	0.00	178				
41	100.00	0.00	179				
42	100.00	0.00	177				
43	100.00	0.00	187				
44	100.00	0.00	188				
45	99.86	0.14	179				
46	100.00	0.00	191				
47	100.00	0.00	180				
48	100.00	0.00	212				
49	100.00	0.00	189				
50	100.00	0.00	177				
51	100.00	0.00	179				
52	100.00	0.00	185				
53	99.72	0.28	206				
54	100.00	0.00	190				
55	100.00	0.00	180				
56	100.00	0.00	190				
57	100.00	0.00	182				
58	100.00	0.00	189				
59	99.86	0.14	211				
60	100.00	0.00	202				
61	100.00	0.00	185				
62	99.86	0.14	213				
63	100.00	0.00	193				
64	89.17	10.83	191				
65	100.00	0.00	186				
66	100.00	0.00	201				
67	99.86	0.14	185				
68	99.93	0.07	191				
69	100.00	0.00	183				
70	100.00	0.00	266				
71	100.00	0.00	197				
72	100.00	0.00	212				
73	100.00	0.00	193				
74	100.00	0.00	188				
75	100.00	0.00	186				
76	100.00	0.00	185				
77	100.00	0.00	183				
78	100.00	0.00	182				
79	100.00	0.00	185				
80	99.93	0.07	202				
81	100.00	0.00	204				
82	100.00	0.00	187				
83	99.93	0.07	216				
84	99.79	0.21	193				
85	100.00	0.00	181				
86	100.00	0.00	185				
87	100.00	0.00	192				
88	99.79	0.21	182				
89	100.00	0.00	186				
90	100.00	0.00	188				
91	100.00	0.00	191				
92	100.00	0.00	185				

Interface 3

		Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
		A	B	C
		Financial App	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
#	D	E	F	G	H	I	J
1	100.00	0.00	259				
2	100.00	0.00	257				
3	100.00	0.00	267				
4	100.00	0.00	260				
5	99.93	0.07	270				
6	100.00	0.00	261				
7	100.00	0.00	261				
8	100.00	0.00	254				
9	100.00	0.00	255				
10	100.00	0.00	264				
11	100.00	0.00	260				
12	100.00	0.00	257				
13	100.00	0.00	254				
14	99.86	0.14	258				
15	100.00	0.00	248				
16	100.00	0.00	242				
17	100.00	0.00	268				
18	100.00	0.00	242				
19	100.00	0.00	242				
20	100.00	0.00	246				
21	100.00	0.00	245				
22	100.00	0.00	237				
23	100.00	0.00	240				
24	100.00	0.00	260				
25	99.65	0.35	282				
26	100.00	0.00	204				
27	100.00	0.00	183				
28	100.00	0.00	192				
29	100.00	0.00	207				
30	100.00	0.00	182				
31	100.00	0.00	189				
32	100.00	0.00	193				
33	100.00	0.00	180				
34	100.00	0.00	184				
35	99.86	0.14	187				
36	100.00	0.00	182				
37	100.00	0.00	179				
38	100.00	0.00	209				
39	100.00	0.00	183				
40	100.00	0.00	178				
41	100.00	0.00	179				
42	100.00	0.00	177				
43	100.00	0.00	187				
44	100.00	0.00	188				
45	99.86	0.14	179				
46	100.00	0.00	191				
47	100.00	0.00	180				
48	100.00	0.00	212				
49	100.00	0.00	189				
50	100.00	0.00	177				
51	100.00	0.00	179				
52	100.00	0.00	185				
53	99.72	0.28	206				
54	100.00	0.00	190				
55	100.00	0.00	180				
56	100.00	0.00	190				
57	100.00	0.00	182				
58	100.00	0.00	189				
59	99.86	0.14	211				
60	100.00	0.00	202				
61	100.00	0.00	185				
62	99.86	0.14	213				
63	100.00	0.00	193				
64	89.17	10.83	191				
65	100.00	0.00	186				
66	100.00	0.00	201				
67	99.86	0.14	185				
68	99.93	0.07	191				
69	100.00	0.00	183				
70	100.00	0.00	266				
71	100.00	0.00	197				
72	100.00	0.00	212				
73	100.00	0.00	193				
74	100.00	0.00	188				
75	100.00	0.00	186				
76	100.00	0.00	185				
77	100.00	0.00	183				
78	100.00	0.00	182				
79	100.00	0.00	185				
80	99.93	0.07	202				
81	100.00	0.00	204				
82	100.00	0.00	187				
83	99.93	0.07	216				
84	99.79	0.21	193				
85	100.00	0.00	181				
86	100.00	0.00	185				
87	100.00	0.00	192				
88	99.79	0.21	182				
89	100.00	0.00	186				
90	100.00	0.00	188				
91	100.00	0.00	191				
92	100.00	0.00	185				

Interface 4

		Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
		A	B	C
		APIs	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
#	D	E	F	G	H	I	J
1	100.00	0.00	249				
2	100.00	0.00	275				
3	100.00	0.00	338				
4	100.00	0.00	276				
5	99.86	0.14	269				
6	100.00	0.00	267				
7	100.00	0.00	256				
8	100.00	0.00	256				
9	100.00	0.00	256				
10	100.00	0.00	320				
11	99.93	0.07	373				
12	100.00	0.00	289				
13	100.00	0.00	308				
14	99.79	0.21	312				
15	100.00	0.00	244				
16	100.00	0.00	275				
17	100.00	0.00	352				
18	100.00	0.00	275				
19	100.00	0.00	279				
20	100.00	0.00	276				
21	100.00	0.00	283				
22	100.00	0.00	233				
23	100.00	0.00	266				
24	100.00	0.00	319				
25	99.65	0.35	324				
26	100.00	0.00	220				
27	100.00	0.00	179				
28	100.00	0.00	198				
29	100.00	0.00	208				
30	100.00	0.00	217				
31	100.00	0.00	201				
32	100.00	0.00	181				
33	100.00	0.00	193				
34	100.00	0.00	177				
35	99.86	0.14	184				
36	100.00	0.00	170				
37	100.00	0.00	175				
38	100.00	0.00	198				
39	100.00	0.00	175				
40	100.00	0.00	178				
41	100.00	0.00	171				
42	100.00	0.00	171				
43	100.00	0.00	181				
44	100.00	0.00	173				
45	99.86	0.14	178				
46	100.00	0.00	190				
47	100.00	0.00	199				
48	100.00	0.00	218				
49	100.00	0.00	181				
50	100.00	0.00	176				
51	100.00	0.00	182				
52	100.00	0.00	182				
53	99.72	0.28	184				
54	100.00	0.00	190				
55	100.00	0.00	175				
56	100.00	0.00	185				
57	100.00	0.00	208				
58	100.00	0.00	234				
59	99.86	0.14	230				
60	99.86	0.14	190				
61	100.00	0.00	180				
62	99.86	0.14	192				
63	100.00	0.00	221				
64	89.65	10.35	195				
65	100.00	0.00	185				
66	100.00	0.00	185				
67	100.00	0.00	189				
68	99.93	0.07	184				
69	100.00	0.00	179				
70	100.00	0.00	305				
71	100.00	0.00	198				
72	100.00	0.00	219				
73	100.00	0.00	230				
74	100.00	0.00	186				
75	100.00	0.00	179				
76	100.00	0.00	180				
77	100.00	0.00	188				
78	100.00	0.00	175				
79	100.00	0.00	200				
80	100.00	0.00	239				
81	100.00	0.00	189				
82	100.00	0.00	214				
83	100.00	0.00	209				
84	99.86	0.14	205				
85	100.00	0.00	210				
86	100.00	0.00	237				
87	100.00	0.00	202				
88	99.86	0.14	204				
89	100.00	0.00	197				
90	100.00	0.00	193				
91	100.00	0.00	209				
92	100.00	0.00	188				