



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q3 2024

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
A		B	C				
Open banking API		Dedicated interface	yes				
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
D	E	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)	
F	G	H	I	J			
1	100.00	0.00		115	0	115	0.00
2	100.00	0.00		114	0	114	0.00
3	100.00	0.00		115	0	115	0.00
4	100.00	0.00		117	0	117	0.00
5	100.00	0.00		117	0	117	0.00
6	100.00	0.00		115	0	115	0.00
7	100.00	0.00		115	0	115	0.00
8	100.00	0.00		115	0	115	0.00
9	100.00	0.00		115	0	115	0.00
10	100.00	0.00		114	0	114	0.00
11	100.00	0.00		115	0	115	0.00
12	100.00	0.00		114	0	114	0.00
13	100.00	0.00		112	0	112	0.00
14	100.00	0.00		112	0	112	0.00
15	100.00	0.00		112	0	112	0.00
16	100.00	0.00		112	0	112	0.00
17	100.00	0.00		113	0	113	0.00
18	100.00	0.00		112	0	112	0.00
19	100.00	0.00		112	0	112	0.00
20	100.00	0.00		118	0	118	0.00
21	100.00	0.00		113	0	113	0.00
22	100.00	0.00		112	0	112	0.00
23	100.00	0.00		113	0	113	0.00
24	100.00	0.00		115	0	115	0.00
25	100.00	0.00		113	0	113	0.00
26	100.00	0.00		112	0	112	0.00
27	100.00	0.00		113	0	113	0.00
28	100.00	0.00		131	0	131	0.00
29	100.00	0.00		113	0	113	0.00
30	100.00	0.00		113	0	113	0.00
31	100.00	0.00		115	0	115	0.00
32	100.00	0.00		113	0	113	0.00
33	100.00	0.00		113	0	113	0.00
34	100.00	0.00		112	0	112	0.00
35	100.00	0.00		113	0	113	0.00
36	100.00	0.00		129	0	129	0.00
37	100.00	0.00		116	0	116	0.00
38	100.00	0.00		116	0	116	0.00
39	100.00	0.00		114	0	114	0.00
40	100.00	0.00		115	0	115	0.00
41	100.00	0.00		115	0	115	0.00
42	100.00	0.00		118	0	118	0.00
43	100.00	0.00		116	0	116	0.00
44	100.00	0.00		116	0	116	0.00
45	100.00	0.00		123	0	123	0.00
46	100.00	0.00		118	0	118	0.00
47	100.00	0.00		116	0	116	0.00
48	100.00	0.00		117	0	117	0.00
49	100.00	0.00		116	0	116	0.00
50	100.00	0.00		117	0	117	0.00
51	100.00	0.00		114	0	114	0.00
52	100.00	0.00		115	0	115	0.00
53	100.00	0.00		115	0	115	0.00
54	100.00	0.00		120	0	120	0.00
55	100.00	0.00		115	0	115	0.00
56	100.00	0.00		115	0	115	0.00
57	100.00	0.00		116	0	116	0.00
58	100.00	0.00		116	0	116	0.00
59	100.00	0.00		117	0	117	0.00
60	100.00	0.00		118	0	118	0.00
61	100.00	0.00		118	0	118	0.00
62	100.00	0.00		118	0	118	0.00
63	100.00	0.00		118	0	118	0.00
64	100.00	0.00		118	0	118	0.00
65	100.00	0.00		118	0	118	0.00
66	100.00	0.00		119	0	119	0.00
67	100.00	0.00		118	0	118	0.00
68	100.00	0.00		117	0	117	0.00
69	100.00	0.00		118	0	118	0.00
70	100.00	0.00		117	0	117	0.00
71	100.00	0.00		168	0	168	0.00
72	100.00	0.00		176	0	176	0.00
73	100.00	0.00		165	0	165	0.00
74	100.00	0.00		118	0	118	0.00
75	100.00	0.00		121	0	121	0.00
76	100.00	0.00		119	0	119	0.00
77	100.00	0.00		119	0	119	0.00
78	100.00	0.00		240	0	240	0.00
79	100.00	0.00		129	0	129	0.00
80	100.00	0.00		119	0	119	0.00
81	100.00	0.00		119	0	119	0.00
82	100.00	0.00		120	0	120	0.00
83	100.00	0.00		120	0	120	0.00
84	100.00	0.00		119	0	119	0.00
85	100.00	0.00		121	0	121	0.00
86	99.93	0.07		125	0	125	0.00
87	100.00	0.00		124	0	124	0.00
88	100.00	0.00		124	0	124	0.00
89	100.00	0.00		125	0	125	0.00
90	100.00	0.00		124	0	124	0.00
91	100.00	0.00		124	0	124	0.00
92	100.00	0.00		125	0	125	0.00

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	250				
2	100.00	0.00	228				
3	100.00	0.00	223				
4	100.00	0.00	242				
5	100.00	0.00	232				
6	100.00	0.00	241				
7	100.00	0.00	226				
8	100.00	0.00	228				
9	100.00	0.00	220				
10	100.00	0.00	335				
11	99.93	0.07	238				
12	100.00	0.00	228				
13	100.00	0.00	219				
14	100.00	0.00	234				
15	100.00	0.00	235				
16	100.00	0.00	221				
17	100.00	0.00	220				
18	99.93	0.07	215				
19	100.00	0.00	213				
20	100.00	0.00	214				
21	100.00	0.00	215				
22	100.00	0.00	222				
23	100.00	0.00	221				
24	100.00	0.00	216				
25	99.72	0.28	218				
26	100.00	0.00	217				
27	100.00	0.00	209				
28	100.00	0.00	213				
29	100.00	0.00	224				
30	100.00	0.00	215				
31	99.65	0.35	218				
32	100.00	0.00	217				
33	100.00	0.00	218				
34	100.00	0.00	208				
35	100.00	0.00	213				
36	100.00	0.00	238				
37	100.00	0.00	237				
38	100.00	0.00	220				
39	100.00	0.00	222				
40	99.86	0.14	216				
41	100.00	0.00	211				
42	100.00	0.00	220				
43	100.00	0.00	225				
44	100.00	0.00	215				
45	99.65	0.35	226				
46	100.00	0.00	217				
47	100.00	0.00	220				
48	100.00	0.00	216				
49	100.00	0.00	214				
50	100.00	0.00	225				
51	100.00	0.00	218				
52	100.00	0.00	215				
53	100.00	0.00	223				
54	100.00	0.00	217				
55	100.00	0.00	212				
56	100.00	0.00	215				
57	100.00	0.00	221				
58	100.00	0.00	272				
59	99.79	0.21	260				
60	100.00	0.00	249				
61	100.00	0.00	253				
62	100.00	0.00	252				
63	100.00	0.00	275				
64	100.00	0.00	254				
65	100.00	0.00	258				
66	99.72	0.28	236				
67	100.00	0.00	257				
68	100.00	0.00	254				
69	100.00	0.00	242				
70	100.00	0.00	228				
71	100.00	0.00	239				
72	100.00	0.00	229				
73	100.00	0.00	245				
74	100.00	0.00	251				
75	100.00	0.00	262				
76	100.00	0.00	287				
77	100.00	0.00	251				
78	100.00	0.00	267				
79	97.50	2.50	227				
80	100.00	0.00	268				
81	100.00	0.00	266				
82	100.00	0.00	314				
83	100.00	0.00	376				
84	100.00	0.00	437				
85	100.00	0.00	466				
86	99.24	0.76	437				
87	100.00	0.00	422				
88	100.00	0.00	313				
89	99.72	0.28	230				
90	100.00	0.00	236				
91	100.00	0.00	216				
92	100.00	0.00	223				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	250				
2	100.00	0.00	228				
3	100.00	0.00	223				
4	100.00	0.00	242				
5	100.00	0.00	232				
6	100.00	0.00	241				
7	100.00	0.00	226				
8	100.00	0.00	228				
9	100.00	0.00	220				
10	100.00	0.00	335				
11	99.93	0.07	238				
12	100.00	0.00	228				
13	100.00	0.00	219				
14	100.00	0.00	234				
15	100.00	0.00	235				
16	100.00	0.00	221				
17	100.00	0.00	220				
18	99.93	0.07	215				
19	100.00	0.00	213				
20	100.00	0.00	214				
21	100.00	0.00	215				
22	100.00	0.00	222				
23	100.00	0.00	221				
24	100.00	0.00	216				
25	99.72	0.28	218				
26	100.00	0.00	217				
27	100.00	0.00	209				
28	100.00	0.00	213				
29	100.00	0.00	224				
30	100.00	0.00	215				
31	99.65	0.35	218				
32	100.00	0.00	217				
33	100.00	0.00	218				
34	100.00	0.00	208				
35	100.00	0.00	213				
36	100.00	0.00	238				
37	100.00	0.00	237				
38	100.00	0.00	220				
39	100.00	0.00	222				
40	99.86	0.14	216				
41	100.00	0.00	211				
42	100.00	0.00	220				
43	100.00	0.00	225				
44	100.00	0.00	215				
45	99.65	0.35	226				
46	100.00	0.00	217				
47	100.00	0.00	220				
48	100.00	0.00	216				
49	100.00	0.00	214				
50	100.00	0.00	225				
51	100.00	0.00	218				
52	100.00	0.00	215				
53	100.00	0.00	223				
54	100.00	0.00	217				
55	100.00	0.00	212				
56	100.00	0.00	215				
57	100.00	0.00	221				
58	100.00	0.00	272				
59	99.79	0.21	260				
60	100.00	0.00	249				
61	100.00	0.00	253				
62	100.00	0.00	252				
63	100.00	0.00	275				
64	100.00	0.00	254				
65	100.00	0.00	258				
66	99.72	0.28	236				
67	100.00	0.00	257				
68	100.00	0.00	254				
69	100.00	0.00	242				
70	100.00	0.00	228				
71	100.00	0.00	239				
72	100.00	0.00	229				
73	100.00	0.00	245				
74	100.00	0.00	251				
75	100.00	0.00	262				
76	100.00	0.00	287				
77	100.00	0.00	251				
78	100.00	0.00	267				
79	97.50	2.50	227				
80	100.00	0.00	268				
81	100.00	0.00	266				
82	100.00	0.00	314				
83	100.00	0.00	376				
84	100.00	0.00	437				
85	100.00	0.00	466				
86	99.24	0.76	437				
87	100.00	0.00	422				
88	100.00	0.00	313				
89	99.72	0.28	230				
90	100.00	0.00	236				
91	100.00	0.00	216				
92	100.00	0.00	223				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	Dedicated interface	yes

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00		187	0	187	0.00
2	100.00	0.00		185	0	185	0.00
3	100.00	0.00		186	0	186	0.00
4	100.00	0.00		190	0	190	0.00
5	100.00	0.00		199	0	199	0.00
6	100.00	0.00		180	0	180	0.00
7	100.00	0.00		184	0	184	0.00
8	100.00	0.00		186	0	186	0.00
9	100.00	0.00		186	0	186	0.00
10	100.00	0.00		279	0	279	0.00
11	100.00	0.00		200	0	200	0.00
12	100.00	0.00		186	0	186	0.00
13	100.00	0.00		181	0	181	0.00
14	100.00	0.00		184	0	184	0.00
15	100.00	0.00		190	0	190	0.00
16	100.00	0.00		189	0	189	0.00
17	100.00	0.00		188	0	188	0.00
18	99.93	0.07		185	0	185	0.00
19	100.00	0.00		184	0	184	0.00
20	100.00	0.00		182	0	182	0.00
21	100.00	0.00		180	0	180	0.00
22	100.00	0.00		187	0	187	0.00
23	100.00	0.00		187	0	187	0.00
24	100.00	0.00		187	0	187	0.00
25	99.79	0.21		198	0	198	0.00
26	100.00	0.00		179	0	179	0.00
27	100.00	0.00		185	0	185	0.00
28	100.00	0.00		179	0	179	0.00
29	100.00	0.00		185	0	185	0.00
30	100.00	0.00		183	0	183	0.00
31	99.65	0.35		182	0	182	0.00
32	100.00	0.00		181	0	181	0.00
33	100.00	0.00		184	0	184	0.00
34	100.00	0.00		177	0	177	0.00
35	100.00	0.00		180	0	180	0.00
36	100.00	0.00		201	0	201	0.00
37	100.00	0.00		186	0	186	0.00
38	100.00	0.00		186	0	186	0.00
39	100.00	0.00		199	0	199	0.00
40	99.86	0.14		183	0	183	0.00
41	100.00	0.00		179	0	179	0.00
42	100.00	0.00		185	0	185	0.00
43	100.00	0.00		185	0	185	0.00
44	100.00	0.00		184	0	184	0.00
45	99.79	0.21		190	0	190	0.00
46	100.00	0.00		183	0	183	0.00
47	100.00	0.00		186	0	186	0.00
48	100.00	0.00		181	0	181	0.00
49	100.00	0.00		184	0	184	0.00
50	100.00	0.00		185	0	185	0.00
51	100.00	0.00		183	0	183	0.00
52	100.00	0.00		186	0	186	0.00
53	100.00	0.00		200	0	200	0.00
54	100.00	0.00		184	0	184	0.00
55	100.00	0.00		179	0	179	0.00
56	100.00	0.00		183	0	183	0.00
57	100.00	0.00		183	0	183	0.00
58	100.00	0.00		175	0	175	0.00
59	99.86	0.14		180	0	180	0.00
60	100.00	0.00		173	0	173	0.00
61	100.00	0.00		175	0	175	0.00
62	100.00	0.00		176	0	176	0.00
63	100.00	0.00		178	0	178	0.00
64	100.00	0.00		174	0	174	0.00
65	100.00	0.00		175	0	175	0.00
66	99.79	0.21		172	0	172	0.00
67	100.00	0.00		178	0	178	0.00
68	100.00	0.00		178	0	178	0.00
69	100.00	0.00		188	0	188	0.00
70	100.00	0.00		193	0	193	0.00
71	100.00	0.00		179	0	179	0.00
72	100.00	0.00		205	0	205	0.00
73	100.00	0.00		181	0	181	0.00
74	100.00	0.00		179	0	179	0.00
75	100.00	0.00		183	0	183	0.00
76	100.00	0.00		200	0	200	0.00
77	100.00	0.00		189	0	189	0.00
78	100.00	0.00		198	0	198	0.00
79	99.86	0.14		178	0	178	0.00
80	100.00	0.00		188	0	188	0.00
81	100.00	0.00		202	0	202	0.00
82	100.00	0.00		229	0	229	0.00
83	100.00	0.00		254	0	254	0.00
84	100.00	0.00		292	0	292	0.00
85	100.00	0.00		305	0	305	0.00
86	99.31	0.69		284	0	284	0.00
87	100.00	0.00		280	0	280	0.00
88	100.00	0.00		195	0	195	0.00
89	99.86	0.14		201	0	201	0.00
90	100.00	0.00		192	0	192	0.00
91	100.00	0.00		186	0	186	0.00
92	100.00	0.00		188	0	188	0.00