



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q4 2024

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Open banking API		Dedicated interface	yes			
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00		124	0	124	0.00
2	100.00	0.00		123	0	123	0.00
3	100.00	0.00		124	0	124	0.00
4	100.00	0.00		121	0	121	0.00
5	100.00	0.00		120	0	120	0.00
6	100.00	0.00		120	0	120	0.00
7	100.00	0.00		120	0	120	0.00
8	100.00	0.00		117	0	117	0.00
9	100.00	0.00		116	0	116	0.00
10	100.00	0.00		116	0	116	0.00
11	100.00	0.00		115	0	115	0.00
12	100.00	0.00		116	0	116	0.00
13	100.00	0.00		119	0	119	0.00
14	100.00	0.00		115	0	115	0.00
15	100.00	0.00		319	0	319	0.00
16	100.00	0.00		372	0	372	0.00
17	100.00	0.00		376	0	376	0.00
18	100.00	0.00		378	0	378	0.00
19	100.00	0.00		376	0	376	0.00
20	100.00	0.00		394	0	394	0.00
21	100.00	0.00		385	0	385	0.00
22	100.00	0.00		376	0	376	0.00
23	100.00	0.00		365	0	365	0.00
24	100.00	0.00		370	0	370	0.00
25	100.00	0.00		382	0	382	0.00
26	100.00	0.00		379	0	379	0.00
27	100.00	0.00		369	0	369	0.00
28	100.00	0.00		370	0	370	0.00
29	100.00	0.00		400	0	400	0.00
30	100.00	0.00		421	0	421	0.00
31	100.00	0.00		398	0	398	0.00
32	100.00	0.00		409	0	409	0.00
33	100.00	0.00		408	0	408	0.00
34	100.00	0.00		408	0	408	0.00
35	100.00	0.00		402	0	402	0.00
36	100.00	0.00		399	0	399	0.00
37	100.00	0.00		395	0	395	0.00
38	100.00	0.00		396	0	396	0.00
39	100.00	0.00		408	0	408	0.00
40	100.00	0.00		416	0	416	0.00
41	100.00	0.00		398	0	398	0.00
42	100.00	0.00		399	0	399	0.00
43	100.00	0.00		415	0	415	0.00
44	100.00	0.00		412	0	412	0.00
45	100.00	0.00		388	0	388	0.00
46	100.00	0.00		405	0	405	0.00
47	100.00	0.00		411	0	411	0.00
48	100.00	0.00		469	0	469	0.00
49	100.00	0.00		424	0	424	0.00
50	100.00	0.00		399	0	399	0.00
51	100.00	0.00		396	0	396	0.00
52	100.00	0.00		406	0	406	0.00
53	100.00	0.00		164	0	164	0.00
54	100.00	0.00		115	0	115	0.00
55	100.00	0.00		115	0	115	0.00
56	100.00	0.00		114	0	114	0.00
57	100.00	0.00		114	0	114	0.00
58	100.00	0.00		114	0	114	0.00
59	100.00	0.00		114	0	114	0.00
60	100.00	0.00		114	0	114	0.00
61	100.00	0.00		114	0	114	0.00
62	100.00	0.00		115	0	115	0.00
63	100.00	0.00		114	0	114	0.00
64	100.00	0.00		140	0	140	0.00
65	100.00	0.00		113	0	113	0.00
66	100.00	0.00		124	0	124	0.00
67	100.00	0.00		114	0	114	0.00
68	100.00	0.00		115	0	115	0.00
69	100.00	0.00		114	0	114	0.00
70	100.00	0.00		114	0	114	0.00
71	100.00	0.00		114	0	114	0.00
72	100.00	0.00		114	0	114	0.00
73	100.00	0.00		115	0	115	0.00
74	100.00	0.00		117	0	117	0.00
75	100.00	0.00		114	0	114	0.00
76	100.00	0.00		114	0	114	0.00
77	100.00	0.00		114	0	114	0.00
78	100.00	0.00		115	0	115	0.00
79	100.00	0.00		114	0	114	0.00
80	100.00	0.00		114	0	114	0.00
81	100.00	0.00		113	0	113	0.00
82	100.00	0.00		114	0	114	0.00
83	100.00	0.00		114	0	114	0.00
84	100.00	0.00		113	0	113	0.00
85	100.00	0.00		113	0	113	0.00
86	100.00	0.00		114	0	114	0.00
87	100.00	0.00		114	0	114	0.00
88	100.00	0.00		114	0	114	0.00
89	100.00	0.00		114	0	114	0.00
90	100.00	0.00		113	0	113	0.00
91	100.00	0.00		113	0	113	0.00
92	100.00	0.00		114	0	114	0.00

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	219				
2	100.00	0.00	211				
3	99.79	0.21	212				
4	100.00	0.00	208				
5	100.00	0.00	208				
6	100.00	0.00	208				
7	100.00	0.00	219				
8	100.00	0.00	205				
9	100.00	0.00	200				
10	100.00	0.00	201				
11	100.00	0.00	199				
12	100.00	0.00	199				
13	100.00	0.00	199				
14	100.00	0.00	231				
15	100.00	0.00	258				
16	100.00	0.00	223				
17	100.00	0.00	262				
18	100.00	0.00	213				
19	100.00	0.00	229				
20	100.00	0.00	241				
21	100.00	0.00	228				
22	99.79	0.21	224				
23	100.00	0.00	230				
24	100.00	0.00	239				
25	100.00	0.00	238				
26	100.00	0.00	229				
27	100.00	0.00	227				
28	100.00	0.00	226				
29	100.00	0.00	222				
30	99.72	0.28	221				
31	99.86	0.14	225				
32	100.00	0.00	224				
33	100.00	0.00	228				
34	100.00	0.00	230				
35	100.00	0.00	233				
36	100.00	0.00	237				
37	100.00	0.00	228				
38	98.68	1.32	229				
39	100.00	0.00	221				
40	100.00	0.00	219				
41	100.00	0.00	224				
42	100.00	0.00	223				
43	100.00	0.00	240				
44	100.00	0.00	221				
45	99.72	0.28	296				
46	100.00	0.00	305				
47	100.00	0.00	253				
48	100.00	0.00	305				
49	100.00	0.00	282				
50	100.00	0.00	344				
51	100.00	0.00	368				
52	99.79	0.21	237				
53	100.00	0.00	203				
54	100.00	0.00	193				
55	100.00	0.00	193				
56	100.00	0.00	190				
57	100.00	0.00	192				
58	100.00	0.00	192				
59	100.00	0.00	190				
60	100.00	0.00	185				
61	100.00	0.00	185				
62	100.00	0.00	190				
63	100.00	0.00	190				
64	100.00	0.00	219				
65	100.00	0.00	186				
66	99.79	0.21	192				
67	100.00	0.00	198				
68	100.00	0.00	189				
69	100.00	0.00	191				
70	100.00	0.00	185				
71	100.00	0.00	187				
72	100.00	0.00	188				
73	100.00	0.00	188				
74	100.00	0.00	188				
75	100.00	0.00	187				
76	100.00	0.00	188				
77	100.00	0.00	186				
78	100.00	0.00	184				
79	100.00	0.00	190				
80	99.72	0.28	184				
81	100.00	0.00	184				
82	100.00	0.00	182				
83	100.00	0.00	187				
84	100.00	0.00	195				
85	100.00	0.00	185				
86	100.00	0.00	185				
87	100.00	0.00	187				
88	100.00	0.00	186				
89	100.00	0.00	210				
90	100.00	0.00	186				
91	100.00	0.00	183				
92	100.00	0.00	182				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	219				
2	100.00	0.00	211				
3	99.79	0.21	212				
4	100.00	0.00	208				
5	100.00	0.00	208				
6	100.00	0.00	208				
7	100.00	0.00	219				
8	100.00	0.00	205				
9	100.00	0.00	200				
10	100.00	0.00	201				
11	100.00	0.00	199				
12	100.00	0.00	199				
13	100.00	0.00	199				
14	100.00	0.00	231				
15	100.00	0.00	258				
16	100.00	0.00	223				
17	100.00	0.00	262				
18	100.00	0.00	213				
19	100.00	0.00	229				
20	100.00	0.00	241				
21	100.00	0.00	228				
22	99.79	0.21	224				
23	100.00	0.00	230				
24	100.00	0.00	239				
25	100.00	0.00	238				
26	100.00	0.00	229				
27	100.00	0.00	227				
28	100.00	0.00	226				
29	100.00	0.00	222				
30	99.72	0.28	221				
31	99.86	0.14	225				
32	100.00	0.00	224				
33	100.00	0.00	228				
34	100.00	0.00	230				
35	100.00	0.00	233				
36	100.00	0.00	237				
37	100.00	0.00	228				
38	98.68	1.32	229				
39	100.00	0.00	221				
40	100.00	0.00	219				
41	100.00	0.00	224				
42	100.00	0.00	223				
43	100.00	0.00	240				
44	100.00	0.00	221				
45	99.72	0.28	296				
46	100.00	0.00	305				
47	100.00	0.00	253				
48	100.00	0.00	305				
49	100.00	0.00	282				
50	100.00	0.00	344				
51	100.00	0.00	368				
52	99.79	0.21	237				
53	100.00	0.00	203				
54	100.00	0.00	193				
55	100.00	0.00	193				
56	100.00	0.00	190				
57	100.00	0.00	192				
58	100.00	0.00	192				
59	100.00	0.00	190				
60	100.00	0.00	185				
61	100.00	0.00	185				
62	100.00	0.00	190				
63	100.00	0.00	190				
64	100.00	0.00	219				
65	100.00	0.00	186				
66	99.79	0.21	192				
67	100.00	0.00	198				
68	100.00	0.00	189				
69	100.00	0.00	191				
70	100.00	0.00	185				
71	100.00	0.00	187				
72	100.00	0.00	188				
73	100.00	0.00	188				
74	100.00	0.00	188				
75	100.00	0.00	187				
76	100.00	0.00	188				
77	100.00	0.00	186				
78	100.00	0.00	184				
79	100.00	0.00	190				
80	99.72	0.28	184				
81	100.00	0.00	184				
82	100.00	0.00	182				
83	100.00	0.00	187				
84	100.00	0.00	195				
85	100.00	0.00	185				
86	100.00	0.00	185				
87	100.00	0.00	187				
88	100.00	0.00	186				
89	100.00	0.00	210				
90	100.00	0.00	186				
91	100.00	0.00	183				
92	100.00	0.00	182				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	Dedicated interface	yes

Day	Availability statistics		Performance statistics					
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface				
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)	
	D	E	F	G	H	I	J	
1	100.00	0.00		186	0		186	0.00
2	100.00	0.00		179	0		179	0.00
3	99.79	0.21		180	0		180	0.00
4	100.00	0.00		179	0		179	0.00
5	100.00	0.00		177	0		177	0.00
6	100.00	0.00		179	0		179	0.00
7	100.00	0.00		181	0		181	0.00
8	100.00	0.00		178	0		178	0.00
9	100.00	0.00		173	0		173	0.00
10	100.00	0.00		176	0		176	0.00
11	100.00	0.00		176	0		176	0.00
12	100.00	0.00		174	0		174	0.00
13	100.00	0.00		170	0		170	0.00
14	100.00	0.00		182	0		182	0.00
15	100.00	0.00		241	0		241	0.00
16	100.00	0.00		175	0		175	0.00
17	100.00	0.00		205	0		205	0.00
18	100.00	0.00		175	0		175	0.00
19	100.00	0.00		193	0		193	0.00
20	100.00	0.00		218	0		218	0.00
21	100.00	0.00		178	0		178	0.00
22	99.79	0.21		176	0		176	0.00
23	100.00	0.00		191	0		191	0.00
24	100.00	0.00		182	0		182	0.00
25	100.00	0.00		185	0		185	0.00
26	100.00	0.00		177	0		177	0.00
27	100.00	0.00		174	0		174	0.00
28	100.00	0.00		176	0		176	0.00
29	100.00	0.00		177	0		177	0.00
30	99.72	0.28		174	0		174	0.00
31	100.00	0.00		173	0		173	0.00
32	100.00	0.00		174	0		174	0.00
33	100.00	0.00		176	0		176	0.00
34	100.00	0.00		176	0		176	0.00
35	100.00	0.00		176	0		176	0.00
36	100.00	0.00		199	0		199	0.00
37	100.00	0.00		177	0		177	0.00
38	100.00	0.00		183	0		183	0.00
39	100.00	0.00		174	0		174	0.00
40	100.00	0.00		173	0		173	0.00
41	100.00	0.00		174	0		174	0.00
42	100.00	0.00		176	0		176	0.00
43	100.00	0.00		181	0		181	0.00
44	99.93	0.07		173	0		173	0.00
45	99.86	0.14		245	0		245	0.00
46	100.00	0.00		206	0		206	0.00
47	100.00	0.00		211	0		211	0.00
48	100.00	0.00		214	0		214	0.00
49	100.00	0.00		195	0		195	0.00
50	100.00	0.00		192	0		192	0.00
51	100.00	0.00		284	0		284	0.00
52	99.86	0.14		216	0		216	0.00
53	100.00	0.00		184	0		184	0.00
54	100.00	0.00		178	0		178	0.00
55	100.00	0.00		179	0		179	0.00
56	100.00	0.00		181	0		181	0.00
57	100.00	0.00		183	0		183	0.00
58	100.00	0.00		179	0		179	0.00
59	100.00	0.00		179	0		179	0.00
60	100.00	0.00		174	0		174	0.00
61	100.00	0.00		173	0		173	0.00
62	100.00	0.00		180	0		180	0.00
63	100.00	0.00		176	0		176	0.00
64	100.00	0.00		208	0		208	0.00
65	100.00	0.00		175	0		175	0.00
66	99.86	0.14		199	0		199	0.00
67	100.00	0.00		174	0		174	0.00
68	100.00	0.00		178	0		178	0.00
69	100.00	0.00		176	0		176	0.00
70	100.00	0.00		172	0		172	0.00
71	100.00	0.00		186	0		186	0.00
72	100.00	0.00		198	0		198	0.00
73	100.00	0.00		213	0		213	0.00
74	100.00	0.00		193	0		193	0.00
75	100.00	0.00		191	0		191	0.00
76	100.00	0.00		192	0		192	0.00
77	100.00	0.00		201	0		201	0.00
78	100.00	0.00		193	0		193	0.00
79	100.00	0.00		177	0		177	0.00
80	99.79	0.21		173	0		173	0.00
81	100.00	0.00		172	0		172	0.00
82	100.00	0.00		175	0		175	0.00
83	100.00	0.00		173	0		173	0.00
84	100.00	0.00		172	0		172	0.00
85	100.00	0.00		172	0		172	0.00
86	100.00	0.00		174	0		174	0.00
87	100.00	0.00		173	0		173	0.00
88	100.00	0.00		172	0		172	0.00
89	100.00	0.00		173	0		173	0.00
90	100.00	0.00		174	0		174	0.00
91	100.00	0.00		171	0		171	0.00
92	100.00	0.00		170	0		170	0.00