



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q1 2020

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	0	0	0	0	0
2	100,00	0,00	0	0	0	0	0
3	99,74	0,26	0	0	0	0	0
4	100,00	0,00	0	0	0	0	0
5	100,00	0,00	0	0	0	0	0
6	100,00	0,00	0	0	0	0	0
7	100,00	0,00	0	0	0	0	0
8	100,00	0,00	0	0	0	0	0
9	100,00	0,00	0	0	0	0	0
10	100,00	0,00	0	0	0	0	0
11	100,00	0,00	0	0	0	0	0
12	98,80	1,20	0	0	0	0	0
13	100,00	0,00	0	0	0	0	0
14	100,00	0,00	0	0	0	0	0
15	100,00	0,00	0	0	0	0	0
16	99,83	0,17	0	0	0	0	0
17	100,00	0,00	0	0	0	0	0
18	100,00	0,00	0	0	0	0	0
19	100,00	0,00	0	0	0	0	0
20	100,00	0,00	0	0	0	0	0
21	100,00	0,00	0	0	0	0	0
22	100,00	0,00	0	0	0	0	0
23	100,00	0,00	0	0	0	0	0
24	100,00	0,00	0	0	0	0	0
25	100,00	0,00	0	0	0	0	0
26	100,00	0,00	0	0	0	0	0
27	100,00	0,00	0	0	0	0	0
28	100,00	0,00	0	0	0	0	0
29	100,00	0,00	0	0	0	0	0
30	100,00	0,00	241	0	0	241	0
31	100,00	0,00	248	0	0	248	0
32	100,00	0,00	250	0	0	250	0
33	100,00	0,00	251	0	0	251	0
34	100,00	0,00	243	0	0	243	0
35	100,00	0,00	250	0	0	250	0
36	100,00	0,00	252	0	0	252	0
37	100,00	0,00	243	0	0	243	0
38	100,00	0,00	246	0	0	246	0
39	100,00	0,00	242	0	0	242	0
40	100,00	0,00	247	0	0	247	0
41	100,00	0,00	245	0	0	245	0
42	100,00	0,00	245	0	0	245	0
43	98,16	1,84	285	0	0	285	0
44	100,00	0,00	724	0	0	724	0
45	100,00	0,00	261	0	0	261	0
46	100,00	0,00	244	0	0	244	0
47	100,00	0,00	245	0	0	245	0
48	100,00	0,00	241	0	0	241	0
49	100,00	0,00	245	0	0	245	0
50	100,00	0,00	244	0	0	244	0
51	100,00	0,00	241	0	0	241	0
52	100,00	0,00	141	0	0	141	0
53	100,00	0,00	133	0	0	133	0
54	100,00	0,00	136	0	0	136	0
55	100,00	0,00	135	0	0	135	0
56	100,00	0,00	137	0	0	137	0
57	100,00	0,00	135	0	0	135	0
58	100,00	0,00	137	0	0	137	0
59	100,00	0,00	136	0	0	136	0
60	99,82	0,18	146	0	0	146	0
61	100,00	0,00	143	0	0	143	0
62	100,00	0,00	171	0	0	171	0
63	100,00	0,00	170	0	0	170	0
64	100,00	0,00	171	0	0	171	0
65	100,00	0,00	167	0	0	167	0
66	100,00	0,00	170	0	0	170	0
67	100,00	0,00	168	0	0	168	0
68	100,00	0,00	167	0	0	167	0
69	100,00	0,00	168	0	0	168	0
70	100,00	0,00	167	0	0	167	0
71	100,00	0,00	201	0	0	201	0
72	100,00	0,00	468	0	0	468	0
73	100,00	0,00	460	0	0	460	0
74	99,90	0,10	231	0	0	231	0
75	100,00	0,00	169	0	0	169	0
76	100,00	0,00	169	0	0	169	0
77	98,82	1,18	226	0	0	226	0,84%
78	100,00	0,00	175	0	0	175	0
79	100,00	0,00	173	0	0	173	0
80	100,00	0,00	178	0	0	178	0
81	100,00	0,00	174	0	0	174	0
82	100,00	0,00	176	0	0	176	0
83	100,00	0,00	177	0	0	177	0
84	100,00	0,00	176	0	0	176	0
85	100,00	0,00	207	0	0	207	0
86	100,00	0,00	186	0	0	186	0
87	100,00	0,00	174	0	0	174	0
88	100,00	0,00	168	0	0	168	0
89	100,00	0,00	169	0	0	169	0
90	100,00	0,00	168	0	0	168	0
91	100,00	0,00	168	0	0	168	0
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface		Dedicated interface		
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	102				
2	100,00	0,00	100				
3	99,74	0,26	105				
4	100,00	0,00	105				
5	100,00	0,00	105				
6	100,00	0,00	108				
7	100,00	0,00	90				
8	100,00	0,00	108				
9	100,00	0,00	97				
10	100,00	0,00	108				
11	100,00	0,00	59				
12	98,80	1,20	57				
13	100,00	0,00	55				
14	100,00	0,00	58				
15	100,00	0,00	54				
16	99,83	0,17	57				
17	100,00	0,00	51				
18	100,00	0,00	60				
19	100,00	0,00	60				
20	100,00	0,00	52				
21	100,00	0,00	57				
22	100,00	0,00	55				
23	100,00	0,00	49				
24	100,00	0,00	60				
25	100,00	0,00	45				
26	100,00	0,00	49				
27	100,00	0,00	50				
28	100,00	0,00	46				
29	100,00	0,00	58				
30	100,00	0,00	48				
31	100,00	0,00	55				
32	100,00	0,00	45				
33	100,00	0,00	47				
34	100,00	0,00	46				
35	100,00	0,00	49				
36	100,00	0,00	57				
37	100,00	0,00	50				
38	100,00	0,00	53				
39	100,00	0,00	45				
40	100,00	0,00	55				
41	100,00	0,00	50				
42	100,00	0,00	53				
43	98,16	1,84	54				
44	100,00	0,00	45				
45	100,00	0,00	48				
46	100,00	0,00	50				
47	100,00	0,00	50				
48	100,00	0,00	48				
49	100,00	0,00	57				
50	100,00	0,00	56				
51	100,00	0,00	58				
52	100,00	0,00	141				
53	100,00	0,00	133				
54	100,00	0,00	136				
55	100,00	0,00	135				
56	100,00	0,00	137				
57	100,00	0,00	135				
58	100,00	0,00	137				
59	100,00	0,00	136				
60	99,86	0,14	146				
61	100,00	0,00	143				
62	100,00	0,00	150				
63	100,00	0,00	138				
64	100,00	0,00	133				
65	100,00	0,00	166				
66	98,16	1,84	137				
67	100,00	0,00	138				
68	100,00	0,00	134				
69	100,00	0,00	137				
70	100,00	0,00	138				
71	100,00	0,00	211				
72	100,00	0,00	490				
73	100,00	0,00	413				
74	99,90	0,10	166				
75	100,00	0,00	136				
76	100,00	0,00	133				
77	98,82	1,18	162				
78	100,00	0,00	145				
79	100,00	0,00	139				
80	100,00	0,00	140				
81	100,00	0,00	136				
82	100,00	0,00	148				
83	100,00	0,00	154				
84	100,00	0,00	138				
85	100,00	0,00	165				
86	100,00	0,00	143				
87	100,00	0,00	144				
88	100,00	0,00	135				
89	100,00	0,00	137				
90	100,00	0,00	154				
91	100,00	0,00	136				
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	102				
2	100,00	0,00	101				
3	99,74	0,26	100				
4	100,00	0,00	90				
5	100,00	0,00	101				
6	100,00	0,00	95				
7	100,00	0,00	92				
8	100,00	0,00	96				
9	100,00	0,00	90				
10	100,00	0,00	94				
11	100,00	0,00	45				
12	98,80	1,20	45				
13	100,00	0,00	46				
14	100,00	0,00	60				
15	100,00	0,00	54				
16	99,83	0,17	48				
17	100,00	0,00	58				
18	100,00	0,00	48				
19	100,00	0,00	45				
20	100,00	0,00	55				
21	100,00	0,00	53				
22	100,00	0,00	56				
23	100,00	0,00	45				
24	100,00	0,00	57				
25	100,00	0,00	48				
26	100,00	0,00	58				
27	100,00	0,00	50				
28	100,00	0,00	48				
29	100,00	0,00	55				
30	100,00	0,00	57				
31	100,00	0,00	55				
32	100,00	0,00	50				
33	100,00	0,00	47				
34	100,00	0,00	58				
35	100,00	0,00	58				
36	100,00	0,00	57				
37	100,00	0,00	60				
38	100,00	0,00	55				
39	100,00	0,00	51				
40	100,00	0,00	49				
41	100,00	0,00	49				
42	100,00	0,00	59				
43	98,16	1,84	55				
44	100,00	0,00	51				
45	100,00	0,00	48				
46	100,00	0,00	60				
47	100,00	0,00	56				
48	100,00	0,00	54				
49	100,00	0,00	58				
50	100,00	0,00	46				
51	100,00	0,00	54				
52	100,00	0,00	141				
53	100,00	0,00	133				
54	100,00	0,00	136				
55	100,00	0,00	135				
56	100,00	0,00	137				
57	100,00	0,00	135				
58	100,00	0,00	137				
59	100,00	0,00	136				
60	99,86	0,14	146				
61	100,00	0,00	143				
62	100,00	0,00	150				
63	100,00	0,00	138				
64	100,00	0,00	133				
65	100,00	0,00	166				
66	98,16	1,84	137				
67	100,00	0,00	138				
68	100,00	0,00	134				
69	100,00	0,00	137				
70	100,00	0,00	138				
71	100,00	0,00	211				
72	100,00	0,00	490				
73	100,00	0,00	413				
74	99,90	0,10	166				
75	100,00	0,00	136				
76	100,00	0,00	133				
77	98,82	1,18	162				
78	100,00	0,00	145				
79	100,00	0,00	139				
80	100,00	0,00	140				
81	100,00	0,00	136				
82	100,00	0,00	148				
83	100,00	0,00	154				
84	100,00	0,00	138				
85	100,00	0,00	165				
86	100,00	0,00	143				
87	100,00	0,00	144				
88	100,00	0,00	135				
89	100,00	0,00	137				
90	100,00	0,00	154				
91	100,00	0,00	136				
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface		Dedicated interface		
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	0				
2	100,00	0,00	0				
3	99,74	0,26	0				
4	100,00	0,00	0				
5	100,00	0,00	0				
6	100,00	0,00	0				
7	100,00	0,00	0				
8	100,00	0,00	0				
9	100,00	0,00	0				
10	100,00	0,00	0				
11	100,00	0,00	0				
12	98,80	1,20	0				
13	100,00	0,00	0				
14	100,00	0,00	0				
15	100,00	0,00	0				
16	99,83	0,17	0				
17	100,00	0,00	0				
18	100,00	0,00	0				
19	100,00	0,00	0				
20	100,00	0,00	0				
21	100,00	0,00	0				
22	100,00	0,00	0				
23	100,00	0,00	0				
24	100,00	0,00	0				
25	100,00	0,00	0				
26	100,00	0,00	0				
27	100,00	0,00	0				
28	100,00	0,00	0				
29	100,00	0,00	0				
30	100,00	0,00	88				
31	100,00	0,00	87				
32	100,00	0,00	89				
33	100,00	0,00	88				
34	100,00	0,00	87				
35	100,00	0,00	87				
36	100,00	0,00	91				
37	100,00	0,00	89				
38	100,00	0,00	92				
39	100,00	0,00	87				
40	100,00	0,00	91				
41	100,00	0,00	92				
42	100,00	0,00	96				
43	98,16	1,84	93				
44	100,00	0,00	96				
45	100,00	0,00	97				
46	100,00	0,00	98				
47	100,00	0,00	96				
48	100,00	0,00	98				
49	100,00	0,00	94				
50	100,00	0,00	93				
51	100,00	0,00	97				
52	100,00	0,00	174				
53	100,00	0,00	169				
54	100,00	0,00	170				
55	100,00	0,00	173				
56	100,00	0,00	172				
57	100,00	0,00	174				
58	100,00	0,00	172				
59	100,00	0,00	171				
60	100,00	0,00	187				
61	100,00	0,00	179				
62	100,00	0,00	175				
63	100,00	0,00	181				
64	100,00	0,00	171				
65	100,00	0,00	171				
66	100,00	0,00	194				
67	100,00	0,00	190				
68	100,00	0,00	170				
69	100,00	0,00	173				
70	100,00	0,00	182				
71	100,00	0,00	229				
72	100,00	0,00	410				
73	100,00	0,00	432				
74	99,90	0,10	248				
75	100,00	0,00	172				
76	100,00	0,00	172				
77	98,82	1,18	194				
78	100,00	0,00	179				
79	100,00	0,00	175				
80	100,00	0,00	179				
81	100,00	0,00	184				
82	100,00	0,00	185				
83	100,00	0,00	182				
84	100,00	0,00	179				
85	100,00	0,00	218				
86	100,00	0,00	182				
87	100,00	0,00	180				
88	100,00	0,00	168				
89	100,00	0,00	169				
90	100,00	0,00	235				
91	100,00	0,00	170				
92							