



# **REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces**

Q1 2021

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Open banking API</b>	<b>Dedicated interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	163	0	163	0,00	
2	100,00	0,00	170	0	170	0,00	
3	100,00	0,00	168	0	168	0,00	
4	100,00	0,00	175	0	175	0,00	
5	100,00	0,00	171	0	171	0,00	
6	100,00	0,00	172	0	172	0,00	
7	100,00	0,00	175	0	175	0,00	
8	100,00	0,00	175	0	175	0,00	
9	100,00	0,00	173	0	173	0,00	
10	100,00	0,00	185	0	185	0,00	
11	100,00	0,00	197	0	197	0,00	
12	100,00	0,00	197	0	197	0,00	
13	100,00	0,00	173	0	173	0,00	
14	100,00	0,00	171	0	171	0,00	
15	100,00	0,00	176	0	176	0,00	
16	100,00	0,00	169	0	169	0,00	
17	100,00	0,00	166	0	166	0,00	
18	100,00	0,00	191	0	191	0,00	
19	100,00	0,00	176	0	176	0,00	
20	100,00	0,00	172	0	172	0,00	
21	100,00	0,00	251	0	251	0,00	
22	100,00	0,00	203	0	203	0,00	
23	100,00	0,00	168	0	168	0,00	
24	100,00	0,00	183	0	183	0,00	
25	100,00	0,00	180	0	180	0,00	
26	100,00	0,00	181	0	181	0,00	
27	100,00	0,00	186	0	186	0,00	
28	100,00	0,00	177	0	177	0,00	
29	100,00	0,00	173	0	173	0,00	
30	100,00	0,00	171	0	171	0,00	
31	100,00	0,00	171	0	171	0,00	
32	100,00	0,00	182	0	182	0,00	
33	100,00	0,00	179	0	179	0,00	
34	100,00	0,00	203	0	203	0,00	
35	100,00	0,00	178	0	178	0,00	
36	100,00	0,00	176	0	176	0,00	
37	100,00	0,00	178	0	178	0,00	
38	100,00	0,00	178	0	178	0,00	
39	100,00	0,00	190	0	190	0,00	
40	100,00	0,00	202	0	202	0,00	
41	100,00	0,00	192	0	192	0,00	
42	100,00	0,00	181	0	181	0,00	
43	100,00	0,00	186	0	186	0,00	
44	100,00	0,00	192	0	192	0,00	
45	100,00	0,00	191	0	191	0,00	
46	100,00	0,00	214	0	214	0,00	
47	100,00	0,00	200	0	200	0,00	
48	100,00	0,00	188	0	188	0,00	
49	100,00	0,00	175	0	175	0,00	
50	100,00	0,00	181	0	181	0,00	
51	100,00	0,00	173	0	173	0,00	
52	100,00	0,00	173	0	173	0,00	
53	100,00	0,00	179	0	179	0,00	
54	100,00	0,00	174	0	174	0,00	
55	99,80	0,20	209	0	209	0,00	
56	100,00	0,00	265	0	265	0,00	
57	100,00	0,00	261	0	261	0,00	
58	100,00	0,00	262	0	262	0,00	
59	100,00	0,00	261	0	261	0,00	
60	100,00	0,00	268	0	268	0,00	
61	100,00	0,00	276	0	276	0,00	
62	100,00	0,00	282	0	282	0,00	
63	98,82	1,18	283	0	283	0,00	
64	100,00	0,00	276	0	276	0,00	
65	100,00	0,00	277	0	277	0,00	
66	100,00	0,00	280	0	280	0,00	
67	100,00	0,00	277	0	277	0,00	
68	100,00	0,00	280	0	280	0,00	
69	100,00	0,00	303	0	303	0,00	
70	100,00	0,00	273	0	273	0,00	
71	100,00	0,00	266	0	266	0,00	
72	100,00	0,00	263	0	263	0,00	
73	100,00	0,00	262	0	262	0,00	
74	100,00	0,00	251	0	251	0,00	
75	100,00	0,00	248	0	248	0,00	
76	100,00	0,00	245	0	245	0,00	
77	100,00	0,00	257	0	257	0,00	
78	100,00	0,00	244	0	244	0,00	
79	100,00	0,00	239	0	239	0,00	
80	100,00	0,00	242	0	242	0,00	
81	99,73	0,27	264	0	264	0,00	
82	100,00	0,00	314	0	314	0,00	
83	100,00	0,00	289	0	289	0,00	
84	100,00	0,00	288	0	288	0,00	
85	100,00	0,00	289	0	289	0,00	
86	100,00	0,00	280	0	280	0,00	
87	100,00	0,00	283	0	283	0,00	
88	100,00	0,00	297	0	297	0,00	
89	100,00	0,00	286	0	286	0,00	
90	100,00	0,00	289	0	289	0,00	
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Web interface</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	128				
2	100,00	0,00	131				
3	100,00	0,00	139				
4	100,00	0,00	141				
5	100,00	0,00	144				
6	100,00	0,00	144				
7	100,00	0,00	142				
8	100,00	0,00	143				
9	100,00	0,00	147				
10	100,00	0,00	147				
11	100,00	0,00	148				
12	100,00	0,00	158				
13	100,00	0,00	137				
14	100,00	0,00	138				
15	100,00	0,00	142				
16	100,00	0,00	138				
17	100,00	0,00	145				
18	100,00	0,00	165				
19	100,00	0,00	147				
20	100,00	0,00	149				
21	100,00	0,00	219				
22	100,00	0,00	178				
23	100,00	0,00	149				
24	100,00	0,00	145				
25	100,00	0,00	144				
26	100,00	0,00	154				
27	100,00	0,00	159				
28	100,00	0,00	146				
29	100,00	0,00	142				
30	100,00	0,00	142				
31	100,00	0,00	145				
32	100,00	0,00	160				
33	100,00	0,00	146				
34	100,00	0,00	173				
35	99,14	0,86	148				
36	100,00	0,00	141				
37	100,00	0,00	141				
38	100,00	0,00	137				
39	100,00	0,00	145				
40	100,00	0,00	163				
41	100,00	0,00	149				
42	100,00	0,00	139				
43	100,00	0,00	151				
44	100,00	0,00	170				
45	100,00	0,00	170				
46	100,00	0,00	152				
47	100,00	0,00	146				
48	100,00	0,00	139				
49	100,00	0,00	136				
50	100,00	0,00	136				
51	100,00	0,00	141				
52	100,00	0,00	134				
53	100,00	0,00	144				
54	100,00	0,00	134				
55	99,83	0,17	182				
56	100,00	0,00	254				
57	100,00	0,00	254				
58	100,00	0,00	251				
59	100,00	0,00	254				
60	100,00	0,00	258				
61	100,00	0,00	267				
62	100,00	0,00	271				
63	98,06	1,94	274				
64	100,00	0,00	264				
65	100,00	0,00	266				
66	100,00	0,00	269				
67	100,00	0,00	289				
68	100,00	0,00	276				
69	100,00	0,00	266				
70	100,00	0,00	265				
71	100,00	0,00	262				
72	100,00	0,00	257				
73	100,00	0,00	257				
74	100,00	0,00	247				
75	100,00	0,00	239				
76	100,00	0,00	239				
77	100,00	0,00	247				
78	100,00	0,00	234				
79	100,00	0,00	231				
80	100,00	0,00	232				
81	99,73	0,27	280				
82	100,00	0,00	302				
83	100,00	0,00	280				
84	100,00	0,00	274				
85	100,00	0,00	275				
86	100,00	0,00	271				
87	100,00	0,00	272				
88	100,00	0,00	288				
89	100,00	0,00	309				
90	100,00	0,00	295				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Financial App</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	128				
2	100,00	0,00	131				
3	100,00	0,00	139				
4	100,00	0,00	141				
5	100,00	0,00	144				
6	100,00	0,00	144				
7	100,00	0,00	142				
8	100,00	0,00	143				
9	100,00	0,00	147				
10	100,00	0,00	147				
11	100,00	0,00	148				
12	100,00	0,00	158				
13	100,00	0,00	137				
14	100,00	0,00	138				
15	100,00	0,00	142				
16	100,00	0,00	138				
17	100,00	0,00	145				
18	100,00	0,00	165				
19	100,00	0,00	147				
20	100,00	0,00	149				
21	100,00	0,00	219				
22	100,00	0,00	178				
23	100,00	0,00	149				
24	100,00	0,00	145				
25	100,00	0,00	144				
26	100,00	0,00	154				
27	100,00	0,00	159				
28	100,00	0,00	146				
29	100,00	0,00	142				
30	100,00	0,00	142				
31	100,00	0,00	145				
32	100,00	0,00	160				
33	100,00	0,00	146				
34	100,00	0,00	173				
35	99,14	0,86	148				
36	100,00	0,00	141				
37	100,00	0,00	141				
38	100,00	0,00	137				
39	100,00	0,00	145				
40	100,00	0,00	163				
41	100,00	0,00	149				
42	100,00	0,00	139				
43	100,00	0,00	151				
44	100,00	0,00	170				
45	100,00	0,00	170				
46	100,00	0,00	152				
47	100,00	0,00	146				
48	100,00	0,00	139				
49	100,00	0,00	136				
50	100,00	0,00	136				
51	100,00	0,00	141				
52	100,00	0,00	134				
53	100,00	0,00	144				
54	100,00	0,00	134				
55	99,83	0,17	182				
56	100,00	0,00	254				
57	100,00	0,00	254				
58	100,00	0,00	251				
59	100,00	0,00	254				
60	100,00	0,00	258				
61	100,00	0,00	267				
62	100,00	0,00	271				
63	98,06	1,94	274				
64	100,00	0,00	264				
65	100,00	0,00	266				
66	100,00	0,00	269				
67	100,00	0,00	289				
68	100,00	0,00	276				
69	100,00	0,00	266				
70	100,00	0,00	265				
71	100,00	0,00	262				
72	100,00	0,00	257				
73	100,00	0,00	257				
74	100,00	0,00	247				
75	100,00	0,00	239				
76	100,00	0,00	239				
77	100,00	0,00	247				
78	100,00	0,00	234				
79	100,00	0,00	231				
80	100,00	0,00	232				
81	99,73	0,27	280				
82	100,00	0,00	302				
83	100,00	0,00	280				
84	100,00	0,00	274				
85	100,00	0,00	275				
86	100,00	0,00	271				
87	100,00	0,00	272				
88	100,00	0,00	288				
89	100,00	0,00	309				
90	100,00	0,00	295				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>APIs</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
	D	E	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
			F	G	H	I	J
1	100,00	0,00	164				
2	100,00	0,00	168				
3	100,00	0,00	172				
4	100,00	0,00	178				
5	100,00	0,00	175				
6	100,00	0,00	173				
7	100,00	0,00	174				
8	100,00	0,00	176				
9	100,00	0,00	175				
10	100,00	0,00	182				
11	100,00	0,00	192				
12	100,00	0,00	225				
13	100,00	0,00	198				
14	100,00	0,00	206				
15	100,00	0,00	196				
16	100,00	0,00	195				
17	100,00	0,00	201				
18	100,00	0,00	227				
19	100,00	0,00	205				
20	100,00	0,00	199				
21	100,00	0,00	318				
22	100,00	0,00	238				
23	100,00	0,00	197				
24	100,00	0,00	198				
25	100,00	0,00	208				
26	100,00	0,00	208				
27	100,00	0,00	213				
28	100,00	0,00	205				
29	100,00	0,00	210				
30	100,00	0,00	202				
31	100,00	0,00	199				
32	100,00	0,00	217				
33	100,00	0,00	208				
34	100,00	0,00	234				
35	100,00	0,00	205				
36	100,00	0,00	198				
37	100,00	0,00	216				
38	100,00	0,00	210				
39	100,00	0,00	224				
40	100,00	0,00	234				
41	100,00	0,00	245				
42	100,00	0,00	244				
43	100,00	0,00	325				
44	100,00	0,00	273				
45	100,00	0,00	270				
46	100,00	0,00	258				
47	100,00	0,00	252				
48	100,00	0,00	254				
49	100,00	0,00	248				
50	100,00	0,00	251				
51	100,00	0,00	244				
52	100,00	0,00	246				
53	100,00	0,00	250				
54	100,00	0,00	236				
55	99,87	0,13	262				
56	100,00	0,00	284				
57	100,00	0,00	287				
58	100,00	0,00	286				
59	100,00	0,00	289				
60	100,00	0,00	290				
61	100,00	0,00	301				
62	100,00	0,00	304				
63	98,82	1,18	304				
64	100,00	0,00	301				
65	100,00	0,00	323				
66	100,00	0,00	311				
67	100,00	0,00	299				
68	100,00	0,00	303				
69	100,00	0,00	296				
70	100,00	0,00	291				
71	100,00	0,00	290				
72	100,00	0,00	284				
73	100,00	0,00	284				
74	100,00	0,00	273				
75	100,00	0,00	271				
76	100,00	0,00	267				
77	100,00	0,00	271				
78	100,00	0,00	261				
79	100,00	0,00	259				
80	100,00	0,00	259				
81	99,73	0,27	283				
82	100,00	0,00	336				
83	100,00	0,00	308				
84	100,00	0,00	309				
85	100,00	0,00	306				
86	100,00	0,00	298				
87	100,00	0,00	331				
88	100,00	0,00	322				
89	100,00	0,00	314				
90	100,00	0,00	310				
91							
92							

