



# **REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces**

Q2 2021

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Open banking API</b>	<b>Dedicated interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (miliseconds)	AISP response (miliseconds)	PISP response (miliseconds)	CBP/II / PISP Yes/No response (miliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	99,89	0,11		322		322	0,00
2	100,00	0,00		291		291	0,00
3	100,00	0,00		306		306	0,00
4	100,00	0,00		288		288	0,00
5	100,00	0,00		294		294	0,00
6	100,00	0,00		287		287	0,00
7	100,00	0,00		291		291	0,00
8	100,00	0,00		286		286	0,00
9	100,00	0,00		284		284	0,00
10	100,00	0,00		279		279	0,00
11	100,00	0,00		292		292	0,00
12	100,00	0,00		316		316	0,00
13	100,00	0,00		318		318	0,00
14	100,00	0,00		319		319	0,00
15	100,00	0,00		330		330	0,00
16	100,00	0,00		315		315	0,00
17	100,00	0,00		308		308	0,00
18	100,00	0,00		308		308	0,00
19	100,00	0,00		335		335	0,00
20	100,00	0,00		317		317	0,00
21	99,31	0,69		317		317	0,00
22	99,94	0,06		293		293	0,00
23	100,00	0,00		296		296	0,00
24	100,00	0,00		302		302	0,00
25	100,00	0,00		291		291	0,00
26	100,00	0,00		296		296	0,00
27	100,00	0,00		301		301	0,00
28	100,00	0,00		288		288	0,00
29	100,00	0,00		282		282	0,00
30	100,00	0,00		281		281	0,00
31	100,00	0,00		267		267	0,00
32	100,00	0,00		268		268	0,00
33	100,00	0,00		277		277	0,00
34	100,00	0,00		241		241	0,00
35	99,64	0,36		229		229	0,00
36	100,00	0,00		228		228	0,00
37	100,00	0,00		237		237	0,00
38	100,00	0,00		225		225	0,00
39	100,00	0,00		217		217	0,00
40	100,00	0,00		221		221	0,00
41	100,00	0,00		227		227	0,00
42	100,00	0,00		240		240	0,00
43	100,00	0,00		223		223	0,00
44	100,00	0,00		222		222	0,00
45	100,00	0,00		216		216	0,00
46	100,00	0,00		224		224	0,00
47	100,00	0,00		232		232	0,00
48	100,00	0,00		236		236	0,00
49	100,00	0,00		236		236	0,00
50	100,00	0,00		252		252	0,00
51	100,00	0,00		219		219	0,00
52	100,00	0,00		219		219	0,00
53	100,00	0,00		223		223	0,00
54	100,00	0,00		226		226	0,00
55	99,80	0,20		223		223	0,00
56	100,00	0,00		230		230	0,00
57	100,00	0,00		229		229	0,00
58	100,00	0,00		232		232	0,00
59	100,00	0,00		230		230	0,00
60	100,00	0,00		220		220	0,00
61	100,00	0,00		227		227	0,00
62	100,00	0,00		250		250	0,00
63	100,00	0,00		301		301	0,00
64	100,00	0,00		235		235	0,00
65	100,00	0,00		224		224	0,00
66	99,34	0,66		229		229	0,00
67	100,00	0,00		497		497	0,00
68	100,00	0,00		220		220	0,00
69	100,00	0,00		224		224	0,00
70	100,00	0,00		225		225	0,00
71	100,00	0,00		228		228	0,00
72	100,00	0,00		227		227	0,00
73	100,00	0,00		231		231	0,00
74	100,00	0,00		478		478	0,00
75	100,00	0,00		219		219	0,00
76	98,82	1,18		224		224	0,00
77	99,80	0,20		232		232	0,00
78	100,00	0,00		221		221	0,00
79	100,00	0,00		227		227	0,00
80	100,00	0,00		249		249	0,00
81	100,00	0,00		565		565	0,00
82	100,00	0,00		219		219	0,00
83	100,00	0,00		232		232	0,00
84	99,71	0,29		228		228	0,00
85	100,00	0,00		253		253	0,00
86	100,00	0,00		225		225	0,00
87	100,00	0,00		234		234	0,00
88	100,00	0,00		558		558	0,00
89	100,00	0,00		227		227	0,00
90	100,00	0,00		229		229	0,00
91	100,00	0,00		237		237	0,00
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Web interface</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	99,89	0,11	128				
2	100,00	0,00	131				
3	100,00	0,00	139				
4	100,00	0,00	141				
5	100,00	0,00	144				
6	100,00	0,00	144				
7	100,00	0,00	142				
8	100,00	0,00	143				
9	100,00	0,00	147				
10	100,00	0,00	147				
11	100,00	0,00	148				
12	100,00	0,00	158				
13	100,00	0,00	137				
14	100,00	0,00	138				
15	100,00	0,00	142				
16	100,00	0,00	138				
17	100,00	0,00	145				
18	100,00	0,00	165				
19	99,13	0,87	147				
20	100,00	0,00	149				
21	99,45	0,55	219				
22	100,00	0,00	178				
23	100,00	0,00	149				
24	100,00	0,00	145				
25	100,00	0,00	144				
26	100,00	0,00	154				
27	100,00	0,00	159				
28	100,00	0,00	146				
29	100,00	0,00	142				
30	100,00	0,00	142				
31	100,00	0,00	145				
32	100,00	0,00	160				
33	100,00	0,00	146				
34	100,00	0,00	173				
35	99,44	0,56	148				
36	100,00	0,00	141				
37	100,00	0,00	141				
38	100,00	0,00	137				
39	100,00	0,00	145				
40	100,00	0,00	163				
41	100,00	0,00	149				
42	100,00	0,00	139				
43	100,00	0,00	151				
44	100,00	0,00	170				
45	100,00	0,00	170				
46	100,00	0,00	152				
47	100,00	0,00	146				
48	100,00	0,00	139				
49	100,00	0,00	136				
50	100,00	0,00	136				
51	100,00	0,00	141				
52	100,00	0,00	134				
53	100,00	0,00	144				
54	100,00	0,00	134				
55	99,31	0,69	182				
56	100,00	0,00	254				
57	100,00	0,00	254				
58	100,00	0,00	251				
59	100,00	0,00	254				
60	100,00	0,00	258				
61	100,00	0,00	267				
62	100,00	0,00	271				
63	100,00	0,00	274				
64	100,00	0,00	264				
65	100,00	0,00	266				
66	99,41	0,59	269				
67	100,00	0,00	289				
68	100,00	0,00	276				
69	100,00	0,00	266				
70	100,00	0,00	265				
71	100,00	0,00	262				
72	100,00	0,00	257				
73	100,00	0,00	257				
74	100,00	0,00	247				
75	100,00	0,00	239				
76	98,82	1,18	239				
77	99,80	0,20	247				
78	100,00	0,00	234				
79	100,00	0,00	231				
80	100,00	0,00	232				
81	100,00	0,00	280				
82	100,00	0,00	302				
83	100,00	0,00	280				
84	99,71	0,29	274				
85	100,00	0,00	275				
86	100,00	0,00	271				
87	100,00	0,00	272				
88	100,00	0,00	288				
89	100,00	0,00	309				
90	100,00	0,00	295				
91	100,00	0,00	226				
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Financial App</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (millesecs)	AISP response (millesecs)	PISP response (millesecs)	CBP/II / PISP Yes/No response (millesecs)	Error response rate (%)
D	E	F	G	H	I	J	
1	99,89	0,11	284				
2	100,00	0,00	281				
3	100,00	0,00	278				
4	100,00	0,00	281				
5	100,00	0,00	288				
6	100,00	0,00	279				
7	100,00	0,00	284				
8	100,00	0,00	280				
9	100,00	0,00	278				
10	100,00	0,00	272				
11	100,00	0,00	275				
12	100,00	0,00	282				
13	100,00	0,00	284				
14	100,00	0,00	289				
15	100,00	0,00	298				
16	100,00	0,00	279				
17	100,00	0,00	280				
18	100,00	0,00	284				
19	99,13	0,87	298				
20	100,00	0,00	283				
21	99,45	0,55	288				
22	100,00	0,00	305				
23	100,00	0,00	314				
24	100,00	0,00	282				
25	100,00	0,00	285				
26	100,00	0,00	289				
27	100,00	0,00	289				
28	100,00	0,00	284				
29	100,00	0,00	277				
30	100,00	0,00	274				
31	100,00	0,00	267				
32	100,00	0,00	264				
33	100,00	0,00	274				
34	100,00	0,00	236				
35	99,44	0,56	229				
36	100,00	0,00	222				
37	100,00	0,00	222				
38	100,00	0,00	222				
39	100,00	0,00	214				
40	100,00	0,00	215				
41	100,00	0,00	217				
42	100,00	0,00	227				
43	100,00	0,00	221				
44	100,00	0,00	259				
45	100,00	0,00	213				
46	100,00	0,00	218				
47	100,00	0,00	225				
48	100,00	0,00	225				
49	100,00	0,00	227				
50	100,00	0,00	241				
51	100,00	0,00	215				
52	100,00	0,00	212				
53	100,00	0,00	218				
54	100,00	0,00	216				
55	99,31	0,69	213				
56	100,00	0,00	216				
57	100,00	0,00	215				
58	100,00	0,00	222				
59	100,00	0,00	213				
60	100,00	0,00	216				
61	100,00	0,00	220				
62	100,00	0,00	247				
63	100,00	0,00	329				
64	100,00	0,00	238				
65	100,00	0,00	231				
66	99,41	0,59	227				
67	100,00	0,00	542				
68	100,00	0,00	228				
69	100,00	0,00	228				
70	100,00	0,00	225				
71	100,00	0,00	223				
72	100,00	0,00	224				
73	100,00	0,00	222				
74	100,00	0,00	527				
75	100,00	0,00	223				
76	98,82	1,18	226				
77	99,80	0,20	235				
78	100,00	0,00	229				
79	100,00	0,00	221				
80	100,00	0,00	239				
81	100,00	0,00	600				
82	100,00	0,00	216				
83	100,00	0,00	226				
84	99,71	0,29	221				
85	100,00	0,00	247				
86	100,00	0,00	219				
87	100,00	0,00	223				
88	100,00	0,00	658				
89	100,00	0,00	221				
90	100,00	0,00	217				
91	100,00	0,00	226				
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>APIs</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
	D	E	F	G	H	I	J
1	99,89	0,11	307				
2	100,00	0,00	308				
3	100,00	0,00	301				
4	100,00	0,00	306				
5	100,00	0,00	317				
6	100,00	0,00	308				
7	100,00	0,00	313				
8	100,00	0,00	305				
9	100,00	0,00	305				
10	100,00	0,00	298				
11	100,00	0,00	312				
12	100,00	0,00	340				
13	100,00	0,00	336				
14	100,00	0,00	345				
15	100,00	0,00	353				
16	100,00	0,00	338				
17	100,00	0,00	330				
18	100,00	0,00	328				
19	99,13	0,87	399				
20	100,00	0,00	339				
21	99,31	0,69	389				
22	100,00	0,00	329				
23	100,00	0,00	307				
24	100,00	0,00	302				
25	100,00	0,00	303				
26	100,00	0,00	330				
27	100,00	0,00	311				
28	100,00	0,00	304				
29	100,00	0,00	301				
30	100,00	0,00	297				
31	100,00	0,00	286				
32	100,00	0,00	284				
33	100,00	0,00	294				
34	100,00	0,00	256				
35	99,64	0,36	253				
36	100,00	0,00	246				
37	100,00	0,00	240				
38	100,00	0,00	237				
39	100,00	0,00	232				
40	100,00	0,00	233				
41	100,00	0,00	241				
42	100,00	0,00	244				
43	100,00	0,00	241				
44	100,00	0,00	237				
45	100,00	0,00	232				
46	100,00	0,00	243				
47	100,00	0,00	249				
48	100,00	0,00	255				
49	100,00	0,00	251				
50	100,00	0,00	269				
51	100,00	0,00	241				
52	100,00	0,00	236				
53	100,00	0,00	243				
54	100,00	0,00	243				
55	99,80	0,20	241				
56	100,00	0,00	252				
57	100,00	0,00	240				
58	100,00	0,00	238				
59	100,00	0,00	237				
60	100,00	0,00	238				
61	100,00	0,00	240				
62	100,00	0,00	270				
63	100,00	0,00	369				
64	100,00	0,00	262				
65	100,00	0,00	253				
66	99,41	0,59	243				
67	100,00	0,00	604				
68	100,00	0,00	247				
69	100,00	0,00	246				
70	100,00	0,00	250				
71	100,00	0,00	249				
72	100,00	0,00	240				
73	100,00	0,00	252				
74	100,00	0,00	561				
75	100,00	0,00	250				
76	98,89	1,11	242				
77	99,80	0,20	252				
78	100,00	0,00	248				
79	100,00	0,00	259				
80	100,00	0,00	250				
81	100,00	0,00	657				
82	100,00	0,00	244				
83	100,00	0,00	251				
84	99,71	0,29	245				
85	100,00	0,00	268				
86	100,00	0,00	246				
87	100,00	0,00	254				
88	100,00	0,00	691				
89	100,00	0,00	248				
90	100,00	0,00	247				
91	100,00	0,00	266				
92							