



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q2 2022

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	266	266	266	0,00	
2	100,00	0,00	270	270	270	0,00	
3	100,00	0,00	253	253	253	0,00	
4	100,00	0,00	204	204	204	0,00	
5	100,00	0,00	267	267	267	0,00	
6	100,00	0,00	210	210	210	0,00	
7	100,00	0,00	244	244	244	0,00	
8	100,00	0,00	284	284	284	0,00	
9	100,00	0,00	298	298	298	0,00	
10	100,00	0,00	294	294	294	0,00	
11	100,00	0,00	302	302	302	0,00	
12	100,00	0,00	272	272	272	0,00	
13	100,00	0,00	293	293	293	0,00	
14	100,00	0,00	295	295	295	0,00	
15	100,00	0,00	281	281	281	0,00	
16	100,00	0,00	288	288	288	0,00	
17	100,00	0,00	280	280	280	0,00	
18	99,30	0,70	295	295	295	0,00	
19	100,00	0,00	274	274	274	0,00	
20	100,00	0,00	278	278	278	0,00	
21	100,00	0,00	279	279	279	0,00	
22	100,00	0,00	276	276	276	0,00	
23	100,00	0,00	282	282	282	0,00	
24	100,00	0,00	258	258	258	0,00	
25	100,00	0,00	301	301	301	0,00	
26	100,00	0,00	275	275	275	0,00	
27	100,00	0,00	283	283	283	0,00	
28	100,00	0,00	285	285	285	0,00	
29	100,00	0,00	271	271	271	0,00	
30	100,00	0,00	274	274	274	0,00	
31	100,00	0,00	276	276	276	0,00	
32	100,00	0,00	277	277	277	0,00	
33	99,27	0,73	343	343	343	0,00	
34	100,00	0,00	298	298	298	0,00	
35	100,00	0,00	269	269	269	0,00	
36	100,00	0,00	266	266	266	0,00	
37	100,00	0,00	278	278	278	0,00	
38	100,00	0,00	270	270	270	0,00	
39	100,00	0,00	299	299	299	0,00	
40	100,00	0,00	298	298	298	0,00	
41	100,00	0,00	290	290	290	0,00	
42	100,00	0,00	255	255	255	0,00	
43	100,00	0,00	261	261	261	0,00	
44	100,00	0,00	262	262	262	0,00	
45	100,00	0,00	294	294	294	0,00	
46	100,00	0,00	296	296	296	0,00	
47	100,00	0,00	332	332	332	0,00	
48	100,00	0,00	321	321	321	0,00	
49	100,00	0,00	260	260	260	0,00	
50	100,00	0,00	247	247	247	0,00	
51	100,00	0,00	247	247	247	0,00	
52	100,00	0,00	249	249	249	0,00	
53	100,00	0,00	264	264	264	0,00	
54	100,00	0,00	254	254	254	0,00	
55	100,00	0,00	257	257	257	0,00	
56	100,00	0,00	250	250	250	0,00	
57	100,00	0,00	249	249	249	0,00	
58	100,00	0,00	250	250	250	0,00	
59	100,00	0,00	255	255	255	0,00	
60	100,00	0,00	255	255	255	0,00	
61	100,00	0,00	269	269	269	0,00	
62	100,00	0,00	307	307	307	0,00	
63	100,00	0,00	236	236	236	0,00	
64	100,00	0,00	230	230	230	0,00	
65	100,00	0,00	232	232	232	0,00	
66	100,00	0,00	227	227	227	0,00	
67	100,00	0,00	225	225	225	0,00	
68	100,00	0,00	233	233	233	0,00	
69	99,31	0,69	392	392	392	0,00	
70	100,00	0,00	229	229	229	0,00	
71	100,00	0,00	223	223	223	0,00	
72	100,00	0,00	232	232	232	0,00	
73	100,00	0,00	229	229	229	0,00	
74	100,00	0,00	234	234	234	0,00	
75	100,00	0,00	237	237	237	0,00	
76	100,00	0,00	234	234	234	0,00	
77	100,00	0,00	284	284	284	0,00	
78	100,00	0,00	230	230	230	0,00	
79	100,00	0,00	231	231	231	0,00	
80	100,00	0,00	228	228	228	0,00	
81	100,00	0,00	227	227	227	0,00	
82	100,00	0,00	229	229	229	0,00	
83	100,00	0,00	228	228	228	0,00	
84	100,00	0,00	229	229	229	0,00	
85	100,00	0,00	225	225	225	0,00	
86	100,00	0,00	230	230	230	0,00	
87	100,00	0,00	235	235	235	0,00	
88	100,00	0,00	235	235	235	0,00	
89	100,00	0,00	234	234	234	0,00	
90	100,00	0,00	235	235	235	0,00	
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface	Dedicated interface			
				Response (millisecs) F	AISP response (millisecs) G	PISP response (millisecs) H	CBP/II / PISP Yes/No response (millisecs) I
1	100,00	0,00	264				
2	100,00	0,00	268				
3	100,00	0,00	249				
4	100,00	0,00	198				
5	100,00	0,00	261				
6	100,00	0,00	206				
7	100,00	0,00	228				
8	100,00	0,00	287				
9	100,00	0,00	289				
10	100,00	0,00	289				
11	100,00	0,00	306				
12	100,00	0,00	290				
13	100,00	0,00	309				
14	100,00	0,00	305				
15	100,00	0,00	296				
16	100,00	0,00	299				
17	100,00	0,00	298				
18	99,31	0,69	299				
19	100,00	0,00	297				
20	100,00	0,00	288				
21	100,00	0,00	285				
22	100,00	0,00	287				
23	100,00	0,00	295				
24	100,00	0,00	270				
25	100,00	0,00	312				
26	100,00	0,00	284				
27	100,00	0,00	297				
28	100,00	0,00	304				
29	100,00	0,00	284				
30	100,00	0,00	288				
31	100,00	0,00	290				
32	100,00	0,00	289				
33	99,32	0,68	330				
34	100,00	0,00	285				
35	100,00	0,00	286				
36	100,00	0,00	279				
37	100,00	0,00	283				
38	100,00	0,00	283				
39	100,00	0,00	307				
40	100,00	0,00	291				
41	100,00	0,00	294				
42	100,00	0,00	222				
43	100,00	0,00	219				
44	100,00	0,00	231				
45	100,00	0,00	282				
46	100,00	0,00	305				
47	100,00	0,00	377				
48	100,00	0,00	358				
49	100,00	0,00	258				
50	100,00	0,00	254				
51	100,00	0,00	257				
52	100,00	0,00	256				
53	100,00	0,00	227				
54	100,00	0,00	231				
55	100,00	0,00	231				
56	100,00	0,00	251				
57	100,00	0,00	239				
58	100,00	0,00	272				
59	100,00	0,00	231				
60	100,00	0,00	222				
61	100,00	0,00	228				
62	100,00	0,00	217				
63	100,00	0,00	245				
64	100,00	0,00	246				
65	100,00	0,00	249				
66	100,00	0,00	241				
67	100,00	0,00	238				
68	100,00	0,00	237				
69	99,30	0,70	259				
70	100,00	0,00	240				
71	100,00	0,00	238				
72	100,00	0,00	239				
73	100,00	0,00	240				
74	100,00	0,00	241				
75	100,00	0,00	244				
76	100,00	0,00	253				
77	100,00	0,00	238				
78	100,00	0,00	241				
79	100,00	0,00	267				
80	100,00	0,00	266				
81	100,00	0,00	237				
82	100,00	0,00	239				
83	100,00	0,00	239				
84	100,00	0,00	242				
85	100,00	0,00	238				
86	100,00	0,00	249				
87	100,00	0,00	244				
88	100,00	0,00	250				
89	100,00	0,00	243				
90	100,00	0,00	242				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (milliseconds) F	Dedicated interface			
				AISP response (milliseconds) G	PISP response (milliseconds) H	CBP/II / PISP Yes/No response (milliseconds) I	Error response rate (%) J
1	100,00	0,00	264				
2	100,00	0,00	268				
3	100,00	0,00	249				
4	100,00	0,00	198				
5	100,00	0,00	261				
6	100,00	0,00	206				
7	100,00	0,00	228				
8	100,00	0,00	287				
9	100,00	0,00	289				
10	100,00	0,00	289				
11	100,00	0,00	306				
12	100,00	0,00	290				
13	100,00	0,00	309				
14	100,00	0,00	305				
15	100,00	0,00	296				
16	100,00	0,00	299				
17	100,00	0,00	298				
18	99,31	0,69	299				
19	100,00	0,00	297				
20	100,00	0,00	288				
21	100,00	0,00	285				
22	100,00	0,00	287				
23	100,00	0,00	295				
24	100,00	0,00	270				
25	100,00	0,00	312				
26	100,00	0,00	284				
27	100,00	0,00	297				
28	100,00	0,00	304				
29	100,00	0,00	284				
30	100,00	0,00	288				
31	100,00	0,00	290				
32	100,00	0,00	289				
33	99,32	0,68	330				
34	100,00	0,00	285				
35	100,00	0,00	286				
36	100,00	0,00	279				
37	100,00	0,00	283				
38	100,00	0,00	283				
39	100,00	0,00	307				
40	100,00	0,00	291				
41	100,00	0,00	294				
42	100,00	0,00	222				
43	100,00	0,00	219				
44	100,00	0,00	231				
45	100,00	0,00	282				
46	100,00	0,00	305				
47	100,00	0,00	377				
48	100,00	0,00	358				
49	100,00	0,00	258				
50	100,00	0,00	254				
51	100,00	0,00	257				
52	100,00	0,00	256				
53	100,00	0,00	227				
54	100,00	0,00	231				
55	100,00	0,00	231				
56	100,00	0,00	251				
57	100,00	0,00	239				
58	100,00	0,00	272				
59	100,00	0,00	231				
60	100,00	0,00	222				
61	100,00	0,00	228				
62	100,00	0,00	217				
63	100,00	0,00	245				
64	100,00	0,00	246				
65	100,00	0,00	249				
66	100,00	0,00	241				
67	100,00	0,00	238				
68	100,00	0,00	237				
69	99,30	0,70	259				
70	100,00	0,00	240				
71	100,00	0,00	238				
72	100,00	0,00	239				
73	100,00	0,00	240				
74	100,00	0,00	241				
75	100,00	0,00	244				
76	100,00	0,00	253				
77	100,00	0,00	238				
78	100,00	0,00	241				
79	100,00	0,00	267				
80	100,00	0,00	266				
81	100,00	0,00	237				
82	100,00	0,00	239				
83	100,00	0,00	239				
84	100,00	0,00	242				
85	100,00	0,00	238				
86	100,00	0,00	249				
87	100,00	0,00	244				
88	100,00	0,00	250				
89	100,00	0,00	243				
90	100,00	0,00	242				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (millisecs) F	Dedicated interface			
				AISP response (millisecs) G	PISP response (millisecs) H	CBP/II / PISP Yes/No response (millisecs) I	Error response rate (%) J
1	100,00	0,00	285				
2	100,00	0,00	282				
3	100,00	0,00	266				
4	100,00	0,00	218				
5	100,00	0,00	282				
6	100,00	0,00	226				
7	100,00	0,00	271				
8	100,00	0,00	308				
9	100,00	0,00	317				
10	100,00	0,00	305				
11	100,00	0,00	317				
12	100,00	0,00	303				
13	100,00	0,00	309				
14	100,00	0,00	309				
15	100,00	0,00	293				
16	100,00	0,00	299				
17	100,00	0,00	335				
18	99,32	0,68	306				
19	100,00	0,00	292				
20	100,00	0,00	287				
21	100,00	0,00	294				
22	100,00	0,00	294				
23	100,00	0,00	293				
24	100,00	0,00	277				
25	100,00	0,00	322				
26	100,00	0,00	289				
27	100,00	0,00	298				
28	100,00	0,00	308				
29	100,00	0,00	286				
30	100,00	0,00	294				
31	100,00	0,00	337				
32	100,00	0,00	301				
33	99,40	0,60	426				
34	100,00	0,00	317				
35	100,00	0,00	287				
36	100,00	0,00	282				
37	100,00	0,00	292				
38	100,00	0,00	326				
39	100,00	0,00	319				
40	100,00	0,00	294				
41	100,00	0,00	314				
42	100,00	0,00	275				
43	100,00	0,00	254				
44	100,00	0,00	256				
45	100,00	0,00	298				
46	100,00	0,00	314				
47	100,00	0,00	377				
48	100,00	0,00	342				
49	100,00	0,00	304				
50	100,00	0,00	274				
51	100,00	0,00	268				
52	100,00	0,00	295				
53	100,00	0,00	286				
54	100,00	0,00	283				
55	100,00	0,00	294				
56	100,00	0,00	285				
57	100,00	0,00	282				
58	100,00	0,00	289				
59	100,00	0,00	279				
60	100,00	0,00	271				
61	100,00	0,00	293				
62	100,00	0,00	258				
63	100,00	0,00	281				
64	100,00	0,00	249				
65	100,00	0,00	243				
66	100,00	0,00	297				
67	100,00	0,00	246				
68	100,00	0,00	241				
69	99,07	0,93	413				
70	100,00	0,00	248				
71	100,00	0,00	240				
72	100,00	0,00	243				
73	100,00	0,00	250				
74	100,00	0,00	247				
75	100,00	0,00	256				
76	100,00	0,00	250				
77	100,00	0,00	249				
78	100,00	0,00	241				
79	100,00	0,00	242				
80	100,00	0,00	244				
81	100,00	0,00	273				
82	100,00	0,00	246				
83	100,00	0,00	246				
84	100,00	0,00	249				
85	100,00	0,00	239				
86	100,00	0,00	249				
87	100,00	0,00	275				
88	100,00	0,00	256				
89	100,00	0,00	244				
90	100,00	0,00	252				
91							
92							