



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q3 2020

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface		Dedicated interface		
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	174	0	174	0,00	
2	100,00	0,00	185	0	185	0,00	
3	100,00	0,00	222	0	222	0,00	
4	100,00	0,00	174	0	174	0,00	
5	100,00	0,00	168	0	168	0,00	
6	100,00	0,00	168	0	168	0,00	
7	100,00	0,00	185	0	185	0,00	
8	100,00	0,00	194	0	194	0,00	
9	99,49	0,51	178	0	178	0,00	
10	100,00	0,00	167	0	167	0,00	
11	100,00	0,00	166	0	166	0,00	
12	100,00	0,00	166	0	166	0,00	
13	100,00	0,00	171	0	171	0,00	
14	100,00	0,00	189	0	189	0,00	
15	100,00	0,00	171	0	171	0,00	
16	100,00	0,00	168	0	168	0,00	
17	100,00	0,00	168	0	168	0,00	
18	98,71	1,29	166	0	166	0,00	
19	100,00	0,00	166	0	166	0,00	
20	100,00	0,00	171	0	171	0,00	
21	100,00	0,00	171	0	171	0,00	
22	100,00	0,00	168	0	168	0,00	
23	100,00	0,00	171	0	171	0,00	
24	100,00	0,00	171	0	171	0,00	
25	100,00	0,00	168	0	168	0,00	
26	100,00	0,00	166	0	166	0,00	
27	100,00	0,00	170	0	170	0,00	
28	100,00	0,00	169	0	169	0,00	
29	100,00	0,00	176	0	176	0,00	
30	100,00	0,00	171	0	171	0,00	
31	100,00	0,00	169	0	169	0,00	
32	100,00	0,00	166	0	166	0,00	
33	100,00	0,00	167	0	167	0,00	
34	100,00	0,00	172	0	172	0,00	
35	100,00	0,00	173	0	173	0,00	
36	100,00	0,00	170	0	170	0,00	
37	100,00	0,00	246	0	246	0,00	
38	100,00	0,00	168	0	168	0,00	
39	100,00	0,00	161	0	161	0,00	
40	100,00	0,00	164	0	164	0,00	
41	100,00	0,00	169	0	169	0,00	
42	100,00	0,00	174	0	174	0,00	
43	100,00	0,00	172	0	172	0,00	
44	100,00	0,00	176	0	176	0,00	
45	100,00	0,00	173	0	173	0,00	
46	100,00	0,00	165	0	165	0,00	
47	100,00	0,00	164	0	164	0,00	
48	100,00	0,00	169	0	169	0,00	
49	100,00	0,00	436	0	436	0,00	
50	99,93	0,07	507	0	507	0,00	
51	100,00	0,00	181	0	181	0,00	
52	100,00	0,00	167	0	167	0,00	
53	100,00	0,00	166	0	166	0,00	
54	100,00	0,00	171	0	171	0,00	
55	100,00	0,00	188	0	188	0,00	
56	100,00	0,00	174	0	174	0,00	
57	100,00	0,00	172	0	172	0,00	
58	100,00	0,00	197	0	197	0,00	
59	100,00	0,00	164	0	164	0,00	
60	100,00	0,00	168	0	168	0,00	
61	100,00	0,00	169	0	169	0,00	
62	100,00	0,00	177	0	177	0,00	
63	100,00	0,00	203	0	203	0,00	
64	100,00	0,00	176	0	176	0,00	
65	100,00	0,00	171	0	171	0,00	
66	100,00	0,00	173	0	173	0,00	
67	100,00	0,00	199	0	199	0,00	
68	100,00	0,00	263	0	263	0,00	
69	100,00	0,00	196	0	196	0,00	
70	100,00	0,00	182	0	182	0,00	
71	100,00	0,00	170	0	170	0,00	
72	100,00	0,00	252	0	252	0,00	
73	100,00	0,00	185	0	185	0,00	
74	100,00	0,00	169	0	169	0,00	
75	100,00	0,00	171	0	171	0,00	
76	100,00	0,00	172	0	172	0,00	
77	100,00	0,00	170	0	170	0,00	
78	100,00	0,00	198	0	198	0,00	
79	100,00	0,00	170	0	170	0,00	
80	100,00	0,00	164	0	164	0,00	
81	100,00	0,00	160	0	160	0,00	
82	100,00	0,00	162	0	162	0,00	
83	100,00	0,00	170	0	170	0,00	
84	100,00	0,00	165	0	165	0,00	
85	100,00	0,00	172	0	172	0,00	
86	100,00	0,00	177	0	177	0,00	
87	100,00	0,00	161	0	161	0,00	
88	100,00	0,00	159	0	159	0,00	
89	100,00	0,00	164	0	164	0,00	
90	100,00	0,00	165	0	165	0,00	
91	99,98	0,02	175	0	175	0,00	
92	100,00	0,00	167	0	167	0,00	

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (millisecs) F	Dedicated interface			
				AISP response (millisecs) G	PISP response (millisecs) H	CBPII / PISP Yes/No response (millisecs) I	Error response rate (%) J
1	100,00	0,00	138				
2	100,00	0,00	153				
3	96,88	3,12	171				
4	100,00	0,00	152				
5	100,00	0,00	136				
6	100,00	0,00	145				
7	100,00	0,00	167				
8	100,00	0,00	163				
9	99,45	0,55	144				
10	100,00	0,00	148				
11	100,00	0,00	136				
12	100,00	0,00	137				
13	100,00	0,00	138				
14	100,00	0,00	158				
15	100,00	0,00	137				
16	100,00	0,00	135				
17	100,00	0,00	132				
18	98,92	1,08	136				
19	100,00	0,00	136				
20	100,00	0,00	142				
21	100,00	0,00	140				
22	100,00	0,00	139				
23	100,00	0,00	136				
24	100,00	0,00	134				
25	100,00	0,00	132				
26	100,00	0,00	133				
27	100,00	0,00	161				
28	100,00	0,00	134				
29	100,00	0,00	133				
30	100,00	0,00	151				
31	100,00	0,00	132				
32	100,00	0,00	135				
33	100,00	0,00	136				
34	100,00	0,00	146				
35	100,00	0,00	140				
36	100,00	0,00	137				
37	100,00	0,00	190				
38	100,00	0,00	135				
39	100,00	0,00	133				
40	100,00	0,00	134				
41	100,00	0,00	137				
42	100,00	0,00	137				
43	100,00	0,00	144				
44	100,00	0,00	142				
45	100,00	0,00	142				
46	100,00	0,00	131				
47	100,00	0,00	132				
48	100,00	0,00	140				
49	100,00	0,00	417				
50	99,70	0,3	496				
51	100,00	0,00	133				
52	100,00	0,00	131				
53	100,00	0,00	131				
54	100,00	0,00	137				
55	100,00	0,00	152				
56	100,00	0,00	139				
57	100,00	0,00	143				
58	100,00	0,00	165				
59	100,00	0,00	134				
60	100,00	0,00	138				
61	100,00	0,00	142				
62	100,00	0,00	160				
63	100,00	0,00	179				
64	100,00	0,00	160				
65	100,00	0,00	155				
66	100,00	0,00	152				
67	100,00	0,00	167				
68	100,00	0,00	249				
69	100,00	0,00	191				
70	100,00	0,00	152				
71	100,00	0,00	159				
72	100,00	0,00	229				
73	100,00	0,00	132				
74	100,00	0,00	130				
75	100,00	0,00	132				
76	100,00	0,00	131				
77	100,00	0,00	137				
78	100,00	0,00	161				
79	100,00	0,00	132				
80	100,00	0,00	131				
81	100,00	0,00	130				
82	100,00	0,00	129				
83	100,00	0,00	133				
84	100,00	0,00	131				
85	100,00	0,00	139				
86	100,00	0,00	153				
87	100,00	0,00	143				
88	100,00	0,00	143				
89	100,00	0,00	146				
90	100,00	0,00	147				
91	99,87	0,13	160				
92	100,00	0,00	126				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	138				
2	100,00	0,00	153				
3	96,88	3,12	171				
4	100,00	0,00	152				
5	100,00	0,00	136				
6	100,00	0,00	145				
7	100,00	0,00	167				
8	100,00	0,00	163				
9	99,45	0,55	144				
10	100,00	0,00	148				
11	100,00	0,00	136				
12	100,00	0,00	137				
13	100,00	0,00	138				
14	100,00	0,00	158				
15	100,00	0,00	137				
16	100,00	0,00	135				
17	100,00	0,00	132				
18	98,92	1,08	136				
19	100,00	0,00	136				
20	100,00	0,00	142				
21	100,00	0,00	140				
22	100,00	0,00	139				
23	100,00	0,00	136				
24	100,00	0,00	134				
25	100,00	0,00	132				
26	100,00	0,00	133				
27	100,00	0,00	161				
28	100,00	0,00	134				
29	100,00	0,00	133				
30	100,00	0,00	151				
31	100,00	0,00	132				
32	100,00	0,00	135				
33	100,00	0,00	136				
34	100,00	0,00	146				
35	100,00	0,00	140				
36	100,00	0,00	137				
37	100,00	0,00	190				
38	100,00	0,00	135				
39	100,00	0,00	133				
40	100,00	0,00	134				
41	100,00	0,00	137				
42	100,00	0,00	137				
43	100,00	0,00	144				
44	100,00	0,00	142				
45	100,00	0,00	142				
46	100,00	0,00	131				
47	100,00	0,00	132				
48	100,00	0,00	140				
49	100,00	0,00	417				
50	99,70	0,3	496				
51	100,00	0,00	133				
52	100,00	0,00	131				
53	100,00	0,00	131				
54	100,00	0,00	137				
55	100,00	0,00	152				
56	100,00	0,00	139				
57	100,00	0,00	143				
58	100,00	0,00	165				
59	100,00	0,00	134				
60	100,00	0,00	138				
61	100,00	0,00	142				
62	100,00	0,00	160				
63	100,00	0,00	179				
64	100,00	0,00	160				
65	100,00	0,00	155				
66	100,00	0,00	152				
67	100,00	0,00	167				
68	100,00	0,00	249				
69	100,00	0,00	191				
70	100,00	0,00	152				
71	100,00	0,00	159				
72	100,00	0,00	229				
73	100,00	0,00	132				
74	100,00	0,00	130				
75	100,00	0,00	132				
76	100,00	0,00	131				
77	100,00	0,00	137				
78	100,00	0,00	161				
79	100,00	0,00	132				
80	100,00	0,00	131				
81	100,00	0,00	130				
82	100,00	0,00	129				
83	100,00	0,00	133				
84	100,00	0,00	131				
85	100,00	0,00	139				
86	100,00	0,00	153				
87	100,00	0,00	143				
88	100,00	0,00	143				
89	100,00	0,00	146				
90	100,00	0,00	147				
91	99,87	0,13	160				
92	100,00	0,00	126				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface		Dedicated interface		
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	179				
2	100,00	0,00	184				
3	96,74	3,26	233				
4	100,00	0,00	178				
5	100,00	0,00	170				
6	100,00	0,00	171				
7	100,00	0,00	203				
8	100,00	0,00	195				
9	99,52	0,48	177				
10	100,00	0,00	173				
11	100,00	0,00	169				
12	100,00	0,00	169				
13	100,00	0,00	173				
14	100,00	0,00	190				
15	100,00	0,00	174				
16	100,00	0,00	171				
17	100,00	0,00	170				
18	98,97	1,03	173				
19	100,00	0,00	169				
20	100,00	0,00	175				
21	100,00	0,00	179				
22	100,00	0,00	170				
23	100,00	0,00	171				
24	100,00	0,00	177				
25	100,00	0,00	173				
26	100,00	0,00	169				
27	100,00	0,00	186				
28	100,00	0,00	172				
29	100,00	0,00	167				
30	100,00	0,00	174				
31	100,00	0,00	170				
32	100,00	0,00	176				
33	100,00	0,00	169				
34	100,00	0,00	170				
35	100,00	0,00	181				
36	100,00	0,00	170				
37	100,00	0,00	252				
38	100,00	0,00	173				
39	100,00	0,00	165				
40	100,00	0,00	167				
41	100,00	0,00	175				
42	100,00	0,00	174				
43	100,00	0,00	176				
44	100,00	0,00	172				
45	100,00	0,00	174				
46	100,00	0,00	168				
47	100,00	0,00	173				
48	100,00	0,00	190				
49	100,00	0,00	435				
50	99,32	0,68	556				
51	100,00	0,00	172				
52	100,00	0,00	168				
53	100,00	0,00	167				
54	100,00	0,00	174				
55	100,00	0,00	188				
56	100,00	0,00	172				
57	100,00	0,00	173				
58	100,00	0,00	207				
59	100,00	0,00	167				
60	100,00	0,00	169				
61	100,00	0,00	175				
62	100,00	0,00	183				
63	100,00	0,00	206				
64	100,00	0,00	177				
65	100,00	0,00	184				
66	100,00	0,00	176				
67	100,00	0,00	207				
68	100,00	0,00	248				
69	100,00	0,00	241				
70	100,00	0,00	184				
71	100,00	0,00	181				
72	100,00	0,00	263				
73	100,00	0,00	177				
74	100,00	0,00	175				
75	100,00	0,00	183				
76	100,00	0,00	176				
77	100,00	0,00	181				
78	100,00	0,00	204				
79	100,00	0,00	178				
80	100,00	0,00	165				
81	100,00	0,00	164				
82	100,00	0,00	164				
83	100,00	0,00	167				
84	100,00	0,00	166				
85	100,00	0,00	175				
86	100,00	0,00	178				
87	100,00	0,00	167				
88	100,00	0,00	166				
89	100,00	0,00	168				
90	100,00	0,00	173				
91	99,87	0,13	203				
92	100,00	0,00	174				