



# **REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces**

Q3 2021

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Open banking API</b>	<b>Dedicated interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	98,96	1,04	227	0	227	0,00	
2	100,00	0,00	236	0	236	0,00	
3	100,00	0,00	258	0	258	0,00	
4	100,00	0,00	524	0	524	0,00	
5	98,69	1,31	225	0	225	0,00	
6	100,00	0,00	223	0	223	0,00	
7	100,00	0,00	214	0	214	0,00	
8	100,00	0,00	227	0	227	0,00	
9	100,00	0,00	249	0	249	0,00	
10	100,00	0,00	269	0	269	0,00	
11	100,00	0,00	416	0	416	0,00	
12	100,00	0,00	273	0	273	0,00	
13	99,85	0,15	276	0	276	0,00	
14	99,93	0,07	264	0	264	0,00	
15	100,00	0,00	266	0	266	0,00	
16	100,00	0,00	262	0	262	0,00	
17	100,00	0,00	264	0	264	0,00	
18	100,00	0,00	417	0	417	0,00	
19	100,00	0,00	268	0	268	0,00	
20	100,00	0,00	270	0	270	0,00	
21	100,00	0,00	269	0	269	0,00	
22	100,00	0,00	275	0	275	0,00	
23	100,00	0,00	273	0	273	0,00	
24	100,00	0,00	270	0	270	0,00	
25	100,00	0,00	409	0	409	0,00	
26	100,00	0,00	268	0	268	0,00	
27	100,00	0,00	275	0	275	0,00	
28	100,00	0,00	318	0	318	0,00	
29	100,00	0,00	307	0	307	0,00	
30	100,00	0,00	272	0	272	0,00	
31	100,00	0,00	269	0	269	0,00	
32	100,00	0,00	421	0	421	0,00	
33	100,00	0,00	274	0	274	0,00	
34	100,00	0,00	270	0	270	0,00	
35	100,00	0,00	276	0	276	0,00	
36	100,00	0,00	266	0	266	0,00	
37	100,00	0,00	269	0	269	0,00	
38	100,00	0,00	268	0	268	0,00	
39	100,00	0,00	415	0	415	0,00	
40	100,00	0,00	286	0	286	0,00	
41	100,00	0,00	280	0	280	0,00	
42	100,00	0,00	268	0	268	0,00	
43	100,00	0,00	275	0	275	0,00	
44	100,00	0,00	273	0	273	0,00	
45	100,00	0,00	272	0	272	0,00	
46	100,00	0,00	443	0	443	0,00	
47	100,00	0,00	269	0	269	0,00	
48	100,00	0,00	272	0	272	0,00	
49	100,00	0,00	285	0	285	0,00	
50	100,00	0,00	228	0	228	0,00	
51	100,00	0,00	220	0	220	0,00	
52	100,00	0,00	214	0	214	0,00	
53	98,89	1,11	342	0	342	0,00	
54	100,00	0,00	225	0	225	0,00	
55	100,00	0,00	229	0	229	0,00	
56	100,00	0,00	225	0	225	0,00	
57	99,66	0,34	227	0	227	0,00	
58	100,00	0,00	227	0	227	0,00	
59	100,00	0,00	215	0	215	0,00	
60	100,00	0,00	1474	0	1474	0,00	
61	100,00	0,00	233	0	233	0,00	
62	100,00	0,00	244	0	244	0,00	
63	100,00	0,00	233	0	233	0,00	
64	100,00	0,00	244	0	244	0,00	
65	100,00	0,00	223	0	223	0,00	
66	100,00	0,00	221	0	221	0,00	
67	100,00	0,00	338	0	338	0,00	
68	100,00	0,00	214	0	214	0,00	
69	100,00	0,00	219	0	219	0,00	
70	100,00	0,00	214	0	214	0,00	
71	100,00	0,00	201	0	201	0,00	
72	100,00	0,00	211	0	211	0,00	
73	100,00	0,00	200	0	200	0,00	
74	100,00	0,00	350	0	350	0,00	
75	100,00	0,00	203	0	203	0,00	
76	100,00	0,00	221	0	221	0,00	
77	100,00	0,00	207	0	207	0,00	
78	100,00	0,00	219	0	219	0,00	
79	100,00	0,00	220	0	220	0,00	
80	100,00	0,00	208	0	208	0,00	
81	100,00	0,00	327	0	327	0,00	
82	100,00	0,00	203	0	203	0,00	
83	100,00	0,00	216	0	216	0,00	
84	100,00	0,00	217	0	217	0,00	
85	100,00	0,00	209	0	209	0,00	
86	100,00	0,00	211	0	211	0,00	
87	100,00	0,00	213	0	213	0,00	
88	100,00	0,00	355	0	355	0,00	
89	100,00	0,00	208	0	208	0,00	
90	100,00	0,00	217	0	217	0,00	
91	100,00	0,00	221	0	221	0,00	
92	100,00	0,00	212	0	212	0,00	

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Web interface</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
	D	E	Response (millecs)	AISP response (millecs)	PISP response (millecs)	CBP/II / PISP Yes/No response (millecs)	Error response rate (%)
	F	G	H	I	J		
1	98,89	1,11	226				
2	100,00	0,00	238				
3	100,00	0,00	235				
4	100,00	0,00	559				
5	98,82	1,18	222				
6	100,00	0,00	224				
7	100,00	0,00	207				
8	100,00	0,00	209				
9	100,00	0,00	245				
10	100,00	0,00	267				
11	100,00	0,00	462				
12	100,00	0,00	288				
13	98,99	1,01	272				
14	99,93	0,07	265				
15	100,00	0,00	269				
16	100,00	0,00	263				
17	100,00	0,00	269				
18	100,00	0,00	470				
19	100,00	0,00	270				
20	100,00	0,00	269				
21	100,00	0,00	269				
22	100,00	0,00	274				
23	100,00	0,00	267				
24	100,00	0,00	265				
25	100,00	0,00	455				
26	100,00	0,00	265				
27	100,00	0,00	275				
28	100,00	0,00	336				
29	100,00	0,00	345				
30	100,00	0,00	275				
31	100,00	0,00	265				
32	100,00	0,00	488				
33	100,00	0,00	275				
34	100,00	0,00	273				
35	100,00	0,00	269				
36	100,00	0,00	270				
37	100,00	0,00	271				
38	100,00	0,00	269				
39	100,00	0,00	480				
40	100,00	0,00	294				
41	100,00	0,00	281				
42	100,00	0,00	268				
43	100,00	0,00	279				
44	100,00	0,00	269				
45	100,00	0,00	274				
46	100,00	0,00	496				
47	100,00	0,00	267				
48	100,00	0,00	269				
49	100,00	0,00	283				
50	100,00	0,00	227				
51	100,00	0,00	216				
52	100,00	0,00	208				
53	99,51	0,49	470				
54	100,00	0,00	208				
55	100,00	0,00	210				
56	100,00	0,00	211				
57	99,66	0,34	204				
58	100,00	0,00	227				
59	100,00	0,00	208				
60	100,00	0,00	961				
61	100,00	0,00	213				
62	100,00	0,00	228				
63	100,00	0,00	218				
64	100,00	0,00	248				
65	100,00	0,00	218				
66	100,00	0,00	226				
67	100,00	0,00	359				
68	100,00	0,00	205				
69	100,00	0,00	226				
70	100,00	0,00	214				
71	100,00	0,00	203				
72	100,00	0,00	203				
73	100,00	0,00	201				
74	100,00	0,00	339				
75	100,00	0,00	201				
76	100,00	0,00	214				
77	100,00	0,00	201				
78	100,00	0,00	212				
79	100,00	0,00	205				
80	100,00	0,00	206				
81	100,00	0,00	336				
82	100,00	0,00	204				
83	100,00	0,00	208				
84	100,00	0,00	209				
85	100,00	0,00	204				
86	100,00	0,00	207				
87	100,00	0,00	217				
88	100,00	0,00	372				
89	100,00	0,00	215				
90	100,00	0,00	217				
91	100,00	0,00	220				
92	100,00	0,00	220				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>Financial App</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (millecs)	AISP response (millecs)	PISP response (millecs)	CBPII / PISP Yes/No response (millecs)	Error response rate (%)
D	E	F	G	H	I	J	
1	98,89	1,11	226				
2	100,00	0,00	238				
3	100,00	0,00	235				
4	100,00	0,00	559				
5	98,82	1,18	222				
6	100,00	0,00	224				
7	100,00	0,00	207				
8	100,00	0,00	209				
9	100,00	0,00	245				
10	100,00	0,00	267				
11	100,00	0,00	462				
12	100,00	0,00	288				
13	98,99	1,01	272				
14	99,93	0,07	265				
15	100,00	0,00	269				
16	100,00	0,00	263				
17	100,00	0,00	269				
18	100,00	0,00	470				
19	100,00	0,00	270				
20	100,00	0,00	269				
21	100,00	0,00	269				
22	100,00	0,00	274				
23	100,00	0,00	267				
24	100,00	0,00	265				
25	100,00	0,00	455				
26	100,00	0,00	265				
27	100,00	0,00	275				
28	100,00	0,00	336				
29	100,00	0,00	345				
30	100,00	0,00	275				
31	100,00	0,00	265				
32	100,00	0,00	488				
33	100,00	0,00	275				
34	100,00	0,00	273				
35	100,00	0,00	269				
36	100,00	0,00	270				
37	100,00	0,00	271				
38	100,00	0,00	269				
39	100,00	0,00	480				
40	100,00	0,00	294				
41	100,00	0,00	281				
42	100,00	0,00	268				
43	100,00	0,00	279				
44	100,00	0,00	269				
45	100,00	0,00	274				
46	100,00	0,00	496				
47	100,00	0,00	267				
48	100,00	0,00	269				
49	100,00	0,00	283				
50	100,00	0,00	227				
51	100,00	0,00	216				
52	100,00	0,00	208				
53	99,51	0,49	470				
54	100,00	0,00	208				
55	100,00	0,00	210				
56	100,00	0,00	211				
57	99,66	0,34	204				
58	100,00	0,00	227				
59	100,00	0,00	208				
60	100,00	0,00	961				
61	100,00	0,00	213				
62	100,00	0,00	228				
63	100,00	0,00	218				
64	100,00	0,00	248				
65	100,00	0,00	218				
66	100,00	0,00	226				
67	100,00	0,00	359				
68	100,00	0,00	205				
69	100,00	0,00	226				
70	100,00	0,00	214				
71	100,00	0,00	203				
72	100,00	0,00	203				
73	100,00	0,00	201				
74	100,00	0,00	339				
75	100,00	0,00	201				
76	100,00	0,00	214				
77	100,00	0,00	201				
78	100,00	0,00	212				
79	100,00	0,00	205				
80	100,00	0,00	206				
81	100,00	0,00	336				
82	100,00	0,00	204				
83	100,00	0,00	208				
84	100,00	0,00	209				
85	100,00	0,00	204				
86	100,00	0,00	207				
87	100,00	0,00	217				
88	100,00	0,00	372				
89	100,00	0,00	215				
90	100,00	0,00	217				
91	100,00	0,00	220				
92	100,00	0,00	220				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
<b>APIs</b>	<b>PSU interface</b>	<b>No</b>

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
	D	E	Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	F	G	H	I	J		
1	98,96	1,04	250				
2	100,00	0,00	259				
3	100,00	0,00	291				
4	100,00	0,00	607				
5	98,69	1,31	242				
6	100,00	0,00	250				
7	100,00	0,00	236				
8	100,00	0,00	239				
9	100,00	0,00	275				
10	100,00	0,00	286				
11	100,00	0,00	495				
12	100,00	0,00	293				
13	99,06	0,94	294				
14	99,86	0,14	311				
15	100,00	0,00	288				
16	100,00	0,00	288				
17	100,00	0,00	289				
18	100,00	0,00	483				
19	100,00	0,00	287				
20	100,00	0,00	291				
21	100,00	0,00	293				
22	100,00	0,00	300				
23	100,00	0,00	293				
24	100,00	0,00	289				
25	100,00	0,00	481				
26	100,00	0,00	289				
27	100,00	0,00	301				
28	100,00	0,00	358				
29	100,00	0,00	367				
30	100,00	0,00	295				
31	100,00	0,00	292				
32	100,00	0,00	483				
33	100,00	0,00	291				
34	100,00	0,00	295				
35	100,00	0,00	295				
36	100,00	0,00	290				
37	100,00	0,00	297				
38	100,00	0,00	288				
39	100,00	0,00	495				
40	100,00	0,00	325				
41	100,00	0,00	306				
42	100,00	0,00	294				
43	100,00	0,00	305				
44	100,00	0,00	291				
45	100,00	0,00	293				
46	100,00	0,00	494				
47	100,00	0,00	287				
48	100,00	0,00	290				
49	100,00	0,00	298				
50	100,00	0,00	251				
51	100,00	0,00	244				
52	100,00	0,00	232				
53	98,96	1,04	401				
54	100,00	0,00	243				
55	100,00	0,00	246				
56	100,00	0,00	241				
57	99,66	0,34	241				
58	100,00	0,00	242				
59	100,00	0,00	235				
60	100,00	0,00	1442				
61	100,00	0,00	251				
62	100,00	0,00	245				
63	100,00	0,00	261				
64	100,00	0,00	263				
65	100,00	0,00	234				
66	100,00	0,00	239				
67	100,00	0,00	374				
68	100,00	0,00	235				
69	100,00	0,00	249				
70	100,00	0,00	227				
71	100,00	0,00	218				
72	100,00	0,00	229				
73	100,00	0,00	218				
74	100,00	0,00	340				
75	100,00	0,00	222				
76	100,00	0,00	229				
77	100,00	0,00	221				
78	100,00	0,00	228				
79	100,00	0,00	239				
80	100,00	0,00	223				
81	100,00	0,00	355				
82	100,00	0,00	225				
83	100,00	0,00	233				
84	100,00	0,00	235				
85	100,00	0,00	222				
86	100,00	0,00	227				
87	100,00	0,00	236				
88	100,00	0,00	370				
89	100,00	0,00	228				
90	100,00	0,00	239				
91	100,00	0,00	230				
92	100,00	0,00	228				