



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q3 2022

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics					
	Uptime (%) D	Downtime (%) E	Payment services user interface	Dedicated interface				
				Response (milliseconds) F	AISP response (milliseconds) G	PISP response (milliseconds) H	CBP/ PISP Yes/No response (milliseconds) I	Error response rate (%) J
1	100,00	0,00		208			208	0,00
2	100,00	0,00		205			205	0,00
3	100,00	0,00		206			206	0,00
4	100,00	0,00		225			225	0,00
5	100,00	0,00		212			212	0,00
6	100,00	0,00		243			243	0,00
7	100,00	0,00		256			256	0,00
8	100,00	0,00		251			251	0,00
9	100,00	0,00		204			204	0,00
10	100,00	0,00		205			205	0,00
11	100,00	0,00		368			368	0,00
12	100,00	0,00		259			259	0,00
13	99,86	0,14		212			212	0,00
14	100,00	0,00		202			202	0,00
15	100,00	0,00		228			228	0,00
16	100,00	0,00		209			209	0,00
17	100,00	0,00		212			212	0,00
18	100,00	0,00		217			217	0,00
19	100,00	0,00		219			219	0,00
20	100,00	0,00		212			212	0,00
21	100,00	0,00		220			220	0,00
22	100,00	0,00		216			216	0,00
23	100,00	0,00		210			210	0,00
24	100,00	0,00		217			217	0,00
25	100,00	0,00		216			216	0,00
26	100,00	0,00		212			212	0,00
27	100,00	0,00		213			213	0,00
28	100,00	0,00		215			215	0,00
29	100,00	0,00		207			207	0,00
30	100,00	0,00		207			207	0,00
31	100,00	0,00		213			213	0,00
32	100,00	0,00		210			210	0,00
33	100,00	0,00		206			206	0,00
34	100,00	0,00		198			198	0,00
35	100,00	0,00		194			194	0,00
36	100,00	0,00		208			208	0,00
37	100,00	0,00		199			199	0,00
38	100,00	0,00		207			207	0,00
39	100,00	0,00		206			206	0,00
40	100,00	0,00		220			220	0,00
41	100,00	0,00		203			203	0,00
42	99,79	0,21		207			207	0,00
43	100,00	0,00		223			223	0,00
44	100,00	0,00		221			221	0,00
45	100,00	0,00		218			218	0,00
46	100,00	0,00		265			265	0,00
47	100,00	0,00		265			265	0,00
48	100,00	0,00		204			204	0,00
49	100,00	0,00		263			263	0,00
50	100,00	0,00		237			237	0,00
51	100,00	0,00		209			209	0,00
52	100,00	0,00		225			225	0,00
53	100,00	0,00		276			276	0,00
54	100,00	0,00		218			218	0,00
55	100,00	0,00		211			211	0,00
56	100,00	0,00		235			235	0,00
57	100,00	0,00		208			208	0,00
58	100,00	0,00		199			199	0,00
59	100,00	0,00		244			244	0,00
60	100,00	0,00		243			243	0,00
61	100,00	0,00		229			229	0,00
62	100,00	0,00		200			200	0,00
63	100,00	0,00		204			204	0,00
64	100,00	0,00		238			238	0,00
65	100,00	0,00		235			235	0,00
66	100,00	0,00		251			251	0,00
67	100,00	0,00		284			284	0,00
68	100,00	0,00		256			256	0,00
69	100,00	0,00		260			260	0,00
70	100,00	0,00		248			248	0,00
71	100,00	0,00		249			249	0,00
72	100,00	0,00		246			246	0,00
73	100,00	0,00		259			259	0,00
74	100,00	0,00		260			260	0,00
75	100,00	0,00		264			264	0,00
76	100,00	0,00		249			249	0,00
77	100,00	0,00		245			245	0,00
78	100,00	0,00		244			244	0,00
79	100,00	0,00		250			250	0,00
80	100,00	0,00		279			279	0,00
81	100,00	0,00		334			334	0,00
82	100,00	0,00		266			266	0,00
83	98,61	1,39		248			248	0,00
84	99,79	0,21		252			252	0,00
85	100,00	0,00		261			261	0,00
86	100,00	0,00		249			249	0,00
87	100,00	0,00		263			263	0,00
88	100,00	0,00		276			276	0,00
89	100,00	0,00		258			258	0,00
90	100,00	0,00		265			265	0,00
91	100,00	0,00		268			268	0
92	100,00	0,00		259			259	0,00

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	215				
2	100,00	0,00	211				
3	100,00	0,00	221				
4	100,00	0,00	217				
5	100,00	0,00	221				
6	100,00	0,00	219				
7	100,00	0,00	214				
8	100,00	0,00	214				
9	100,00	0,00	213				
10	100,00	0,00	216				
11	100,00	0,00	212				
12	100,00	0,00	216				
13	99,79	0,21	209				
14	100,00	0,00	206				
15	100,00	0,00	228				
16	100,00	0,00	219				
17	100,00	0,00	223				
18	100,00	0,00	221				
19	100,00	0,00	219				
20	100,00	0,00	220				
21	100,00	0,00	223				
22	100,00	0,00	211				
23	100,00	0,00	214				
24	100,00	0,00	223				
25	100,00	0,00	215				
26	100,00	0,00	219				
27	100,00	0,00	214				
28	100,00	0,00	213				
29	100,00	0,00	211				
30	100,00	0,00	215				
31	100,00	0,00	219				
32	100,00	0,00	225				
33	100,00	0,00	217				
34	100,00	0,00	194				
35	100,00	0,00	205				
36	100,00	0,00	203				
37	100,00	0,00	198				
38	100,00	0,00	204				
39	100,00	0,00	199				
40	100,00	0,00	191				
41	100,00	0,00	190				
42	99,79	0,21	185				
43	100,00	0,00	201				
44	100,00	0,00	202				
45	100,00	0,00	197				
46	100,00	0,00	201				
47	100,00	0,00	192				
48	100,00	0,00	192				
49	100,00	0,00	195				
50	100,00	0,00	199				
51	100,00	0,00	210				
52	100,00	0,00	209				
53	100,00	0,00	199				
54	100,00	0,00	215				
55	100,00	0,00	211				
56	100,00	0,00	228				
57	100,00	0,00	213				
58	100,00	0,00	202				
59	100,00	0,00	213				
60	100,00	0,00	201				
61	100,00	0,00	201				
62	100,00	0,00	190				
63	100,00	0,00	187				
64	100,00	0,00	246				
65	100,00	0,00	240				
66	100,00	0,00	241				
67	100,00	0,00	242				
68	100,00	0,00	238				
69	100,00	0,00	247				
70	100,00	0,00	246				
71	100,00	0,00	253				
72	100,00	0,00	248				
73	100,00	0,00	253				
74	100,00	0,00	257				
75	100,00	0,00	251				
76	100,00	0,00	259				
77	100,00	0,00	248				
78	100,00	0,00	254				
79	100,00	0,00	250				
80	100,00	0,00	274				
81	100,00	0,00	297				
82	100,00	0,00	258				
83	98,61	1,39	259				
84	99,72	0,28	247				
85	100,00	0,00	256				
86	100,00	0,00	264				
87	100,00	0,00	254				
88	100,00	0,00	259				
89	100,00	0,00	268				
90	100,00	0,00	266				
91	99,79	0,21	271				
92	100,00	0,00	271				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	215				
2	100,00	0,00	211				
3	100,00	0,00	221				
4	100,00	0,00	217				
5	100,00	0,00	221				
6	100,00	0,00	219				
7	100,00	0,00	214				
8	100,00	0,00	214				
9	100,00	0,00	213				
10	100,00	0,00	216				
11	100,00	0,00	212				
12	100,00	0,00	216				
13	99,79	0,21	209				
14	100,00	0,00	206				
15	100,00	0,00	228				
16	100,00	0,00	219				
17	100,00	0,00	223				
18	100,00	0,00	221				
19	100,00	0,00	219				
20	100,00	0,00	220				
21	100,00	0,00	223				
22	100,00	0,00	211				
23	100,00	0,00	214				
24	100,00	0,00	223				
25	100,00	0,00	215				
26	100,00	0,00	219				
27	100,00	0,00	214				
28	100,00	0,00	213				
29	100,00	0,00	211				
30	100,00	0,00	215				
31	100,00	0,00	219				
32	100,00	0,00	225				
33	100,00	0,00	217				
34	100,00	0,00	194				
35	100,00	0,00	205				
36	100,00	0,00	203				
37	100,00	0,00	198				
38	100,00	0,00	204				
39	100,00	0,00	199				
40	100,00	0,00	191				
41	100,00	0,00	190				
42	99,79	0,21	185				
43	100,00	0,00	201				
44	100,00	0,00	202				
45	100,00	0,00	197				
46	100,00	0,00	201				
47	100,00	0,00	192				
48	100,00	0,00	192				
49	100,00	0,00	195				
50	100,00	0,00	199				
51	100,00	0,00	210				
52	100,00	0,00	209				
53	100,00	0,00	199				
54	100,00	0,00	215				
55	100,00	0,00	211				
56	100,00	0,00	228				
57	100,00	0,00	213				
58	100,00	0,00	202				
59	100,00	0,00	213				
60	100,00	0,00	201				
61	100,00	0,00	201				
62	100,00	0,00	190				
63	100,00	0,00	187				
64	100,00	0,00	246				
65	100,00	0,00	240				
66	100,00	0,00	241				
67	100,00	0,00	242				
68	100,00	0,00	238				
69	100,00	0,00	247				
70	100,00	0,00	246				
71	100,00	0,00	253				
72	100,00	0,00	248				
73	100,00	0,00	253				
74	100,00	0,00	257				
75	100,00	0,00	251				
76	100,00	0,00	259				
77	100,00	0,00	248				
78	100,00	0,00	254				
79	100,00	0,00	250				
80	100,00	0,00	274				
81	100,00	0,00	297				
82	100,00	0,00	258				
83	98,61	1,39	259				
84	99,72	0,28	247				
85	100,00	0,00	256				
86	100,00	0,00	264				
87	100,00	0,00	254				
88	100,00	0,00	259				
89	100,00	0,00	268				
90	100,00	0,00	266				
91	99,79	0,21	271				
92	100,00	0,00	271				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (milliseconds) F	Dedicated interface			Error response rate (%) J
				AISP response (milliseconds) G	PISP response (milliseconds) H	CBP11 / PISP Yes/No response (milliseconds) I	
1	100,00	0,00	268				
2	100,00	0,00	223				
3	100,00	0,00	228				
4	100,00	0,00	265				
5	100,00	0,00	264				
6	100,00	0,00	285				
7	100,00	0,00	291				
8	100,00	0,00	310				
9	100,00	0,00	223				
10	100,00	0,00	226				
11	100,00	0,00	384				
12	100,00	0,00	279				
13	99,79	0,21	253				
14	100,00	0,00	227				
15	100,00	0,00	250				
16	100,00	0,00	225				
17	100,00	0,00	225				
18	100,00	0,00	240				
19	100,00	0,00	238				
20	100,00	0,00	228				
21	100,00	0,00	229				
22	100,00	0,00	233				
23	100,00	0,00	229				
24	100,00	0,00	235				
25	100,00	0,00	245				
26	100,00	0,00	228				
27	100,00	0,00	230				
28	100,00	0,00	227				
29	100,00	0,00	226				
30	100,00	0,00	226				
31	100,00	0,00	230				
32	100,00	0,00	230				
33	100,00	0,00	237				
34	100,00	0,00	216				
35	100,00	0,00	216				
36	100,00	0,00	221				
37	100,00	0,00	217				
38	100,00	0,00	223				
39	100,00	0,00	229				
40	100,00	0,00	221				
41	100,00	0,00	220				
42	99,79	0,21	225				
43	100,00	0,00	226				
44	100,00	0,00	229				
45	100,00	0,00	238				
46	100,00	0,00	261				
47	100,00	0,00	249				
48	100,00	0,00	239				
49	100,00	0,00	255				
50	100,00	0,00	228				
51	100,00	0,00	236				
52	100,00	0,00	285				
53	100,00	0,00	271				
54	100,00	0,00	247				
55	100,00	0,00	250				
56	100,00	0,00	252				
57	100,00	0,00	230				
58	100,00	0,00	216				
59	100,00	0,00	236				
60	100,00	0,00	234				
61	100,00	0,00	247				
62	100,00	0,00	219				
63	100,00	0,00	221				
64	100,00	0,00	254				
65	100,00	0,00	248				
66	100,00	0,00	265				
67	100,00	0,00	284				
68	100,00	0,00	273				
69	100,00	0,00	268				
70	100,00	0,00	262				
71	100,00	0,00	265				
72	100,00	0,00	260				
73	100,00	0,00	271				
74	100,00	0,00	289				
75	100,00	0,00	270				
76	100,00	0,00	274				
77	100,00	0,00	263				
78	100,00	0,00	277				
79	100,00	0,00	278				
80	100,00	0,00	287				
81	100,00	0,00	332				
82	100,00	0,00	277				
83	98,61	1,39	272				
84	99,72	0,28	274				
85	100,00	0,00	276				
86	100,00	0,00	273				
87	100,00	0,00	272				
88	100,00	0,00	313				
89	100,00	0,00	273				
90	100,00	0,00	279				
91	100,00	0,00	280				
92	100,00	0,00	285				