



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q4 2020

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
A		B	C				
Open banking API		Dedicated interface	No				
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
D	E	Response (millesec)	AISP response (millesec)	PISP response (millesec)	CBPII / PISP Yes/No response (millesec)	Error response rate (%)	
F	G	H	I	J			
1	100,00	0,00	262	0	262	0	
2	100,00	0,00	171	0	171	0	
3	100,00	0,00	177	0	177	0	
4	100,00	0,00	169	0	169	0	
5	99,94	0,06	198	0	198	0	
6	100,00	0,00	171	0	171	0	
7	100,00	0,00	168	0	168	0	
8	100,00	0,00	169	0	169	0	
9	100,00	0,00	167	0	167	0	
10	100,00	0,00	165	0	165	0	
11	100,00	0,00	166	0	166	0	
12	100,00	0,00	178	0	178	0	
13	100,00	0,00	167	0	167	0	
14	100,00	0,00	167	0	167	0	
15	100,00	0,00	170	0	170	0	
16	100,00	0,00	168	0	168	0	
17	100,00	0,00	170	0	170	0	
18	100,00	0,00	165	0	165	0	
19	100,00	0,00	170	0	170	0	
20	100,00	0,00	174	0	174	0	
21	100,00	0,00	171	0	171	0	
22	100,00	0,00	167	0	167	0	
23	100,00	0,00	170	0	170	0	
24	100,00	0,00	168	0	168	0	
25	100,00	0,00	168	0	168	0	
26	100,00	0,00	179	0	179	0	
27	100,00	0,00	178	0	178	0	
28	100,00	0,00	172	0	172	0	
29	100,00	0,00	190	0	190	0	
30	99,03	0,97	180	0	180	0	
31	100,00	0,00	172	0	172	0	
32	100,00	0,00	191	0	191	0	
33	100,00	0,00	170	0	170	0	
34	100,00	0,00	179	0	179	0	
35	100,00	0,00	173	0	173	0	
36	100,00	0,00	171	0	171	0	
37	100,00	0,00	176	0	176	0	
38	100,00	0,00	181	0	181	0	
39	100,00	0,00	171	0	171	0	
40	100,00	0,00	178	0	178	0	
41	100,00	0,00	186	0	186	0	
42	100,00	0,00	173	0	173	0	
43	99,59	0,41	175	0	175	0	
44	100,00	0,00	178	0	178	0	
45	100,00	0,00	170	0	170	0	
46	100,00	0,00	169	0	169	0	
47	100,00	0,00	177	0	177	0	
48	100,00	0,00	172	0	172	0	
49	100,00	0,00	167	0	167	0	
50	99,87	0,13	178	0	178	0	
51	100,00	0,00	163	0	163	0	
52	100,00	0,00	161	0	161	0	
53	100,00	0,00	167	0	167	0	
54	100,00	0,00	167	0	167	0	
55	100,00	0,00	171	0	171	0	
56	100,00	0,00	169	0	169	0	
57	100,00	0,00	164	0	164	0	
58	100,00	0,00	165	0	165	0	
59	100,00	0,00	168	0	168	0	
60	100,00	0,00	170	0	170	0	
61	100,00	0,00	164	0	164	0	
62	100,00	0,00	165	0	165	0	
63	100,00	0,00	167	0	167	0	
64	100,00	0,00	168	0	168	0	
65	100,00	0,00	164	0	164	0	
66	100,00	0,00	173	0	173	0	
67	100,00	0,00	163	0	163	0	
68	100,00	0,00	167	0	167	0	
69	100,00	0,00	171	0	171	0	
70	100,00	0,00	168	0	168	0	
71	100,00	0,00	195	0	195	0	
72	100,00	0,00	824	0	824	0	
73	100,00	0,00	176	0	176	0	
74	100,00	0,00	170	0	170	0	
75	100,00	0,00	169	0	169	0	
76	100,00	0,00	173	0	173	0	
77	100,00	0,00	176	0	176	0,64%	
78	100,00	0,00	168	0	168	0	
79	100,00	0,00	169	0	169	0	
80	100,00	0,00	164	0	164	0	
81	100,00	0,00	172	0	172	0	
82	100,00	0,00	176	0	176	0	
83	100,00	0,00	175	0	175	0	
84	100,00	0,00	176	0	176	0	
85	100,00	0,00	166	0	166	0	
86	100,00	0,00	162	0	162	0	
87	100,00	0,00	166	0	166	0	
88	100,00	0,00	168	0	168	0	
89	100,00	0,00	180	0	180	0	
90	100,00	0,00	173	0	173	0	
91	100,00	0,00	164	0	164	0	
92	100,00	0,00	158	0	158	0	

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

	Interface Name/Id		Interface type		Has exemption been granted for dedicated interface?				
	A		B						
	Web interface		PSU interface						
	Availability statistics				Performance statistics				
	Uptime (%)		Downtime (%)		Payment services user interface				
					Dedicated interface				
Day	D	E			Response (millisecs)	AISP response (millisecs)	PISP response (millisecs)	CBP/II / PISP Yes/No response (millisecs)	Error response rate (%)
1	100,00	0,00			F	G	H	I	J
2	100,00	0,00							
3	100,00	0,26							
4	100,00	0,00							
5	99,94	0,00							
6	100,00	0,00							
7	100,00	0,00							
8	99,94	0,00							
9	100,00	0,00							
10	100,00	0,00							
11	100,00	0,00							
12	100,00	1,20							
13	100,00	0,00							
14	100,00	0,00							
15	100,00	0,00							
16	100,00	0,17							
17	100,00	0,00							
18	100,00	0,00							
19	100,00	0,00							
20	100,00	0,00							
21	100,00	0,00							
22	100,00	0,00							
23	100,00	0,00							
24	100,00	0,00							
25	100,00	0,00							
26	100,00	0,00							
27	100,00	0,00							
28	100,00	0,00							
29	100,00	0,00							
30	99,59	0,00							
31	100,00	0,00							
32	100,00	0,00							
33	100,00	0,00							
34	100,00	0,00							
35	100,00	0,00							
36	100,00	0,00							
37	100,00	0,00							
38	100,00	0,00							
39	100,00	0,00							
40	100,00	0,00							
41	100,00	0,00							
42	100,00	0,00							
43	99,73	1,84							
44	97,78	0,00							
45	100,00	0,00							
46	100,00	0,00							
47	100,00	0,00							
48	100,00	0,00							
49	100,00	0,00							
50	99,59	0,00							
51	100,00	0,00							
52	100,00	0,00							
53	100,00	0,00							
54	100,00	0,00							
55	100,00	0,00							
56	100,00	0,00							
57	100,00	0,00							
58	100,00	0,00							
59	100,00	0,00							
60	100,00	0,14							
61	100,00	0,00							
62	100,00	0,00							
63	100,00	0,00							
64	100,00	0,00							
65	100,00	0,00							
66	100,00	1,84							
67	100,00	0,00							
68	100,00	0,00							
69	100,00	0,00							
70	100,00	0,00							
71	100,00	0,00							
72	100,00	0,00							
73	100,00	0,00							
74	100,00	0,10							
75	100,00	0,00							
76	100,00	0,00							
77	100,00	1,18							
78	100,00	0,00							
79	100,00	0,00							
80	100,00	0,00							
81	100,00	0,00							
82	100,00	0,00							
83	100,00	0,00							
84	100,00	0,00							
85	100,00	0,00							
86	100,00	0,00							
87	100,00	0,00							
88	100,00	0,00							
89	100,00	0,00							
90	100,00	0,00							
91	100,00	0,00							
92	100,00	0,00							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Interface Name/Id		Interface type		Has exemption been granted for dedicated interface?	
A		B		C	
Financial App		PSU Interface			
Day	Availability statistics		Performance statistics		
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface	
	D	E	Response (milliseca)	AISP response (milliseca)	PISP response (milliseca)
			CBPII / PISP Yes/No response (milliseca)	Error response rate (%)	
			F	G	H
				I	J
1	100,00	0,00	223		
2	100,00	0,00	137		
3	100,00	0,26	138		
4	100,00	0,00	135		
5	99,94	0,00	136		
6	100,00	0,00	141		
7	100,00	0,00	135		
8	99,94	0,00	137		
9	100,00	0,00	143		
10	100,00	0,00	139		
11	100,00	0,00	139		
12	100,00	1,20	146		
13	100,00	0,00	135		
14	100,00	0,00	136		
15	100,00	0,00	135		
16	100,00	0,17	137		
17	100,00	0,00	134		
18	100,00	0,00	133		
19	100,00	0,00	136		
20	100,00	0,00	138		
21	100,00	0,00	138		
22	100,00	0,00	132		
23	100,00	0,00	142		
24	100,00	0,00	135		
25	100,00	0,00	134		
26	100,00	0,00	153		
27	100,00	0,00	139		
28	100,00	0,00	139		
29	100,00	0,00	156		
30	99,59	0,00	145		
31	100,00	0,00	144		
32	100,00	0,00	178		
33	100,00	0,00	137		
34	100,00	0,00	139		
35	100,00	0,00	137		
36	100,00	0,00	146		
37	100,00	0,00	156		
38	100,00	0,00	162		
39	100,00	0,00	153		
40	100,00	0,00	169		
41	100,00	0,00	154		
42	100,00	0,00	153		
43	99,73	1,84	150		
44	97,78	0,00	168		
45	100,00	0,00	145		
46	100,00	0,00	151		
47	100,00	0,00	151		
48	100,00	0,00	147		
49	100,00	0,00	144		
50	99,59	0,00	139		
51	100,00	0,00	135		
52	100,00	0,00	139		
53	100,00	0,00	141		
54	100,00	0,00	144		
55	100,00	0,00	137		
56	100,00	0,00	135		
57	100,00	0,00	137		
58	100,00	0,00	135		
59	100,00	0,00	137		
60	100,00	0,14	134		
61	100,00	0,00	137		
62	100,00	0,00	134		
63	100,00	0,00	141		
64	100,00	0,00	159		
65	100,00	0,00	159		
66	100,00	1,84	166		
67	100,00	0,00	157		
68	100,00	0,00	161		
69	100,00	0,00	173		
70	100,00	0,00	171		
71	100,00	0,00	155		
72	100,00	0,00	156		
73	100,00	0,00	146		
74	100,00	0,10	144		
75	100,00	0,00	147		
76	100,00	0,00	143		
77	100,00	1,18	147		
78	100,00	0,00	148		
79	100,00	0,00	160		
80	100,00	0,00	140		
81	100,00	0,00	144		
82	100,00	0,00	150		
83	100,00	0,00	142		
84	100,00	0,00	136		
85	100,00	0,00	131		
86	100,00	0,00	131		
87	100,00	0,00	135		
88	100,00	0,00	135		
89	100,00	0,00	137		
90	100,00	0,00	133		
91	100,00	0,00	128		
92	100,00	0,00	130		

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface		Dedicated interface		
			Response (milliseca)	AISP response (milliseca)	PISP response (milliseca)	CBP/II / PISP Yes/No response (milliseca)	Error response rate (%)
D	E	F	G	H	I	J	
1	100,00	0,00	249				
2	100,00	0,00	180				
3	100,00	0,00	179				
4	100,00	0,00	179				
5	99,94	0,06	181				
6	100,00	0,00	174				
7	100,00	0,00	171				
8	99,94	0,06	176				
9	100,00	0,00	172				
10	100,00	0,00	173				
11	100,00	0,00	168				
12	100,00	0,00	182				
13	100,00	0,00	169				
14	100,00	0,00	172				
15	100,00	0,00	171				
16	100,00	0,00	174				
17	100,00	0,00	171				
18	100,00	0,00	169				
19	100,00	0,00	172				
20	100,00	0,00	189				
21	100,00	0,00	183				
22	100,00	0,00	171				
23	100,00	0,00	175				
24	100,00	0,00	170				
25	100,00	0,00	169				
26	100,00	0,00	195				
27	100,00	0,00	186				
28	100,00	0,00	174				
29	100,00	0,00	187				
30	99,03	0,97	178				
31	100,00	0,00	171				
32	100,00	0,00	182				
33	100,00	0,00	171				
34	100,00	0,00	175				
35	100,00	0,00	174				
36	100,00	0,00	175				
37	100,00	0,00	173				
38	100,00	0,00	188				
39	100,00	0,00	173				
40	100,00	0,00	185				
41	100,00	0,00	174				
42	100,00	0,00	184				
43	99,38	0,62	176				
44	97,51	2,49	183				
45	100,00	0,00	176				
46	100,00	0,00	175				
47	100,00	0,00	175				
48	100,00	0,00	167				
49	100,00	0,00	166				
50	99,66	0,34	168				
51	100,00	0,00	164				
52	100,00	0,00	164				
53	100,00	0,00	166				
54	100,00	0,00	169				
55	100,00	0,00	170				
56	100,00	0,00	170				
57	100,00	0,00	169				
58	100,00	0,00	166				
59	100,00	0,00	164				
60	100,00	0,00	167				
61	100,00	0,00	166				
62	100,00	0,00	166				
63	100,00	0,00	170				
64	100,00	0,00	181				
65	100,00	0,00	171				
66	100,00	0,00	184				
67	100,00	0,00	181				
68	100,00	0,00	180				
69	100,00	0,00	182				
70	100,00	0,00	187				
71	100,00	0,00	188				
72	100,00	0,00	609				
73	100,00	0,00	196				
74	100,00	0,00	180				
75	100,00	0,00	189				
76	100,00	0,00	187				
77	100,00	0,00	175				
78	100,00	0,00	183				
79	100,00	0,00	191				
80	100,00	0,00	171				
81	100,00	0,00	184				
82	100,00	0,00	186				
83	100,00	0,00	189				
84	100,00	0,00	175				
85	100,00	0,00	175				
86	100,00	0,00	168				
87	100,00	0,00	170				
88	100,00	0,00	173				
89	100,00	0,00	180				
90	100,00	0,00	184				
91	100,00	0,00	170				
92	100,00	0,00	164				