



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q4 2022

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics					
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface				
			Response (miliseconds)	AISP response (miliseconds)	PISP response (miliseconds)	CBP/II / PISP Yes/No response (miliseconds)	Error response rate (%)	
	D	E	F	G	H	I	J	
1	100,00	0,00		268			268	0,00
2	100,00	0,00		261			261	0,00
3	100,00	0,00		277			277	0,00
4	99,93	0,07		267			267	0,00
5	100,00	0,00		265			265	0,00
6	100,00	0,00		273			273	0,00
7	99,44	0,56		395			395	0,00
8	100,00	0,00		477			477	0,00
9	99,44	0,56		394			394	0,00
10	100,00	0,00		406			406	0,00
11	99,86	0,14		266			266	0,00
12	100,00	0,00		288			288	0,00
13	99,86	0,14		208			208	0,00
14	100,00	0,00		202			202	0,00
15	100,00	0,00		194			194	0,00
16	100,00	0,00		201			201	0,00
17	100,00	0,00		222			222	0,00
18	100,00	0,00		218			218	0,00
19	100,00	0,00		206			206	0,00
20	100,00	0,00		217			217	0,00
21	100,00	0,00		201			201	0,00
22	100,00	0,00		193			193	0,00
23	100,00	0,00		198			198	0,00
24	100,00	0,00		195			195	0,00
25	100,00	0,00		197			197	0,00
26	100,00	0,00		215			215	0,00
27	100,00	0,00		199			199	0,00
28	100,00	0,00		206			206	0,00
29	100,00	0,00		192			192	0,00
30	100,00	0,00		205			205	0,00
31	100,00	0,00		194			194	0,00
32	100,00	0,00		229			229	0,00
33	100,00	0,00		211			211	0,00
34	100,00	0,00		201			201	0,00
35	100,00	0,00		195			195	0,00
36	100,00	0,00		212			212	0,00
37	100,00	0,00		200			200	0,00
38	99,86	0,14		255			255	0,00
39	100,00	0,00		200			200	0,00
40	100,00	0,00		198			198	0,00
41	100,00	0,00		196			196	0,00
42	100,00	0,00		200			200	0,00
43	100,00	0,00		199			199	0,00
44	100,00	0,00		200			200	0,00
45	100,00	0,00		201			201	0,00
46	100,00	0,00		202			202	0,00
47	100,00	0,00		204			204	0,00
48	100,00	0,00		204			204	0,00
49	100,00	0,00		199			199	0,00
50	100,00	0,00		199			199	0,00
51	100,00	0,00		219			219	0,00
52	100,00	0,00		214			214	0,00
53	100,00	0,00		220			220	0,00
54	99,86	0,14		204			204	0,00
55	100,00	0,00		211			211	0,00
56	100,00	0,00		204			204	0,00
57	100,00	0,00		196			196	0,00
58	100,00	0,00		233			233	0,00
59	100,00	0,00		214			214	0,00
60	100,00	0,00		271			271	0,00
61	100,00	0,00		223			223	0,00
62	99,93	0,07		197			197	0,00
63	100,00	0,00		196			196	0,00
64	100,00	0,00		200			200	0,00
65	100,00	0,00		201			201	0,00
66	100,00	0,00		243			243	0,00
67	99,93	0,07		896			896	0,00
68	100,00	0,00		215			215	0,00
69	100,00	0,00		245			245	0,00
70	100,00	0,00		460			460	0,00
71	100,00	0,00		236			236	0,00
72	100,00	0,00		234			234	0,00
73	100,00	0,00		235			235	0,00
74	100,00	0,00		220			220	0,00
75	100,00	0,00		248			248	0,00
76	100,00	0,00		214			214	0,00
77	100,00	0,00		216			216	0,00
78	100,00	0,00		193			193	0,00
79	100,00	0,00		193			193	0,00
80	100,00	0,00		203			203	0,00
81	100,00	0,00		199			199	0,00
82	100,00	0,00		230			230	0,00
83	100,00	0,00		226			226	0,00
84	100,00	0,00		228			228	0,00
85	100,00	0,00		223			223	0,00
86	100,00	0,00		228			228	0,00
87	100,00	0,00		257			257	0,00
88	100,00	0,00		232			232	0,00
89	100,00	0,00		248			248	0,00
90	99,86	0,14		249			249	0,00
91	100,00	0,00		250			250	0,00
92	100,00	0,00		235			235	0,00

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	270				
2	100,00	0,00	279				
3	100,00	0,00	279				
4	100,00	0,00	280				
5	100,00	0,00	264				
6	100,00	0,00	265				
7	99,79	0,21	412				
8	100,00	0,00	490				
9	99,72	0,28	409				
10	100,00	0,00	374				
11	99,86	0,14	272				
12	100,00	0,00	295				
13	99,79	0,21	228				
14	100,00	0,00	224				
15	100,00	0,00	218				
16	100,00	0,00	225				
17	100,00	0,00	209				
18	100,00	0,00	216				
19	100,00	0,00	226				
20	100,00	0,00	222				
21	100,00	0,00	224				
22	100,00	0,00	219				
23	100,00	0,00	227				
24	100,00	0,00	225				
25	100,00	0,00	222				
26	100,00	0,00	219				
27	100,00	0,00	222				
28	100,00	0,00	220				
29	100,00	0,00	215				
30	100,00	0,00	230				
31	100,00	0,00	219				
32	100,00	0,00	223				
33	100,00	0,00	228				
34	100,00	0,00	227				
35	100,00	0,00	217				
36	100,00	0,00	219				
37	100,00	0,00	227				
38	100,00	0,00	229				
39	100,00	0,00	220				
40	100,00	0,00	219				
41	100,00	0,00	219				
42	100,00	0,00	221				
43	100,00	0,00	221				
44	100,00	0,00	222				
45	100,00	0,00	224				
46	100,00	0,00	223				
47	100,00	0,00	223				
48	100,00	0,00	219				
49	100,00	0,00	222				
50	100,00	0,00	224				
51	100,00	0,00	224				
52	99,93	0,07	224				
53	100,00	0,00	226				
54	100,00	0,00	237				
55	99,93	0,07	240				
56	100,00	0,00	232				
57	100,00	0,00	219				
58	100,00	0,00	228				
59	100,00	0,00	230				
60	100,00	0,00	227				
61	100,00	0,00	241				
62	99,86	0,14	222				
63	100,00	0,00	220				
64	100,00	0,00	223				
65	100,00	0,00	226				
66	100,00	0,00	225				
67	100,00	0,00	221				
68	100,00	0,00	236				
69	100,00	0,00	283				
70	100,00	0,00	512				
71	100,00	0,00	255				
72	100,00	0,00	258				
73	100,00	0,00	253				
74	100,00	0,00	245				
75	100,00	0,00	235				
76	100,00	0,00	234				
77	100,00	0,00	225				
78	100,00	0,00	214				
79	100,00	0,00	220				
80	100,00	0,00	223				
81	100,00	0,00	223				
82	100,00	0,00	240				
83	100,00	0,00	233				
84	100,00	0,00	240				
85	100,00	0,00	235				
86	100,00	0,00	244				
87	100,00	0,00	257				
88	100,00	0,00	244				
89	100,00	0,00	278				
90	99,86	0,14	264				
91	100,00	0,00	239				
92	100,00	0,00	246				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (milliseconds) F	Dedicated interface			
				AISP response (milliseconds) G	PISP response (milliseconds) H	CBP/II / PISP Yes/No response (milliseconds) I	Error response rate (%) J
1	100,00	0,00	270				
2	100,00	0,00	279				
3	100,00	0,00	279				
4	100,00	0,00	280				
5	100,00	0,00	264				
6	100,00	0,00	265				
7	99,79	0,21	412				
8	100,00	0,00	490				
9	99,72	0,28	409				
10	100,00	0,00	374				
11	99,86	0,14	272				
12	100,00	0,00	295				
13	99,79	0,21	228				
14	100,00	0,00	224				
15	100,00	0,00	218				
16	100,00	0,00	225				
17	100,00	0,00	209				
18	100,00	0,00	216				
19	100,00	0,00	226				
20	100,00	0,00	222				
21	100,00	0,00	224				
22	100,00	0,00	219				
23	100,00	0,00	227				
24	100,00	0,00	225				
25	100,00	0,00	222				
26	100,00	0,00	219				
27	100,00	0,00	222				
28	100,00	0,00	220				
29	100,00	0,00	215				
30	100,00	0,00	230				
31	100,00	0,00	219				
32	100,00	0,00	223				
33	100,00	0,00	228				
34	100,00	0,00	227				
35	100,00	0,00	217				
36	100,00	0,00	219				
37	100,00	0,00	227				
38	100,00	0,00	229				
39	100,00	0,00	220				
40	100,00	0,00	219				
41	100,00	0,00	219				
42	100,00	0,00	221				
43	100,00	0,00	221				
44	100,00	0,00	222				
45	100,00	0,00	224				
46	100,00	0,00	223				
47	100,00	0,00	223				
48	100,00	0,00	219				
49	100,00	0,00	222				
50	100,00	0,00	224				
51	100,00	0,00	224				
52	99,93	0,07	224				
53	100,00	0,00	226				
54	100,00	0,00	237				
55	99,93	0,07	240				
56	100,00	0,00	232				
57	100,00	0,00	219				
58	100,00	0,00	228				
59	100,00	0,00	230				
60	100,00	0,00	227				
61	100,00	0,00	241				
62	99,86	0,14	222				
63	100,00	0,00	220				
64	100,00	0,00	223				
65	100,00	0,00	226				
66	100,00	0,00	225				
67	100,00	0,00	221				
68	100,00	0,00	236				
69	100,00	0,00	283				
70	100,00	0,00	512				
71	100,00	0,00	255				
72	100,00	0,00	258				
73	100,00	0,00	253				
74	100,00	0,00	245				
75	100,00	0,00	235				
76	100,00	0,00	234				
77	100,00	0,00	225				
78	100,00	0,00	214				
79	100,00	0,00	220				
80	100,00	0,00	223				
81	100,00	0,00	223				
82	100,00	0,00	240				
83	100,00	0,00	233				
84	100,00	0,00	240				
85	100,00	0,00	235				
86	100,00	0,00	244				
87	100,00	0,00	257				
88	100,00	0,00	244				
89	100,00	0,00	278				
90	99,86	0,14	264				
91	100,00	0,00	239				
92	100,00	0,00	246				

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (milliseconds) F	Dedicated interface			
				AISP response (milliseconds) G	PISP response (milliseconds) H	CBP/II / PISP Yes/No response (milliseconds) I	Error response rate (%) J
1	100,00	0,00	270				
2	100,00	0,00	279				
3	100,00	0,00	279				
4	100,00	0,00	280				
5	100,00	0,00	264				
6	100,00	0,00	265				
7	99,79	0,21	412				
8	100,00	0,00	490				
9	99,72	0,28	409				
10	100,00	0,00	374				
11	99,86	0,14	272				
12	100,00	0,00	295				
13	99,79	0,21	228				
14	100,00	0,00	224				
15	100,00	0,00	218				
16	100,00	0,00	225				
17	100,00	0,00	209				
18	100,00	0,00	216				
19	100,00	0,00	226				
20	100,00	0,00	222				
21	100,00	0,00	224				
22	100,00	0,00	219				
23	100,00	0,00	227				
24	100,00	0,00	225				
25	100,00	0,00	222				
26	100,00	0,00	219				
27	100,00	0,00	222				
28	100,00	0,00	220				
29	100,00	0,00	215				
30	100,00	0,00	230				
31	100,00	0,00	219				
32	100,00	0,00	223				
33	100,00	0,00	228				
34	100,00	0,00	227				
35	100,00	0,00	217				
36	100,00	0,00	219				
37	100,00	0,00	227				
38	100,00	0,00	229				
39	100,00	0,00	220				
40	100,00	0,00	219				
41	100,00	0,00	219				
42	100,00	0,00	221				
43	100,00	0,00	221				
44	100,00	0,00	222				
45	100,00	0,00	224				
46	100,00	0,00	223				
47	100,00	0,00	223				
48	100,00	0,00	219				
49	100,00	0,00	222				
50	100,00	0,00	224				
51	100,00	0,00	224				
52	99,93	0,07	224				
53	100,00	0,00	226				
54	100,00	0,00	237				
55	99,93	0,07	240				
56	100,00	0,00	232				
57	100,00	0,00	219				
58	100,00	0,00	228				
59	100,00	0,00	230				
60	100,00	0,00	227				
61	100,00	0,00	241				
62	99,86	0,14	222				
63	100,00	0,00	220				
64	100,00	0,00	223				
65	100,00	0,00	226				
66	100,00	0,00	225				
67	100,00	0,00	221				
68	100,00	0,00	236				
69	100,00	0,00	283				
70	100,00	0,00	512				
71	100,00	0,00	255				
72	100,00	0,00	258				
73	100,00	0,00	253				
74	100,00	0,00	245				
75	100,00	0,00	235				
76	100,00	0,00	234				
77	100,00	0,00	225				
78	100,00	0,00	214				
79	100,00	0,00	220				
80	100,00	0,00	223				
81	100,00	0,00	223				
82	100,00	0,00	240				
83	100,00	0,00	233				
84	100,00	0,00	240				
85	100,00	0,00	235				
86	100,00	0,00	244				
87	100,00	0,00	257				
88	100,00	0,00	244				
89	100,00	0,00	278				
90	99,86	0,14	264				
91	100,00	0,00	239				
92	100,00	0,00	246				