



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q1 2023

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Open banking API	Dedicated interface	No

Day	Availability statistics		Performance statistics					
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface				
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP11 / PISP Yes/No response (milliseconds)	Error response rate (%)	
	D	E	F	G	H	I	J	
1	100,00	0,00						
2	100,00	0,00		237			237	0,00
3	100,00	0,00		235			235	0,00
4	100,00	0,00		243			243	0,00
5	100,00	0,00		248			248	0,00
6	100,00	0,00		240			240	0,00
7	100,00	0,00		237			237	0,00
8	100,00	0,00		241			241	0,00
9	100,00	0,00		286			286	0,00
10	100,00	0,00		245			245	0,00
11	100,00	0,00		233			233	0,00
12	100,00	0,00		232			232	0,00
13	100,00	0,00		234			234	0,00
14	100,00	0,00		236			236	0,00
15	100,00	0,00		234			234	0,00
16	100,00	0,00		243			243	0,00
17	99,44	0,56		245			245	0,00
18	100,00	0,00		233			233	0,00
19	100,00	0,00		263			263	0,00
20	100,00	0,00		257			257	0,00
21	100,00	0,00		232			232	0,00
22	100,00	0,00		233			233	0,00
23	100,00	0,00		230			230	0,00
24	99,79	0,21		237			237	0,00
25	100,00	0,00		243			243	0,00
26	100,00	0,00		255			255	0,00
27	100,00	0,00		242			242	0,00
28	100,00	0,00		218			218	0,00
29	100,00	0,00		231			231	0,00
30	100,00	0,00		224			224	0,00
31	100,00	0,00		223			223	0,00
32	100,00	0,00		231			231	0,00
33	100,00	0,00		230			230	0,00
34	100,00	0,00		234			234	0,00
35	100,00	0,00		234			234	0,00
36	100,00	0,00		234			234	0,00
37	100,00	0,00		237			237	0,00
38	100,00	0,00		244			244	0,00
39	100,00	0,00		240			240	0,00
40	100,00	0,00		249			249	0,00
41	100,00	0,00		239			239	0,00
42	99,93	0,07		250			250	0,00
43	99,86	0,14		251			251	0,00
44	100,00	0,00		260			260	0,00
45	100,00	0,00		240			240	0,00
46	99,86	0,14		238			238	0,00
47	100,00	0,00		215			215	0,00
48	100,00	0,00		233			233	0,00
49	100,00	0,00		243			243	0,00
50	100,00	0,00		238			238	0,00
51	100,00	0,00		240			240	0,00
52	100,00	0,00		251			251	0,00
53	100,00	0,00		248			248	0,00
54	100,00	0,00		235			235	0,00
55	100,00	0,00		234			234	0,00
56	100,00	0,00		236			236	0,00
57	100,00	0,00		234			234	0,00
58	100,00	0,00		254			254	0,00
59	99,86	0,14		250			250	0,00
60	100,00	0,00		225			225	0,00
61	100,00	0,00		235			235	0,00
62	100,00	0,00		234			234	0,00
63	100,00	0,00		232			232	0,00
64	100,00	0,00		229			229	0,00
65	100,00	0,00		237			237	0,00
66	100,00	0,00		244			244	0,00
67	100,00	0,00		231			231	0,00
68	100,00	0,00		229			229	0,00
69	100,00	0,00		236			236	0,00
70	100,00	0,00		238			238	0,00
71	100,00	0,00		240			240	0,00
72	100,00	0,00		230			230	0,00
73	100,00	0,00		242			242	0,00
74	99,72	0,28		234			234	0,00
75	99,93	0,07		264			264	0,00
76	100,00	0,00		243			243	0,00
77	100,00	0,00		242			242	0,00
78	100,00	0,00		232			232	0,00
79	100,00	0,00		235			235	0,00
80	100,00	0,00		241			241	0,00
81	100,00	0,00		254			254	0,00
82	100,00	0,00		236			236	0,00
83	100,00	0,00		258			258	0,00
84	100,00	0,00		239			239	0,00
85	100,00	0,00		224			224	0,00
86	100,00	0,00		227			227	0,00
87	100,00	0,00		281			281	0,00
88	100,00	0,00		245			245	0,00
89	100,00	0,00		226			226	0,00
90	100,00	0,00		223			223	0,00
91								
92								

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
	D	E	Response (miliseconds)	AISP response (miliseconds)	PISP response (miliseconds)	CBPII / PISP Yes/No response (miliseconds)	Error response rate (%)
			F	G	H	I	J
1	100,00	0,00	246				
2	100,00	0,00	251				
3	100,00	0,00	249				
4	100,00	0,00	248				
5	100,00	0,00	247				
6	100,00	0,00	243				
7	100,00	0,00	248				
8	100,00	0,00	244				
9	100,00	0,00	244				
10	100,00	0,00	237				
11	100,00	0,00	239				
12	100,00	0,00	240				
13	100,00	0,00	238				
14	100,00	0,00	241				
15	100,00	0,00	242				
16	100,00	0,00	251				
17	99,38	0,62	239				
18	100,00	0,00	234				
19	100,00	0,00	236				
20	100,00	0,00	246				
21	100,00	0,00	248				
22	100,00	0,00	249				
23	100,00	0,00	251				
24	99,86	0,14	252				
25	100,00	0,00	254				
26	100,00	0,00	257				
27	100,00	0,00	238				
28	100,00	0,00	233				
29	100,00	0,00	234				
30	100,00	0,00	240				
31	100,00	0,00	252				
32	100,00	0,00	251				
33	100,00	0,00	252				
34	100,00	0,00	257				
35	100,00	0,00	261				
36	100,00	0,00	262				
37	100,00	0,00	254				
38	100,00	0,00	257				
39	100,00	0,00	263				
40	100,00	0,00	263				
41	100,00	0,00	256				
42	100,00	0,00	262				
43	100,00	0,00	280				
44	100,00	0,00	269				
45	100,00	0,00	265				
46	99,86	0,14	238				
47	100,00	0,00	249				
48	100,00	0,00	263				
49	100,00	0,00	260				
50	100,00	0,00	266				
51	99,93	0,07	264				
52	100,00	0,00	271				
53	100,00	0,00	266				
54	100,00	0,00	260				
55	100,00	0,00	261				
56	100,00	0,00	259				
57	100,00	0,00	259				
58	100,00	0,00	266				
59	99,79	0,21	249				
60	100,00	0,00	260				
61	100,00	0,00	257				
62	100,00	0,00	256				
63	100,00	0,00	257				
64	100,00	0,00	260				
65	100,00	0,00	260				
66	100,00	0,00	258				
67	100,00	0,00	254				
68	100,00	0,00	259				
69	100,00	0,00	259				
70	100,00	0,00	277				
71	100,00	0,00	253				
72	100,00	0,00	255				
73	100,00	0,00	264				
74	98,54	1,46	273				
75	100,00	0,00	256				
76	99,93	0,07	273				
77	100,00	0,00	256				
78	100,00	0,00	262				
79	100,00	0,00	265				
80	100,00	0,00	276				
81	100,00	0,00	259				
82	100,00	0,00	260				
83	100,00	0,00	246				
84	100,00	0,00	246				
85	100,00	0,00	242				
86	100,00	0,00	257				
87	100,00	0,00	245				
88	100,00	0,00	250				
89	100,00	0,00	241				
90	100,00	0,00	245				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)
D	E	F	G	H	I	J	
1	100,00	0,00	246				
2	100,00	0,00	251				
3	100,00	0,00	249				
4	100,00	0,00	248				
5	100,00	0,00	247				
6	100,00	0,00	243				
7	100,00	0,00	248				
8	100,00	0,00	244				
9	100,00	0,00	244				
10	100,00	0,00	237				
11	100,00	0,00	239				
12	100,00	0,00	240				
13	100,00	0,00	238				
14	100,00	0,00	241				
15	100,00	0,00	242				
16	100,00	0,00	251				
17	99,38	0,62	239				
18	100,00	0,00	234				
19	100,00	0,00	236				
20	100,00	0,00	246				
21	100,00	0,00	248				
22	100,00	0,00	249				
23	100,00	0,00	251				
24	99,86	0,14	252				
25	100,00	0,00	254				
26	100,00	0,00	257				
27	100,00	0,00	238				
28	100,00	0,00	233				
29	100,00	0,00	234				
30	100,00	0,00	240				
31	100,00	0,00	252				
32	100,00	0,00	251				
33	100,00	0,00	252				
34	100,00	0,00	257				
35	100,00	0,00	261				
36	100,00	0,00	262				
37	100,00	0,00	254				
38	100,00	0,00	257				
39	100,00	0,00	263				
40	100,00	0,00	263				
41	100,00	0,00	256				
42	100,00	0,00	262				
43	100,00	0,00	280				
44	100,00	0,00	269				
45	100,00	0,00	265				
46	99,86	0,14	238				
47	100,00	0,00	249				
48	100,00	0,00	263				
49	100,00	0,00	260				
50	100,00	0,00	266				
51	99,93	0,07	264				
52	100,00	0,00	271				
53	100,00	0,00	266				
54	100,00	0,00	260				
55	100,00	0,00	261				
56	100,00	0,00	259				
57	100,00	0,00	259				
58	100,00	0,00	266				
59	99,79	0,21	249				
60	100,00	0,00	260				
61	100,00	0,00	257				
62	100,00	0,00	256				
63	100,00	0,00	257				
64	100,00	0,00	260				
65	100,00	0,00	260				
66	100,00	0,00	258				
67	100,00	0,00	254				
68	100,00	0,00	259				
69	100,00	0,00	259				
70	100,00	0,00	277				
71	100,00	0,00	253				
72	100,00	0,00	255				
73	100,00	0,00	264				
74	98,54	1,46	273				
75	100,00	0,00	256				
76	99,93	0,07	273				
77	100,00	0,00	256				
78	100,00	0,00	262				
79	100,00	0,00	265				
80	100,00	0,00	276				
81	100,00	0,00	259				
82	100,00	0,00	260				
83	100,00	0,00	246				
84	100,00	0,00	246				
85	100,00	0,00	242				
86	100,00	0,00	257				
87	100,00	0,00	245				
88	100,00	0,00	250				
89	100,00	0,00	241				
90	100,00	0,00	245				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	PSU interface	No

Day	Availability statistics		Performance statistics				
	Uptime (%) D	Downtime (%) E	Payment services user interface Response (milliseconds) F	Dedicated interface			Error response rate (%) J
				AISP response (milliseconds) G	PISP response (milliseconds) H	CBPII / PISP Yes/No response (milliseconds) I	
1	100,00	0,00	258				
2	100,00	0,00	261				
3	100,00	0,00	270				
4	100,00	0,00	251				
5	100,00	0,00	254				
6	100,00	0,00	263				
7	100,00	0,00	258				
8	100,00	0,00	261				
9	100,00	0,00	268				
10	100,00	0,00	250				
11	100,00	0,00	247				
12	100,00	0,00	258				
13	100,00	0,00	259				
14	100,00	0,00	249				
15	100,00	0,00	250				
16	100,00	0,00	247				
17	99,44	0,56	244				
18	100,00	0,00	268				
19	100,00	0,00	260				
20	100,00	0,00	247				
21	100,00	0,00	243				
22	100,00	0,00	267				
23	100,00	0,00	254				
24	99,86	0,14	261				
25	100,00	0,00	272				
26	100,00	0,00	264				
27	100,00	0,00	244				
28	100,00	0,00	239				
29	100,00	0,00	243				
30	100,00	0,00	244				
31	100,00	0,00	251				
32	100,00	0,00	255				
33	100,00	0,00	250				
34	100,00	0,00	255				
35	100,00	0,00	257				
36	100,00	0,00	254				
37	100,00	0,00	263				
38	100,00	0,00	266				
39	100,00	0,00	278				
40	100,00	0,00	269				
41	100,00	0,00	263				
42	100,00	0,00	257				
43	100,00	0,00	279				
44	100,00	0,00	271				
45	100,00	0,00	262				
46	99,86	0,14	237				
47	100,00	0,00	261				
48	100,00	0,00	254				
49	100,00	0,00	255				
50	100,00	0,00	254				
51	100,00	0,00	274				
52	100,00	0,00	258				
53	100,00	0,00	259				
54	100,00	0,00	257				
55	100,00	0,00	263				
56	100,00	0,00	255				
57	100,00	0,00	264				
58	100,00	0,00	294				
59	99,86	0,14	243				
60	100,00	0,00	254				
61	100,00	0,00	256				
62	100,00	0,00	255				
63	100,00	0,00	256				
64	100,00	0,00	268				
65	100,00	0,00	288				
66	100,00	0,00	263				
67	100,00	0,00	260				
68	100,00	0,00	253				
69	100,00	0,00	269				
70	100,00	0,00	271				
71	100,00	0,00	242				
72	100,00	0,00	295				
73	100,00	0,00	293				
74	99,79	0,21	274				
75	100,00	0,00	271				
76	99,93	0,07	291				
77	100,00	0,00	261				
78	100,00	0,00	255				
79	100,00	0,00	339				
80	100,00	0,00	277				
81	100,00	0,00	254				
82	100,00	0,00	259				
83	100,00	0,00	261				
84	100,00	0,00	235				
85	100,00	0,00	243				
86	100,00	0,00	320				
87	100,00	0,00	235				
88	100,00	0,00	253				
89	100,00	0,00	248				
90	100,00	0,00	253				
91							
92							