



**REP020 Quarterly Statistics on Availability and
Performance of Dedicated Interfaces**

Q1 2025

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Open banking API		Dedicated interface	yes			
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
D	E	F	G	H	I	J	
1	100.00	0.00	114	114	0	114	0.00
2	100.00	0.00	113	113	0	113	0.00
3	100.00	0.00	114	114	0	114	0.00
4	100.00	0.00	115	115	0	115	0.00
5	100.00	0.00	114	114	0	114	0.00
6	100.00	0.00	115	115	0	115	0.00
7	100.00	0.00	115	115	0	115	0.00
8	100.00	0.00	114	114	0	114	0.00
9	100.00	0.00	115	115	0	115	0.00
10	100.00	0.00	114	114	0	114	0.00
11	100.00	0.00	114	114	0	114	0.00
12	100.00	0.00	115	115	0	115	0.00
13	100.00	0.00	114	114	0	114	0.00
14	100.00	0.00	114	114	0	114	0.00
15	100.00	0.00	275	275	0	275	0.00
16	100.00	0.00	355	355	0	355	0.00
17	100.00	0.00	362	362	0	362	0.00
18	100.00	0.00	365	365	0	365	0.00
19	100.00	0.00	353	353	0	353	0.00
20	100.00	0.00	357	357	0	357	0.00
21	100.00	0.00	367	367	0	367	0.00
22	100.00	0.00	283	283	0	283	0.00
23	100.00	0.00	115	115	0	115	0.00
24	100.00	0.00	116	116	0	116	0.00
25	100.00	0.00	115	115	0	115	0.00
26	100.00	0.00	115	115	0	115	0.00
27	100.00	0.00	114	114	0	114	0.00
28	100.00	0.00	116	116	0	116	0.00
29	99.93	0.07	123	123	0	123	0.00
30	100.00	0.00	114	114	0	114	0.00
31	100.00	0.00	114	114	0	114	0.00
32	100.00	0.00	115	115	0	115	0.00
33	100.00	0.00	114	114	0	114	0.00
34	100.00	0.00	114	114	0	114	0.00
35	100.00	0.00	114	114	0	114	0.00
36	100.00	0.00	116	116	0	116	0.00
37	100.00	0.00	337	337	0	337	0.00
38	100.00	0.00	360	360	0	360	0.00
39	100.00	0.00	370	370	0	370	0.00
40	100.00	0.00	390	390	0	390	0.00
41	100.00	0.00	374	374	0	374	0.00
42	100.00	0.00	372	372	0	372	0.00
43	100.00	0.00	361	361	0	361	0.00
44	100.00	0.00	374	374	0	374	0.00
45	100.00	0.00	372	372	0	372	0.00
46	100.00	0.00	384	384	0	384	0.00
47	100.00	0.00	373	373	0	373	0.00
48	100.00	0.00	381	381	0	381	0.00
49	100.00	0.00	370	370	0	370	0.00
50	100.00	0.00	373	373	0	373	0.00
51	100.00	0.00	276	276	0	276	0.00
52	100.00	0.00	117	117	0	117	0.00
53	100.00	0.00	118	118	0	118	0.00
54	100.00	0.00	117	117	0	117	0.00
55	100.00	0.00	117	117	0	117	0.00
56	100.00	0.00	117	117	0	117	0.00
57	100.00	0.00	117	117	0	117	0.00
58	100.00	0.00	118	118	0	118	0.00
59	100.00	0.00	139	139	0	139	0.00
60	100.00	0.00	125	125	0	125	0.00
61	100.00	0.00	118	118	0	118	0.00
62	100.00	0.00	148	148	0	148	0.00
63	100.00	0.00	372	372	0	372	0.00
64	100.00	0.00	373	373	0	373	0.00
65	100.00	0.00	322	322	0	322	0.00
66	100.00	0.00	117	117	0	117	0.00
67	100.00	0.00	117	117	0	117	0.00
68	100.00	0.00	117	117	0	117	0.00
69	100.00	0.00	116	116	0	116	0.00
70	100.00	0.00	117	117	0	117	0.00
71	100.00	0.00	117	117	0	117	0.00
72	100.00	0.00	130	130	0	130	0.00
73	100.00	0.00	116	116	0	116	0.00
74	100.00	0.00	117	117	0	117	0.00
75	100.00	0.00	117	117	0	117	0.00
76	100.00	0.00	115	115	0	115	0.00
77	100.00	0.00	116	116	0	116	0.00
78	100.00	0.00	116	116	0	116	0.00
79	100.00	0.00	130	130	0	130	0.00
80	100.00	0.00	118	118	0	118	0.00
81	100.00	0.00	119	119	0	119	0.00
82	100.00	0.00	148	148	0	148	0.00
83	100.00	0.00	376	376	0	376	0.00
84	100.00	0.00	363	363	0	363	0.00
85	100.00	0.00	328	328	0	328	0.00
86	100.00	0.00	369	369	0	369	0.00
87	100.00	0.00	369	369	0	369	0.00
88	100.00	0.00	364	364	0	364	0.00
89	100.00	0.00	377	377	0	377	0.00
90	100.00	0.00	374	374	0	374	0.00
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Web interface	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	183				
2	100.00	0.00	183				
3	100.00	0.00	183				
4	100.00	0.00	213				
5	100.00	0.00	185				
6	100.00	0.00	184				
7	100.00	0.00	185				
8	100.00	0.00	202				
9	100.00	0.00	205				
10	99.93	0.07	184				
11	100.00	0.00	184				
12	100.00	0.00	187				
13	100.00	0.00	186				
14	100.00	0.00	189				
15	100.00	0.00	232				
16	100.00	0.00	207				
17	100.00	0.00	215				
18	100.00	0.00	205				
19	100.00	0.00	211				
20	100.00	0.00	202				
21	100.00	0.00	223				
22	100.00	0.00	231				
23	100.00	0.00	158				
24	99.79	0.21	157				
25	100.00	0.00	156				
26	100.00	0.00	157				
27	100.00	0.00	156				
28	100.00	0.00	158				
29	99.31	0.69	158				
30	100.00	0.00	157				
31	100.00	0.00	159				
32	100.00	0.00	159				
33	100.00	0.00	159				
34	100.00	0.00	158				
35	100.00	0.00	157				
36	100.00	0.00	176				
37	100.00	0.00	218				
38	99.79	0.21	208				
39	100.00	0.00	205				
40	100.00	0.00	218				
41	100.00	0.00	214				
42	100.00	0.00	209				
43	100.00	0.00	215				
44	100.00	0.00	210				
45	100.00	0.00	209				
46	100.00	0.00	209				
47	100.00	0.00	213				
48	100.00	0.00	214				
49	100.00	0.00	213				
50	100.00	0.00	215				
51	100.00	0.00	214				
52	100.00	0.00	184				
53	100.00	0.00	184				
54	100.00	0.00	184				
55	100.00	0.00	187				
56	100.00	0.00	206				
57	99.79	0.21	242				
58	100.00	0.00	240				
59	100.00	0.00	253				
60	100.00	0.00	235				
61	100.00	0.00	221				
62	100.00	0.00	311				
63	100.00	0.00	207				
64	100.00	0.00	206				
65	100.00	0.00	210				
66	100.00	0.00	213				
67	100.00	0.00	180				
68	100.00	0.00	181				
69	100.00	0.00	182				
70	100.00	0.00	184				
71	100.00	0.00	184				
72	100.00	0.00	185				
73	100.00	0.00	179				
74	100.00	0.00	180				
75	100.00	0.00	199				
76	100.00	0.00	183				
77	100.00	0.00	203				
78	100.00	0.00	188				
79	100.00	0.00	247				
80	100.00	0.00	255				
81	100.00	0.00	246				
82	100.00	0.00	242				
83	100.00	0.00	211				
84	100.00	0.00	258				
85	99.65	0.35	393				
86	100.00	0.00	222				
87	100.00	0.00	240				
88	100.00	0.00	242				
89	100.00	0.00	239				
90	100.00	0.00	232				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
Financial App	PSU interface	

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	183				
2	100.00	0.00	183				
3	100.00	0.00	183				
4	100.00	0.00	213				
5	100.00	0.00	185				
6	100.00	0.00	184				
7	100.00	0.00	185				
8	100.00	0.00	202				
9	100.00	0.00	205				
10	99.93	0.07	184				
11	100.00	0.00	184				
12	100.00	0.00	187				
13	100.00	0.00	186				
14	100.00	0.00	189				
15	100.00	0.00	232				
16	100.00	0.00	207				
17	100.00	0.00	215				
18	100.00	0.00	205				
19	100.00	0.00	211				
20	100.00	0.00	202				
21	100.00	0.00	223				
22	100.00	0.00	231				
23	100.00	0.00	158				
24	99.79	0.21	157				
25	100.00	0.00	156				
26	100.00	0.00	157				
27	100.00	0.00	156				
28	100.00	0.00	158				
29	99.31	0.69	158				
30	100.00	0.00	157				
31	100.00	0.00	159				
32	100.00	0.00	159				
33	100.00	0.00	159				
34	100.00	0.00	158				
35	100.00	0.00	157				
36	100.00	0.00	176				
37	100.00	0.00	218				
38	99.79	0.21	208				
39	100.00	0.00	205				
40	100.00	0.00	218				
41	100.00	0.00	214				
42	100.00	0.00	209				
43	100.00	0.00	215				
44	100.00	0.00	210				
45	100.00	0.00	209				
46	100.00	0.00	209				
47	100.00	0.00	213				
48	100.00	0.00	214				
49	100.00	0.00	213				
50	100.00	0.00	215				
51	100.00	0.00	214				
52	100.00	0.00	184				
53	100.00	0.00	184				
54	100.00	0.00	184				
55	100.00	0.00	187				
56	100.00	0.00	206				
57	99.79	0.21	242				
58	100.00	0.00	240				
59	100.00	0.00	253				
60	100.00	0.00	235				
61	100.00	0.00	221				
62	100.00	0.00	311				
63	100.00	0.00	207				
64	100.00	0.00	206				
65	100.00	0.00	210				
66	100.00	0.00	213				
67	100.00	0.00	180				
68	100.00	0.00	181				
69	100.00	0.00	182				
70	100.00	0.00	184				
71	100.00	0.00	184				
72	100.00	0.00	185				
73	100.00	0.00	179				
74	100.00	0.00	180				
75	100.00	0.00	199				
76	100.00	0.00	183				
77	100.00	0.00	203				
78	100.00	0.00	188				
79	100.00	0.00	247				
80	100.00	0.00	255				
81	100.00	0.00	246				
82	100.00	0.00	242				
83	100.00	0.00	211				
84	100.00	0.00	258				
85	99.65	0.35	393				
86	100.00	0.00	222				
87	100.00	0.00	240				
88	100.00	0.00	242				
89	100.00	0.00	239				
90	100.00	0.00	232				
91							
92							

Interface Name/Id	Interface type	Has exemption been granted for dedicated interface?
A	B	C
APIs	Dedicated interface	yes

Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
	D	E	F	G	H	I	J
1	100.00	0.00	173	0	173	0.00	
2	100.00	0.00	174	0	174	0.00	
3	100.00	0.00	175	0	175	0.00	
4	100.00	0.00	209	0	209	0.00	
5	100.00	0.00	172	0	172	0.00	
6	100.00	0.00	172	0	172	0.00	
7	100.00	0.00	175	0	175	0.00	
8	100.00	0.00	175	0	175	0.00	
9	100.00	0.00	189	0	189	0.00	
10	100.00	0.00	222	0	222	0.00	
11	100.00	0.00	202	0	202	0.00	
12	100.00	0.00	185	0	185	0.00	
13	100.00	0.00	206	0	206	0.00	
14	100.00	0.00	197	0	197	0.00	
15	100.00	0.00	191	0	191	0.00	
16	100.00	0.00	172	0	172	0.00	
17	100.00	0.00	167	0	167	0.00	
18	100.00	0.00	166	0	166	0.00	
19	100.00	0.00	168	0	168	0.00	
20	100.00	0.00	167	0	167	0.00	
21	100.00	0.00	171	0	171	0.00	
22	100.00	0.00	186	0	186	0.00	
23	100.00	0.00	146	0	146	0.00	
24	99.79	0.21	146	0	146	0.00	
25	100.00	0.00	146	0	146	0.00	
26	100.00	0.00	147	0	147	0.00	
27	100.00	0.00	145	0	145	0.00	
28	100.00	0.00	148	0	148	0.00	
29	99.44	0.56	147	0	147	0.00	
30	100.00	0.00	147	0	147	0.00	
31	100.00	0.00	145	0	145	0.00	
32	100.00	0.00	145	0	145	0.00	
33	100.00	0.00	145	0	145	0.00	
34	100.00	0.00	145	0	145	0.00	
35	100.00	0.00	155	0	155	0.00	
36	100.00	0.00	161	0	161	0.00	
37	100.00	0.00	170	0	170	0.00	
38	99.86	0.14	169	0	169	0.00	
39	100.00	0.00	171	0	171	0.00	
40	100.00	0.00	172	0	172	0.00	
41	100.00	0.00	172	0	172	0.00	
42	100.00	0.00	172	0	172	0.00	
43	100.00	0.00	166	0	166	0.00	
44	100.00	0.00	172	0	172	0.00	
45	100.00	0.00	172	0	172	0.00	
46	100.00	0.00	172	0	172	0.00	
47	100.00	0.00	172	0	172	0.00	
48	100.00	0.00	174	0	174	0.00	
49	100.00	0.00	172	0	172	0.00	
50	100.00	0.00	173	0	173	0.00	
51	100.00	0.00	171	0	171	0.00	
52	100.00	0.00	172	0	172	0.00	
53	100.00	0.00	169	0	169	0.00	
54	100.00	0.00	172	0	172	0.00	
55	100.00	0.00	173	0	173	0.00	
56	100.00	0.00	170	0	170	0.00	
57	99.86	0.14	171	0	171	0.00	
58	100.00	0.00	168	0	168	0.00	
59	100.00	0.00	203	0	203	0.00	
60	100.00	0.00	204	0	204	0.00	
61	100.00	0.00	171	0	171	0.00	
62	100.00	0.00	182	0	182	0.00	
63	100.00	0.00	169	0	169	0.00	
64	100.00	0.00	172	0	172	0.00	
65	100.00	0.00	172	0	172	0.00	
66	100.00	0.00	176	0	176	0.00	
67	100.00	0.00	169	0	169	0.00	
68	100.00	0.00	168	0	168	0.00	
69	100.00	0.00	170	0	170	0.00	
70	100.00	0.00	174	0	174	0.00	
71	100.00	0.00	173	0	173	0.00	
72	99.93	0.07	175	0	175	0.00	
73	100.00	0.00	169	0	169	0.00	
74	100.00	0.00	169	0	169	0.00	
75	100.00	0.00	186	0	186	0.00	
76	100.00	0.00	172	0	172	0.00	
77	100.00	0.00	176	0	176	0.00	
78	100.00	0.00	174	0	174	0.00	
79	100.00	0.00	243	0	243	0.00	
80	100.00	0.00	206	0	206	0.00	
81	100.00	0.00	203	0	203	0.00	
82	99.93	0.07	204	0	204	0.00	
83	100.00	0.00	190	0	190	0.00	
84	100.00	0.00	244	0	244	0.00	
85	99.79	0.21	300	0	300	0.00	
86	100.00	0.00	206	0	206	0.00	
87	100.00	0.00	188	0	188	0.00	
88	100.00	0.00	194	0	194	0.00	
89	100.00	0.00	206	0	206	0.00	
90	100.00	0.00	194	0	194	0.00	
91							
92							