



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q2 2026

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
	A		B	C				
	Open banking API		Dedicated interface	yes				
Day	Availability statistics		Performance statistics					
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface				
				Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
1	100.00	0.00		293	0		293	0.00
2	100.00	0.00		280	0		280	0.00
3	100.00	0.00		302	0		302	0.00
4	100.00	0.00		287	0		287	0.00
5	100.00	0.00		284	0		284	0.00
6	100.00	0.00		303	0		303	0.00
7	100.00	0.00		329	0		329	0.00
8	100.00	0.00		289	0		289	0.00
9	100.00	0.00		280	0		280	0.00
10	100.00	0.00		277	0		277	0.00
11	100.00	0.00		275	0		275	0.00
12	100.00	0.00		280	0		280	0.00
13	100.00	0.00		274	0		274	0.00
14	100.00	0.00		278	0		278	0.00
15	100.00	0.00		291	0		291	0.00
16	100.00	0.00		269	0		269	0.00
17	100.00	0.00		280	0		280	0.00
18	100.00	0.00		291	0		291	0.00
19	100.00	0.00		282	0		282	0.00
20	100.00	0.00		281	0		281	0.00
21	100.00	0.00		232	0		232	0.00
22	100.00	0.00		245	0		245	0.00
23	100.00	0.00		289	0		289	0.00
24	100.00	0.00		293	0		293	0.00
25	100.00	0.00		284	0		284	0.00
26	100.00	0.00		277	0		277	0.00
27	100.00	0.00		279	0		279	0.00
28	100.00	0.00		272	0		272	0.00
29	99.44	0.56		296	0		296	0.00
30	100.00	0.00		246	0		246	0.00
31	100.00	0.00		280	0		280	0.00
32	100.00	0.00		278	0		278	0.00
33	100.00	0.00		281	0		281	0.00
34	100.00	0.00		273	0		273	0.00
35	100.00	0.00		309	0		309	0.00
36	100.00	0.00		296	0		296	0.00
37	100.00	0.00		281	0		281	0.00
38	100.00	0.00		278	0		278	0.00
39	100.00	0.00		300	0		300	0.00
40	100.00	0.00		309	0		309	0.00
41	100.00	0.00		263	0		263	0.00
42	100.00	0.00		350	0		350	0.00
43	100.00	0.00		360	0		360	0.00
44	100.00	0.00		356	0		356	0.00
45	100.00	0.00		334	0		334	0.00
46	100.00	0.00		321	0		321	0.00
47	100.00	0.00		318	0		318	0.00
48	100.00	0.00		338	0		338	0.00
49	100.00	0.00		347	0		347	0.00
50	100.00	0.00		346	0		346	0.00
51	100.00	0.00		350	0		350	0.00
52	100.00	0.00		379	0		379	0.00
53	100.00	0.00		379	0		379	0.00
54	100.00	0.00		387	0		387	0.00
55	100.00	0.00		467	0		467	0.00
56	100.00	0.00		350	0		350	0.00
57	100.00	0.00		314	0		314	0.00
58	100.00	0.00		319	0		319	0.00
59	100.00	0.00		353	0		353	0.00
60	100.00	0.00		338	0		338	0.00
61	100.00	0.00		362	0		362	0.00
62	100.00	0.00		341	0		341	0.00
63	100.00	0.00		346	0		346	0.00
64	100.00	0.00		339	0		339	0.00
65	100.00	0.00		340	0		340	0.00
66	100.00	0.00		325	0		325	0.00
67	100.00	0.00		334	0		334	0.00
68	100.00	0.00		338	0		338	0.00
69	100.00	0.00		359	0		359	0.00
70	100.00	0.00		340	0		340	0.00
71	100.00	0.00		315	0		315	0.00
72	100.00	0.00		282	0		282	0.00
73	100.00	0.00		260	0		260	0.00
74	100.00	0.00		283	0		283	0.00
75	100.00	0.00		303	0		303	0.00
76	100.00	0.00		278	0		278	0.00
77	100.00	0.00		291	0		291	0.00
78	100.00	0.00		277	0		277	0.00
79	100.00	0.00		300	0		300	0.00
80	100.00	0.00		268	0		268	0.00
81	100.00	0.00		303	0		303	0.00
82	100.00	0.00		296	0		296	0.00
83	100.00	0.00		323	0		323	0.00
84	100.00	0.00		302	0		302	0.00
85	100.00	0.00		298	0		298	0.00
86	99.93	0.07		290	0		290	0.00
87	100.00	0.00		295	0		295	0.00
88	100.00	0.00		305	0		305	0.00
89	100.00	0.00		290	0		290	0.00
90	100.00	0.00		297	0		297	0.00
91	100.00	0.00		290	0		290	0.00
92								

Day	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Web interface		PSU interface				
Availability statistics			Performance statistics				
			Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
			F	G	H	I	J
1	100.00	0.00	181				
2	100.00	0.00	170				
3	100.00	0.00	168				
4	100.00	0.00	163				
5	100.00	0.00	162				
6	100.00	0.00	168				
7	100.00	0.00	174				
8	100.00	0.00	165				
9	100.00	0.00	166				
10	100.00	0.00	162				
11	100.00	0.00	163				
12	100.00	0.00	162				
13	100.00	0.00	176				
14	100.00	0.00	163				
15	100.00	0.00	167				
16	100.00	0.00	166				
17	100.00	0.00	168				
18	100.00	0.00	165				
19	100.00	0.00	168				
20	100.00	0.00	167				
21	100.00	0.00	190				
22	100.00	0.00	176				
23	100.00	0.00	199				
24	100.00	0.00	190				
25	100.00	0.00	204				
26	100.00	0.00	185				
27	100.00	0.00	167				
28	100.00	0.00	166				
29	94.38	5.62	900				
30	100.00	0.00	159				
31	100.00	0.00	167				
32	100.00	0.00	162				
33	100.00	0.00	156				
34	100.00	0.00	158				
35	100.00	0.00	161				
36	100.00	0.00	166				
37	100.00	0.00	167				
38	100.00	0.00	158				
39	100.00	0.00	162				
40	100.00	0.00	164				
41	100.00	0.00	455				
42	100.00	0.00	171				
43	100.00	0.00	166				
44	100.00	0.00	163				
45	100.00	0.00	164				
46	100.00	0.00	164				
47	100.00	0.00	162				
48	100.00	0.00	170				
49	100.00	0.00	169				
50	100.00	0.00	168				
51	100.00	0.00	169				
52	99.93	0.07	166				
53	100.00	0.00	173				
54	100.00	0.00	175				
55	100.00	0.00	170				
56	100.00	0.00	177				
57	99.24	0.76	175				
58	100.00	0.00	180				
59	100.00	0.00	175				
60	100.00	0.00	172				
61	100.00	0.00	171				
62	100.00	0.00	185				
63	100.00	0.00	179				
64	100.00	0.00	177				
65	100.00	0.00	184				
66	100.00	0.00	176				
67	100.00	0.00	177				
68	100.00	0.00	176				
69	100.00	0.00	185				
70	100.00	0.00	179				
71	100.00	0.00	179				
72	100.00	0.00	174				
73	100.00	0.00	189				
74	100.00	0.00	179				
75	100.00	0.00	175				
76	100.00	0.00	174				
77	100.00	0.00	179				
78	100.00	0.00	177				
79	100.00	0.00	180				
80	100.00	0.00	193				
81	100.00	0.00	171				
82	100.00	0.00	174				
83	100.00	0.00	174				
84	100.00	0.00	181				
85	100.00	0.00	191				
86	99.58	0.42	477				
87	100.00	0.00	183				
88	100.00	0.00	177				
89	100.00	0.00	175				
90	100.00	0.00	176				
91	100.00	0.00	169				
92							

Day	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Financial App		PSU interface				
Availability statistics			Performance statistics				
			Payment services user interface	PSU interface			
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBP/II / PISP Yes/No response (milliseconds)	Error response rate (%)
			F	G	H	I	J
1	100.00	0.00	181				
2	100.00	0.00	170				
3	100.00	0.00	168				
4	100.00	0.00	163				
5	100.00	0.00	162				
6	100.00	0.00	168				
7	100.00	0.00	174				
8	100.00	0.00	165				
9	100.00	0.00	166				
10	100.00	0.00	162				
11	100.00	0.00	163				
12	100.00	0.00	162				
13	100.00	0.00	176				
14	100.00	0.00	163				
15	100.00	0.00	167				
16	100.00	0.00	166				
17	100.00	0.00	168				
18	100.00	0.00	165				
19	100.00	0.00	168				
20	100.00	0.00	167				
21	100.00	0.00	190				
22	100.00	0.00	176				
23	100.00	0.00	199				
24	100.00	0.00	190				
25	100.00	0.00	204				
26	100.00	0.00	185				
27	100.00	0.00	167				
28	100.00	0.00	166				
29	94.38	5.62	900				
30	100.00	0.00	159				
31	100.00	0.00	167				
32	100.00	0.00	162				
33	100.00	0.00	156				
34	100.00	0.00	158				
35	100.00	0.00	161				
36	100.00	0.00	166				
37	100.00	0.00	167				
38	100.00	0.00	158				
39	100.00	0.00	162				
40	100.00	0.00	164				
41	100.00	0.00	455				
42	100.00	0.00	171				
43	100.00	0.00	166				
44	100.00	0.00	163				
45	100.00	0.00	164				
46	100.00	0.00	164				
47	100.00	0.00	162				
48	100.00	0.00	170				
49	100.00	0.00	169				
50	100.00	0.00	168				
51	100.00	0.00	169				
52	99.93	0.07	166				
53	100.00	0.00	173				
54	100.00	0.00	175				
55	100.00	0.00	170				
56	100.00	0.00	177				
57	99.24	0.76	175				
58	100.00	0.00	180				
59	100.00	0.00	175				
60	100.00	0.00	172				
61	100.00	0.00	171				
62	100.00	0.00	185				
63	100.00	0.00	179				
64	100.00	0.00	177				
65	100.00	0.00	184				
66	100.00	0.00	176				
67	100.00	0.00	177				
68	100.00	0.00	176				
69	100.00	0.00	185				
70	100.00	0.00	179				
71	100.00	0.00	179				
72	100.00	0.00	174				
73	100.00	0.00	189				
74	100.00	0.00	179				
75	100.00	0.00	175				
76	100.00	0.00	174				
77	100.00	0.00	179				
78	100.00	0.00	177				
79	100.00	0.00	180				
80	100.00	0.00	193				
81	100.00	0.00	171				
82	100.00	0.00	174				
83	100.00	0.00	174				
84	100.00	0.00	181				
85	100.00	0.00	191				
86	99.58	0.42	477				
87	100.00	0.00	183				
88	100.00	0.00	177				
89	100.00	0.00	175				
90	100.00	0.00	176				
91	100.00	0.00	169				
92							

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?				
	A		B	C				
	APIs		Dedicated interface	yes				
Day	Availability statistics		Performance statistics					
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface				
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)	
			F	G	H	I	J	
1	100.00	0.00		0	0	0	0	0.00
2	100.00	0.00		0	0	0	0	0.00
3	100.00	0.00		0	0	0	0	0.00
4	100.00	0.00		0	0	0	0	0.00
5	100.00	0.00		0	0	0	0	0.00
6	100.00	0.00		0	0	0	0	0.00
7	100.00	0.00		0	0	0	0	0.00
8	100.00	0.00		0	0	0	0	0.00
9	100.00	0.00		0	0	0	0	0.00
10	100.00	0.00		0	0	0	0	0.00
11	100.00	0.00		0	0	0	0	0.00
12	100.00	0.00		0	0	0	0	0.00
13	100.00	0.00		0	0	0	0	0.00
14	100.00	0.00		0	0	0	0	0.00
15	100.00	0.00		0	0	0	0	0.00
16	100.00	0.00		0	0	0	0	0.00
17	100.00	0.00		0	0	0	0	0.00
18	100.00	0.00		0	0	0	0	0.00
19	100.00	0.00		0	0	0	0	0.00
20	100.00	0.00		0	0	0	0	0.00
21	100.00	0.00		0	0	0	0	0.00
22	100.00	0.00		0	0	0	0	0.00
23	100.00	0.00		0	0	0	0	0.00
24	100.00	0.00		0	0	0	0	0.00
25	100.00	0.00		0	0	0	0	0.00
26	100.00	0.00		0	0	0	0	0.00
27	100.00	0.00		0	0	0	0	0.00
28	100.00	0.00		0	0	0	0	0.00
29	100.00	0.00		0	0	0	0	0.00
30	100.00	0.00		0	0	0	0	0.00
31	100.00	0.00		0	0	0	0	0.00
32	100.00	0.00		0	0	0	0	0.00
33	100.00	0.00		0	0	0	0	0.00
34	100.00	0.00		0	0	0	0	0.00
35	100.00	0.00		0	0	0	0	0.00
36	100.00	0.00		0	0	0	0	0.00
37	100.00	0.00		0	0	0	0	0.00
38	100.00	0.00		0	0	0	0	0.00
39	100.00	0.00		0	0	0	0	0.00
40	100.00	0.00		0	0	0	0	0.00
41	100.00	0.00		0	0	0	0	0.00
42	100.00	0.00		0	0	0	0	0.00
43	100.00	0.00		0	0	0	0	0.00
44	100.00	0.00		0	0	0	0	0.00
45	100.00	0.00		0	0	0	0	0.00
46	100.00	0.00		0	0	0	0	0.00
47	100.00	0.00		0	0	0	0	0.00
48	100.00	0.00		0	0	0	0	0.00
49	100.00	0.00		0	0	0	0	0.00
50	100.00	0.00		0	0	0	0	0.00
51	100.00	0.00		0	0	0	0	0.00
52	100.00	0.00		0	0	0	0	0.00
53	100.00	0.00		0	0	0	0	0.00
54	100.00	0.00		0	0	0	0	0.00
55	100.00	0.00		0	0	0	0	0.00
56	100.00	0.00		0	0	0	0	0.00
57	100.00	0.00		0	0	0	0	0.00
58	100.00	0.00		0	0	0	0	0.00
59	100.00	0.00		0	0	0	0	0.00
60	100.00	0.00		0	0	0	0	0.00
61	100.00	0.00		0	0	0	0	0.00
62	100.00	0.00		128	0	128	0	0.00
63	100.00	0.00		121	0	121	0	0.00
64	100.00	0.00		119	0	119	0	0.00
65	100.00	0.00		120	0	120	0	0.00
66	100.00	0.00		116	0	116	0	0.00
67	100.00	0.00		117	0	117	0	0.00
68	100.00	0.00		120	0	120	0	0.00
69	100.00	0.00		116	0	116	0	0.00
70	100.00	0.00		117	0	117	0	0.00
71	100.00	0.00		116	0	116	0	0.00
72	100.00	0.00		119	0	119	0	0.00
73	100.00	0.00		124	0	124	0	0.00
74	100.00	0.00		125	0	125	0	0.00
75	100.00	0.00		125	0	125	0	0.00
76	100.00	0.00		122	0	122	0	0.00
77	100.00	0.00		124	0	124	0	0.00
78	100.00	0.00		124	0	124	0	0.00
79	100.00	0.00		125	0	125	0	0.00
80	100.00	0.00		131	0	131	0	0.00
81	100.00	0.00		126	0	126	0	0.00
82	100.00	0.00		125	0	125	0	0.00
83	100.00	0.00		134	0	134	0	0.00
84	100.00	0.00		126	0	126	0	0.00
85	100.00	0.00		129	0	129	0	0.00
86	99.79	0.21		138	0	138	0	0.00
87	100.00	0.00		123	0	123	0	0.00
88	100.00	0.00		127	0	127	0	0.00
89	100.00	0.00		125	0	125	0	0.00
90	100.00	0.00		117	0	117	0	0.00
91	100.00	0.00		117	0	117	0	0.00
92								