



REP020 Quarterly Statistics on Availability and Performance of Dedicated Interfaces

Q3 2026

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	Open banking API		Dedicated interface	yes			
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (miliseconds)	AISP response (miliseconds)	PISP response (miliseconds)	CBPII / PISP	Error response rate (%)
						Yes/No response (miliseconds)	
	D	E	F	G	H	I	J
1	100.00	0.00		300	0	300	0.00
2	100.00	0.00		468	0	468	0.00
3	100.00	0.00		435	0	435	0.00
4	100.00	0.00		464	0	464	0.00
5	100.00	0.00		440	0	440	0.00
6	100.00	0.00		477	0	477	0.00
7	100.00	0.00		455	0	455	0.00
8	100.00	0.00		439	0	439	0.00
9	100.00	0.00		455	0	455	0.00
10	100.00	0.00		460	0	460	0.00
11	100.00	0.00		456	0	456	0.00
12	100.00	0.00		426	0	426	0.00
13	100.00	0.00		450	0	450	0.00
14	100.00	0.00		454	0	454	0.00
15	100.00	0.00		468	0	468	0.00
16	100.00	0.00		443	0	443	0.00
17	100.00	0.00		378	0	378	0.00
18	100.00	0.00		440	0	440	0.00
19	100.00	0.00		427	0	427	0.00
20	100.00	0.00		454	0	454	0.00
21	100.00	0.00		449	0	449	0.00
22	100.00	0.00		442	0	442	0.00
23	100.00	0.00		455	0	455	0.00
24	100.00	0.00		472	0	472	0.00
25	100.00	0.00		430	0	430	0.00
26	100.00	0.00		434	0	434	0.00
27	100.00	0.00		442	0	442	0.00
28	100.00	0.00		449	0	449	0.00
29	99.93	0.07		457	0	457	0.00
30	100.00	0.00		429	0	429	0.00
31	100.00	0.00		378	0	378	0.00
32	100.00	0.00		379	0	379	0.00
33	100.00	0.00		395	0	395	0.00
34	100.00	0.00		390	0	390	0.00
35	100.00	0.00		405	0	405	0.00
36	100.00	0.00		440	0	440	0.00
37	100.00	0.00		428	0	428	0.00
38	100.00	0.00		418	0	418	0.00
39	100.00	0.00		387	0	387	0.00
40	100.00	0.00		397	0	397	0.00
41	100.00	0.00		391	0	391	0.00
42	100.00	0.00		387	0	387	0.00
43	100.00	0.00		179	0	179	0.00
44	100.00	0.00		146	0	146	0.00
45	100.00	0.00		154	0	154	0.00
46	100.00	0.00		348	0	348	0.00
47	100.00	0.00		349	0	349	0.00
48	100.00	0.00		365	0	365	0.00
49	100.00	0.00		369	0	369	0.00
50	100.00	0.00		376	0	376	0.00
51	100.00	0.00		382	0	382	0.00
52	100.00	0.00		377	0	377	0.00
53	100.00	0.00		379	0	379	0.00
54	100.00	0.00		373	0	373	0.00
55	100.00	0.00		373	0	373	0.00
56	100.00	0.00		380	0	380	0.00
57	100.00	0.00		391	0	391	0.00
58	99.93	0.07		371	0	371	0.00
59	100.00	0.00		375	0	375	0.00
60	100.00	0.00		371	0	371	0.00
61	100.00	0.00		362	0	362	0.00
62	100.00	0.00		374	0	374	0.00
63	100.00	0.00		354	0	354	0.00
64	100.00	0.00		392	0	392	0.00
65	100.00	0.00		408	0	408	0.00
66	100.00	0.00		375	0	375	0.00
67	100.00	0.00		369	0	369	0.00
68	100.00	0.00		395	0	395	0.00
69	100.00	0.00		372	0	372	0.00
70	100.00	0.00		382	0	382	0.00
71	100.00	0.00		394	0	394	0.00
72	100.00	0.00		387	0	387	0.00
73	100.00	0.00		390	0	390	0.00
74	100.00	0.00		365	0	365	0.00
75	100.00	0.00		0	0	0	0.00
76	100.00	0.00		0	0	0	0.00
77	100.00	0.00		0	0	0	0.00
78	100.00	0.00		0	0	0	0.00
79	100.00	0.00		0	0	0	0.00
80	100.00	0.00		0	0	0	0.00
81	100.00	0.00		0	0	0	0.00
82	100.00	0.00		0	0	0	0.00
83	100.00	0.00		0	0	0	0.00
84	100.00	0.00		0	0	0	0.00
85	100.00	0.00		0	0	0	0.00
86	100.00	0.00		364	0	364	0.00
87	100.00	0.00		338	0	338	0.00
88	100.00	0.00		384	0	384	0.00
89	100.00	0.00		366	0	366	0.00
90	100.00	0.00		367	0	367	0.00
91	100.00	0.00		418	0	418	0.00
92	100.00	0.00		407	0	407	0.00

Day	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?					
	A		B	C					
	Web interface		PSU interface						
Availability statistics			Performance statistics						
			Payment services user interface	PSU interface					
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)		
			D	E	F	G	H	I	J
1	100.00	0.00	196						
2	100.00	0.00	206						
3	100.00	0.00	187						
4	100.00	0.00	188						
5	100.00	0.00	194						
6	100.00	0.00	192						
7	100.00	0.00	190						
8	100.00	0.00	191						
9	100.00	0.00	180						
10	100.00	0.00	189						
11	100.00	0.00	185						
12	100.00	0.00	188						
13	100.00	0.00	182						
14	100.00	0.00	179						
15	100.00	0.00	201						
16	100.00	0.00	189						
17	100.00	0.00	182						
18	100.00	0.00	185						
19	100.00	0.00	193						
20	99.93	0.07	205						
21	100.00	0.00	185						
22	100.00	0.00	186						
23	100.00	0.00	189						
24	100.00	0.00	200						
25	100.00	0.00	183						
26	100.00	0.00	187						
27	100.00	0.00	190						
28	99.93	0.07	206						
29	99.79	0.21	199						
30	100.00	0.00	206						
31	100.00	0.00	183						
32	100.00	0.00	183						
33	100.00	0.00	179						
34	100.00	0.00	183						
35	100.00	0.00	199						
36	100.00	0.00	199						
37	99.93	0.07	211						
38	100.00	0.00	188						
39	100.00	0.00	186						
40	100.00	0.00	185						
41	100.00	0.00	182						
42	100.00	0.00	184						
43	99.79	0.21	160						
44	100.00	0.00	157						
45	100.00	0.00	158						
46	100.00	0.00	182						
47	100.00	0.00	195						
48	100.00	0.00	182						
49	97.92	2.08	635						
50	99.93	0.07	199						
51	100.00	0.00	193						
52	100.00	0.00	194						
53	100.00	0.00	189						
54	100.00	0.00	189						
55	100.00	0.00	192						
56	100.00	0.00	190						
57	99.93	0.07	205						
58	99.51	0.49	194						
59	99.93	0.07	206						
60	100.00	0.00	191						
61	100.00	0.00	190						
62	100.00	0.00	188						
63	100.00	0.00	194						
64	99.93	0.07	218						
65	99.83	0.07	209						
66	100.00	0.00	193						
67	100.00	0.00	188						
68	100.00	0.00	195						
69	100.00	0.00	194						
70	99.93	0.07	209						
71	100.00	0.00	207						
72	100.00	0.00	187						
73	100.00	0.00	187						
74	100.00	0.00	183						
75	100.00	0.00	0						
76	100.00	0.00	0						
77	100.00	0.00	0						
78	100.00	0.00	0						
79	100.00	0.00	0						
80	100.00	0.00	0						
81	100.00	0.00	0						
82	100.00	0.00	0						
83	100.00	0.00	0						
84	100.00	0.00	0						
85	100.00	0.00	0						
86	100.00	0.00	201						
87	100.00	0.00	202						
88	100.00	0.00	180						
89	100.00	0.00	186						
90	100.00	0.00	175						
91	100.00	0.00	191						
92	100.00	0.00	209						

Day	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?					
	A		B	C					
	Financial App		PSU interface						
Availability statistics			Performance statistics						
			Payment services user interface	PSU interface					
			Response (milliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)		
			D	E	F	G	H	I	J
1	100.00	0.00	196						
2	100.00	0.00	206						
3	100.00	0.00	187						
4	100.00	0.00	188						
5	100.00	0.00	194						
6	100.00	0.00	192						
7	100.00	0.00	190						
8	100.00	0.00	191						
9	100.00	0.00	180						
10	100.00	0.00	189						
11	100.00	0.00	185						
12	100.00	0.00	188						
13	100.00	0.00	182						
14	100.00	0.00	179						
15	100.00	0.00	201						
16	100.00	0.00	189						
17	100.00	0.00	182						
18	100.00	0.00	185						
19	100.00	0.00	193						
20	99.93	0.07	205						
21	100.00	0.00	185						
22	100.00	0.00	186						
23	100.00	0.00	189						
24	100.00	0.00	200						
25	100.00	0.00	183						
26	100.00	0.00	187						
27	100.00	0.00	190						
28	99.93	0.07	206						
29	99.79	0.21	199						
30	100.00	0.00	206						
31	100.00	0.00	183						
32	100.00	0.00	183						
33	100.00	0.00	179						
34	100.00	0.00	183						
35	100.00	0.00	199						
36	100.00	0.00	199						
37	99.93	0.07	211						
38	100.00	0.00	188						
39	100.00	0.00	186						
40	100.00	0.00	185						
41	100.00	0.00	182						
42	100.00	0.00	184						
43	99.79	0.21	160						
44	100.00	0.00	157						
45	100.00	0.00	158						
46	100.00	0.00	182						
47	100.00	0.00	195						
48	100.00	0.00	182						
49	97.92	2.08	635						
50	99.93	0.07	199						
51	100.00	0.00	193						
52	100.00	0.00	194						
53	100.00	0.00	189						
54	100.00	0.00	189						
55	100.00	0.00	192						
56	100.00	0.00	190						
57	99.93	0.07	205						
58	99.51	0.49	194						
59	99.93	0.07	206						
60	100.00	0.00	191						
61	100.00	0.00	190						
62	100.00	0.00	188						
63	100.00	0.00	194						
64	99.93	0.07	218						
65	99.83	0.07	209						
66	100.00	0.00	193						
67	100.00	0.00	188						
68	100.00	0.00	195						
69	100.00	0.00	194						
70	99.93	0.07	209						
71	100.00	0.00	207						
72	100.00	0.00	187						
73	100.00	0.00	187						
74	100.00	0.00	183						
75	100.00	0.00	0						
76	100.00	0.00	0						
77	100.00	0.00	0						
78	100.00	0.00	0						
79	100.00	0.00	0						
80	100.00	0.00	0						
81	100.00	0.00	0						
82	100.00	0.00	0						
83	100.00	0.00	0						
84	100.00	0.00	0						
85	100.00	0.00	0						
86	100.00	0.00	201						
87	100.00	0.00	202						
88	100.00	0.00	180						
89	100.00	0.00	186						
90	100.00	0.00	175						
91	100.00	0.00	191						
92	100.00	0.00	209						

	Interface Name/Id		Interface type	Has exemption been granted for dedicated interface?			
	A		B	C			
	APIs		Dedicated interface	yes			
Day	Availability statistics		Performance statistics				
	Uptime (%)	Downtime (%)	Payment services user interface	Dedicated interface			
			Response (miliseconds)	AISP response (milliseconds)	PISP response (milliseconds)	CBPII / PISP Yes/No response (milliseconds)	Error response rate (%)
			F	G	H	I	J
1	100.00	0.00		122	0	122	0.00
2	100.00	0.00		149	0	149	0.00
3	100.00	0.00		125	0	125	0.00
4	100.00	0.00		144	0	144	0.00
5	100.00	0.00		148	0	148	0.00
6	100.00	0.00		148	0	148	0.00
7	100.00	0.00		148	0	148	0.00
8	100.00	0.00		148	0	148	0.00
9	100.00	0.00		151	0	151	0.00
10	100.00	0.00		147	0	147	0.00
11	100.00	0.00		148	0	148	0.00
12	100.00	0.00		148	0	148	0.00
13	100.00	0.00		147	0	147	0.00
14	100.00	0.00		151	0	151	0.00
15	100.00	0.00		148	0	148	0.00
16	100.00	0.00		147	0	147	0.00
17	100.00	0.00		148	0	148	0.00
18	100.00	0.00		148	0	148	0.00
19	100.00	0.00		148	0	148	0.00
20	100.00	0.00		148	0	148	0.00
21	100.00	0.00		148	0	148	0.00
22	100.00	0.00		150	0	150	0.00
23	100.00	0.00		148	0	148	0.00
24	100.00	0.00		148	0	148	0.00
25	100.00	0.00		149	0	149	0.00
26	99.93	0.07		156	0	156	0.00
27	100.00	0.00		148	0	148	0.00
28	100.00	0.00		158	0	158	0.00
29	99.86	0.14		168	0	168	0.00
30	100.00	0.00		177	0	177	0.00
31	100.00	0.00		178	0	178	0.00
32	100.00	0.00		184	0	184	0.00
33	100.00	0.00		186	0	186	0.00
34	100.00	0.00		172	0	172	0.00
35	100.00	0.00		160	0	160	0.00
36	100.00	0.00		172	0	172	0.00
37	100.00	0.00		157	0	157	0.00
38	100.00	0.00		157	0	157	0.00
39	100.00	0.00		159	0	159	0.00
40	100.00	0.00		157	0	157	0.00
41	100.00	0.00		152	0	152	0.00
42	100.00	0.00		150	0	150	0.00
43	99.86	0.14		153	0	153	0.00
44	100.00	0.00		160	0	160	0.00
45	100.00	0.00		180	0	180	0.00
46	100.00	0.00		202	0	202	0.00
47	100.00	0.00		143	0	143	0.00
48	100.00	0.00		144	0	144	0.00
49	100.00	0.00		168	0	168	0.00
50	100.00	0.00		158	0	158	0.00
51	100.00	0.00		158	0	158	0.00
52	100.00	0.00		156	0	156	0.00
53	100.00	0.00		157	0	157	0.00
54	100.00	0.00		158	0	158	0.00
55	100.00	0.00		161	0	161	0.00
56	100.00	0.00		169	0	169	0.00
57	100.00	0.00		169	0	169	0.00
58	99.72	0.28		161	0	161	0.00
59	100.00	0.00		157	0	157	0.00
60	100.00	0.00		171	0	171	0.00
61	100.00	0.00		156	0	156	0.00
62	100.00	0.00		172	0	172	0.00
63	100.00	0.00		160	0	160	0.00
64	100.00	0.00		163	0	163	0.00
65	100.00	0.00		220	0	220	0.00
66	100.00	0.00		176	0	176	0.00
67	100.00	0.00		161	0	161	0.00
68	100.00	0.00		172	0	172	0.00
69	100.00	0.00		162	0	162	0.00
70	99.93	0.07		178	0	178	0.00
71	100.00	0.00		166	0	166	0.00
72	100.00	0.00		161	0	161	0.00
73	100.00	0.00		165	0	165	0.00
74	100.00	0.00		161	0	161	0.00
75	100.00	0.00		0	0	0	0.00
76	100.00	0.00		0	0	0	0.00
77	100.00	0.00		0	0	0	0.00
78	100.00	0.00		0	0	0	0.00
79	100.00	0.00		0	0	0	0.00
80	100.00	0.00		0	0	0	0.00
81	100.00	0.00		0	0	0	0.00
82	100.00	0.00		0	0	0	0.00
83	100.00	0.00		0	0	0	0.00
84	100.00	0.00		0	0	0	0.00
85	100.00	0.00		0	0	0	0.00
86	100.00	0.00		213	0	213	0.00
87	100.00	0.00		154	0	154	0.00
88	100.00	0.00		170	0	170	0.00
89	100.00	0.00		156	0	156	0.00
90	100.00	0.00		169	0	169	0.00
91	100.00	0.00		161	0	161	0.00
92	100.00	0.00		157	0	157	0.00